

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87401
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.

30-025-05861

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

B2657

7. Lease Name or Unit Agreement Name

East Eumont Unit

8. Well Number

121

9. OGRID Number

192463

10. Pool name or Wildcat

Eumont Yates TR on

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other Injection

2. Name of Operator

OXY USA WTP Limited Partnership

3. Address of Operator

P.O. Box 50250 Midland, TX 79710

4. Well Location

Unit Letter 0 : 660 feet from the south line and 1980 feet from the east line
Section 2 Township 20S Range 37E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3605

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

REMEDIAL E-PERMITTING ☐
COMMENC P&A NR ☐
CASING/CE INT to P&A IM ☐
CSNG ☐
TA ☐
P&A ☐
CHG Loc ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-3849' PB-3650' Perfs-3700-3816' CIBP-3650'

8-5/8" 24# csg @ 318' w/ 300sx, 11" hole, TOC-Surf-Circ

5-1/2" 14# csg @ 3848' w/ 1220sx, 7-7/8" hole, TOC-180'-TS

1. RIH & tag CIBP @ 3650', M&P 25sx cmt to 3500'

2. M&P 40sx cmt @ 3000-2700' WOC-Tag

3. M&P 25sx cmt @ 1550-1400' WOC-Tag

4. Perf @ 368' sqz 115sx cmt to surface

10# MLF between plugs

Above ground steel tanks will be utilized

The Oil Conservation Division
MUST BE NOTIFIED 24 Hours
Prior to the beginning of operations

VERIFY CMT TO SURFACE AFTER WELLHEAD CUTOFF

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

David Stewart

TITLE

Sr. Regulatory Advisor

DATE

1/28/15

Type or print name David Stewart

E-mail address: david_stewart@oxy.com

PHONE: 432-685-5717

For State Use Only

APPROVED BY:

Mary S Brown

TITLE

Dist. Supervisor

DATE

2/2/2015

Conditions of Approval (if any):

OIL CONSERVATION DIVISION - Hobbs office **Must Be Notified**
24 hours prior to the beginning of Plugging Operations.

FEB 03 2015

OXY USA WTP LP - Proposed
East Eumont Unit #121
API No. 30-025-05861


115sx @ 368'-Surface

25sx @ 1550-1400' WOC-TOC

40sx @ 3000-2700' WOC-Tag

25sx @ 3650-3500'

CIBP @ 3650'



11" hole @ 318'
8-5/8" csg @ 318'
w/ 300sx-TOC-Surf-Circ

Perf @ 368'

7-7/8" hole @ 3849'
5-1/2" csg @ 3848'
w/ 1220sx-TOC-180-TS

Perfs @ 3700-3816'

TD-3849'

OXY USA WTP LP - Current
East Eumont Unit #121
API No. 30-025-05861

11" hole @ 318'
8-5/8" csg @ 318'
w/ 300sx-TOC-Surf-Circ

7-7/8" hole @ 3849'
5-1/2" csg @ 3848'
w/ 1220sx-TOC-180-TS

CIBP @ 3650'

Perfs @ 3700-3816'

TD-3849'