

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-30482
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator ConocoPhillips Company		6. State Oil & Gas Lease No. B-2148
3. Address of Operator P.O. Box 51810 Midland, TX 79710		7. Lease Name or Unit Agreement Name Phillips E State
4. Well Location Unit Letter P ; 660 feet from the South line and 660 feet from the East line Section 15 Township 17-S Range 33-E NMPM County Lea		8. Well Number 037
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4155' GR		9. OGRID Number 217817
		10. Pool name or Wildcat Maljamar GB/SA

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☒	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

--MIRU. ND WH, NU BOP. POOH w/ Prod Equip
--RIH WL - Set 5 1/2" CIBP @ 4,200'
--RIH Tbg - Tag BP @ 4,200'. Circ hole w/ MLF. Cap BP w/ 55sx cmt to 3,720' → **Pressure Test CSG**
--Spot 40sx cmt @ 3,056' - 2,720'. WOC-Tag
--Spot 30sx cmt @ 1,677' - 1,420'. WOC-Tag
--Spot 10sx cmt @ 60' → **250' to SURFACE**
--POOH. Fill wellbore. Verify cmt @ surface in all annuli

25

A closed-loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17

Spud Date:

11/1/88

Rig Release Date:

11/9/88

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE

P&A Tech - Basic Energy Services

DATE

2/4/15

Type or print name
For State Use Only

Greg Bryant

E-mail address:

PHONE: 432-563-3355

APPROVED BY:

TITLE

Compliance Officer

DATE

02/12/2015

Conditions of Approval (if any):

FEB 13 2015

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations


Date: January 15, 2015

RKB @ 4167'
 DF @ 4166'
 GL @ 4155'

Subarea : Buckeye
 Lease & Well No. : Phillips State E 37
 Legal Description : 660 FSL & 660 FEL, Sec. 15, T-17-S, R-33-E,
 County : Lea State : New Mexico
 Field : Maljamar (Grayburg San Andres)
 Date Spudded : 11/1/1988 Rig Released: 11/9/1988
 API Number : 30-025-30482
 Status: Producing
 State Lease No. B-2148

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Max Down
	12/13/1988	Perf 4254-56, 4278-80, 4290-93, 4299-4301 4342-46, 4380-84, 4424-26, 4435-37, 4461-64 4478-82, 4490-92, 4497-99, 4504-06, 4511-20 w/ 2 SPF						
4254-4520	12/13/1988	15% NEFE	4000					
4254-4520	12/13/1988	Versagel	40,000	67,600				



12-1/4" Hole

8-5/8" 24# K-55 @ 1494'
 Cmt'd w/ 1000 sx, circ 130 sxs
 TOC @ Surface

Top of Salt @ 1627'

Base of Salt @ 3006'

4254-4301'

4342-4384'

4424-4499'

4504-4520'

7-7/8" Hole
 5-1/2" 15.5# K-55 @ 4800'
 Cmt'd w/ 1300 sx; Circ 185 sxs
 TOC @ Surface

PBTD: 4736'
 TD: 4800'

Formation Tops:


Santa Rosa Base	
Rustler	1470'
Salado	
Yates	
Seven Rivers	
Queen	3770'
Grayburg	4230'
San Andres	4523'

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: January 15, 2015

RKB @ 4167'
 DF @ 4166'
 GL @ 4155'

Subarea : Buckeye
 Lease & Well No. : Phillips State E 37
 Legal Description : 660 FSL & 660 FEL, Sec. 15, T-17-S, R-33-E.
 County : Lea State : New Mexico
 Field : Majamar (Grayburg San Andres)
 Date Spudded : 11/1/1988 Rig Released: 11/9/1988
 API Number : 30-025-30482
 Status: Producing
 State Lease No. B-2148



12-1/4" Hole
 Spot 10sx cmt @ 60'-3'

8-5/8" 24# K-55 @ 1494'
 Cmt'd w/ 1000 sx, circ 130 sxs
 TOC @ Surface
 Spot 30sx cmt @ 1677'-1420' - Tag
 Top of Salt @ 1627'

Spot 40sx cmt @ 3056'-2720' - Tag
 Base of Salt @ 3006'

Spot 55sx cmt @ 4200'-3720'
 Set CIBP @ 4200'
 4254-4301'

4342-4384'

4424-4499'

4504-4520'

7-7/8" Hole
 5-1/2" 15.5# K-55 @ 4800'
 Cmt'd w/ 1300 sx; Circ 185 sxs
 TOC @ Surface

PBTD: 4736'
 TD: 4800'

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Max Down
	12/13/1988	Perf 4254-56, 4278-80, 4290-93, 4299-4301 4342-46, 4380-84, 4424-26, 4435-37, 4461-64 4478-82, 4490-92, 4497-99, 4504-06, 4511-20 w/ 2 SPF						
4254-4520	12/13/1988	15% NEFE	4000					
4254-4520	12/13/1988	Versagel	40,000	67,600				

Formation Tops:

Santa Rosa Base	
Rustler	1470'
Salado	
Yates	
Seven Rivers	
Queen	3770'
Grayburg	4230'
San Andres	4523'