

Submit 1 Copy To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

HOBBSOCD State of New Mexico
Energy, Minerals and Natural Resources
FEB 19 2015
RECEIVED
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised July 18, 2013

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☒	WELL API NO. 30-025-04918
2. Name of Operator XTO Energy, Inc.	5. Indicate Type of Lease STATE ☒ FEE ☐
3. Address of Operator 200 N. Loraine, Ste. 800 Midland, TX 79701	6. State Oil & Gas Lease No.
4. Well Location Unit Letter N : 660 feet from the South line and 1980 feet from the West line Section 35 Township 21S Range 36E NMPM County Lea	7. Lease Name or Unit Agreement Name: W.A Ramsay NCT 'A'
	8. Well Number 7
	9. OGRID Number 005380
	10. Pool name or Wildcat
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REM E-PERMITTING
TEMPORARILY ABANDON ☐	COM P&A NR
PULL OR ALTER CASING ☐	CAS INT TO P&A PM
DOWNHOLE COMMINGLE ☐	CSNG
CLOSED-LOOP SYSTEM ☐	TA
OTHER: ☐	OTHER: ☐
	P&A R
	COMP -
	CHG Loc
	RBDMS CHART

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

XTO Energy, Inc intends to Plug and Abandon the referenced well.

02/19/2015: MIRU PA Rig, RIH & Tag @ 2350'. EIR. Well on vacuum. Spoke w/Maxey Brown at NMOCD, the following procedure was developed:

1. Pump 140sx CI C cmt w/additives to cover csg fr/2120'-2911'. WOC. Tag @ 2120'.
2. PUH. Spot 25sx across prev. csg lk @ 1328' fr/1378'-1278'. WOC. Tag.
3. PUH. P&S @ 355'. Circ cmt in & out of csg annulus to surf.
4. Cut off WH, install dry hole marker.

Spud Date: Rig Release Date:
A closed-loop system will be used to perform this operation.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Stephanie Rabadue TITLE Regulatory Analyst DATE 07/30/2014

Type or print name Stephanie Rabadue E-mail address: stephanie_rabadue@xtoenergy.com PHONE 432-620-6714

For State Use Only

APPROVED BY Maxey Brown TITLE Dist. Supervisor DATE 2/19/2015
Conditions of Approval (if any):


FEB 20 2015

W.A. RAMSAY NCT A #7
LEA CO. NM
SEC 35, T21S R36E
660' FSL, 1980' FWL
API # 30-025-04918



Current WBS

ELEV:
GL: 3586'




REV BY: LEC DATE: 08/19/13

W.A. RAMSAY NCT A #7
LEA CO, NM
SEC 35, T21S, R38E
660' FSL, 1980' FVL
API # 30-025-04918



Proposed WBD

ELEV
GL: 3586'



REV BY: LEC DATE: 08/19/13