

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter and Abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on page 2.

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
APACHE CORPORATION <873>

3. Address
**303 VETERANS AIRPARK LN, #3000
MIDLAND, TX 79705**

3b. Phone No. (include area Code)
432-818-1000 / 432-818-1168

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
UL B, SEC 12, T 21S, R 37E, 660' FNL & 1905' FEL

HOBBS OGD
MAR 09 2015
RECEIVED

5. Lease Serial No.
NMNM-125057

6. If Indian, Allottee or Tribe Name

7. If Unit of CA/Agreement, Name and/or No.

8. Well Name and No.
LOCKHART B 12 #14

9. API Well No.
30-025-42152

10. Field and Pool or Exploratory Area
BLINEBRY; TUBB; DRINKARD; WANTZ; ABO

11. County or Parish, State
LEA COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	<u>DRILLING OPS: CASING</u>
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	<u>& CEMENT REPORT</u>

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directional or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attached the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

Bond No: **BLM-CO-1463** 12/1/2014 **SPUD;**

12/2 DRLG SURFACE 51' - 1601' TD; NOTIFIED PAT W/BLM OF CSG & CMT

SURFACE CSG 8.625" HOLE 11.0", J55, 24# SET 1601'; FC @ 1556'; RAN 12 CENTRALIZERS;

CMT: 965 SX; (13.5 PPG, 1.75 YLD)

250 SX; (14.8 PPG, 1.35 YLD)

CIRC 452 SX

SURFACE CSG PRESSURE TEST 2000 PSI/30 MIN - OK

REPORT CONTINUED ON PAGE 2.

14. I hereby certify that the foregoing is true and correct.
Name (Printed/Typed) **MICHELLE COOPER**

Signature *Michelle Cooper*

Title **DRILLING TECH**

Date **1/28/2015**

ACCEPTED FOR RECORD
MAR 2 2015
D. Hawn
BUREAU OF LAND MANAGEMENT
CARLSBAD FIELD OFFICE

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____ Title _____

Office _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

AM

LOCKHART B 12 #14 End of Well Sundry

12/3-12/8 DRILL OUT CMT & SHOE TRACK 1550'-1601'; START PRODUCTION HOLE; DRLG 1601' -7700 ' TD

12/8 BAKER HUGHES LOGGERS

12/8 PRODUCTION CSG 5.5" HOLE 7.875",L80, 17# CSG SET 7700'; FC @ 7657'; RAN 85 CENTRALIZERS;
LEAD: 1120 SX; (12.6 PPG, 2.0 YLD)
TAIL: 460 SX; (14.2 PPG, 1.31 YLD)
CIRC 226 SX

PRODUCTION CSG PRESSURE TEST 2500 PSI/ 30 MIN- OK

12/9/2014 RIG RELEASED