

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
June 19, 2008

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-37281
5. Indicate Type of Lease STATE ☐ FEE ☒
6. State Oil & Gas Lease No. 23000
7. Lease Name or Unit Agreement Name: Eunice Monument South Unit
8. Well Number 681
9. OGRID Number 5380
10. Pool name or Wildcat Eunice Monument; Grayburg-San Andres
11. Elevation (Show whether DR, RKB, RT, GR, etc.)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-104) FOR SUCH
PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other
2. Name of Operator XTO Energy, Inc.
3. Address of Operator 200 N. Lorraine, Ste. 800 Midland, TX 79701
4. Well Location Unit Letter B : 1210' feet from the North line and 1340' feet from the East line Section 7 Township 21S Range 36E NMPM County Lea
11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☒ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL. ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

XTO Energy, Inc respectfully requests to TA with the following procedure:

1. Tag CIBP @ 4050', spot 25cm. WOC. Tag. 35' by bailer.
2. Set CIBP @ 3750', spot 25cm. WOC. Tag. CIBP TO BE SET BY W.L. CAP W/35' cmt.
3. Run good MIT.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Stephanie Rabadue TITLE Regulatory Analyst DATE 3/11/2015
Type or print name Stephanie Rabadue E-mail address: stephanie_rabadue@xtoenergy.com PHONE 432-620-6714

For State Use Only
APPROVED BY Mary G Brown TITLE Dist. Supervisor DATE 3/11/2015
Conditions of Approval (if any):


MAR 12 2015

EUNICE MONUMENT SO. UNIT #681

API #: 30-025-37281

CURRENT WBD

ELEV: GL: 3594'
KB: 3611'



EUNICE MONUMENT SO. UNIT #681

API #: 30-025-37281

proposed

ELEV: GL: 3594'
KB: 3611'

12-1/4" HOLE

TOC @ 72'

8-5/8", 24#, J-55 CSG SET @ 1183'. CMT'D
W/625 SX CL "C". CIRC 138 SX TO SURF.

TUBING (07/02/13):

110 JTS 2-7/8" J-55 6.5#, 5-1/4" TAC, 6
JTS 2-7/8" J-55 6.5#, 2-1/4" TBG PMP, 2-
7/8" OEMA, TAC @ 3506', PMP @ 3698',
EOT @ 3760'.

RODS (07/02/13):

1-1/2" X 26' SMPR, 7/8" X 14' SUB, 76
RDS 7/8" D-90 (06), 63 RDS 3/4" D-90
(06), 6 K-BARS 1-1/2", 1" STBLZ SUB, 2
K-BARS 1-1/2", RHBO TL, 2-1/4" PLNGR
W/4' GA, PLNGR @ 3733', GA @ 3736'.

7-7/8" HOLE

CIBP @ 3750' w/ 25 SXs cmt

3804' - 25'
3833' - 56'
3860' - 72'
3880' - 92'
3882' - 99'
3922' - 30'
3947' - 60'

CIBP @ 4050'

w/ 25 SXs cmt

4118' - 22'
4126' - 30'
4166' - 70'

5-1/2", 17#, J-55 CSG SET @ 4443'.
CMT'D W/730 SX CL C. DID NOT
CIRC. TOC 72'.

PBTD: 4050'
TD: 4443'