

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-00433
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator ConocoPhillips Company		6. State Oil & Gas Lease No. B-3610
3. Address of Operator P.O. Box 51810 Midland, TX 79710		7. Lease Name or Unit Agreement Name Mexco -A-
4. Well Location Unit Letter N : 805 feet from the South line and 2075 feet from the West line Section 1 Township 17-S Range 32-E NMPM County Lea		8. Well Number 3
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4218' RKB		9. OGRID Number 217817
		10. Pool name or Wildcat Maljamar

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		E-PERMITTING <SWD INJECTION> CONVERSION RBDMS RETURN TO TA CSNG CHG LOC INT TO PA P&A NR P&A R
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☒	
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	
DOWNHOLE COMMINGLE ☐		
CLOSED-LOOP SYSTEM ☐		
OTHER: ☐		OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.



--MIRU. ND WH, NU BOP. POOH w/ Prod Equip
--RIH WL - Set CIBP @ 4,006'
--RIH Tbg - Tag CIBP @ 4,006'. Circ hole w/ MLF. Spot 60sx cmt to 3,470'. WOC-Tag
--Perf @ 2,600' - Sqz 40sx cmt to 2,500'. WOC-Tag
--Perf @ 2,000' - Sqz 40sx cmt to 1,900'. WOC-Tag
--Perf @ 1,280' - Sqz 80sx cmt to 1,000'. WOC-Tag
--Perf @ 393' - Circ 120sx cmt to surface
--POOH. Fill wellbore. Verify cmt @ surface in all annuli

The Oil Conservation Division
MUST BE NOTIFIED 24 Hours
Prior to the beginning of operations

A closed-loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17

Spud Date: **6/9/60** Rig Release Date: **6/25/60**

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE P&A Tech - Basic Energy Services DATE 3/18/15
Type or print name Greg Bryant E-mail address: _____ PHONE: 432-563-3355
For State Use Only
APPROVED BY:  TITLE Dist. Supervisor DATE 3/23/2015
Conditions of Approval (if any): MAR 26 2015


WELLBORE SKETCH
ConocoPhillips Company -- Permian Basin Business Unit

Date: March 11, 2015

RKB @ 4218'
 DF @ 4217'
 GL @ 4208'

Subarea : Hobbs
 Lease & Well No. : Mexco A # 3
 Legal Description : 805 FSL & 2075 FWL, Sec 1, T-17S, R-32E
 County : Lea State : New Mexico
 Field : Majamar
 Date Spudded : 6/9/1960 Rig Released: 6/25/1960
 API Number : 30-025-00433
 Status: Producing

OGRID # **217817**



12 1/4" Hole

8 5/8" 24# J-55 @ 343'
 Cmt'd w/ 275 sxs, circ 15 sxs
 TOC @Surface

Top Salt @

Base Salt @

TOC 5 1/2" @ 3425' (Log)

4106-4248'

Fill @ 4408'
 4421-4431'

7 7/8" Hole
 5 1/2" 14# J-55 @ 4460'
 Cmt'd w/ 250 sxs;
 TOC @ 3425' (Log)

PBTD 4448'
 TD 4462'

Interval	Date	Type	Gals	Lbs. Sand	Max Press	Max ISIP	Max Rate	Max Down
	6/29/1960	Perf 4421-4431 w/ 2 SPF						
4421-4431	7/1/1960	15% HCL	250					
4421-4431	7/1/1960	RO	10,000	15,000				
	2/21/1980	CO fr 4428-4448						
	2/22/1980	Perf 4106-4114, 4146-4149, 4196-4201, 4244-4248, w/ 2 SPF						
4421-4431	2/23/1980	28% HCL	500					
4106-4248	2/24/1980	12% HCL	1750					
4106-4248	2/25/1980	RO	13,000	21,000				
	11/4/2008	CO fr 4400-4408'; Could not go any further						

Formation Tops:


Rustler	1230'
Yates	2548'
Queen	3520'
Grayburg	3955'
San Andres	4296'

WELLBORE SKETCH
ConocoPhillips Company -- Permian Basin Business Unit

Date: March 11, 2015

RKB @ 4218'
 DF @ 4217'
 GL @ 4208'

Subarea : Hobbs
 Lease & Well No. : Mexco A # 3
 Legal Description : 805 FSL & 2075 FWL, Sec 1, T-17S, R-32E
 County : Lea State : New Mexico
 Field : Maljamar
 Date Spudded : 6/9/1960 Rig Released: 6/25/1960
 API Number : 30-025-00433
 Status: Producing
 OGRID # 217817



12 1/4" Hole

P&S 120sx cmt @ 393'-3'

8 5/8" 24# J-55 @ 343'
 Cmt'd w/ 275 sxs, circ 15 sxs
 TOC @Surface

Top Salt @
 P&S 80sx cmt @ 1280'-1000' - Tag

P&S 40sx cmt @ 2000'-1900' - Tag
 Base Salt @

P&S 40sx cmt @ 2600'-2500' - Tag

TOC 5 1/2" @ 3425' (Log)

Spot 60sx cmt @ 4006'-3470' - Tag
 Set CIBP @ 4006'
 4106-4248'

Fill @ 4408'
 4421-4431'

7 7/8" Hole
 5 1/2" 14# J-55 @ 4460'
 Cmt'd w/ 250 sxs;
 TOC @ 3425' (Log)

PBTD 4448'
 TD 4462'

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Max Down
	6/29/1960	Perf 4421-4431 w/ 2 SPF						
4421-4431	7/1/1960	15% HCL	250					
4421-4431	7/1/1960	RO	10,000	15,000				
	2/21/1980	CO fr 4428-4448						
	2/22/1980	Perf 4106-4114, 4146-4149, 4196-4201, 4244-4248, w/ 2 SPF						
4421-4431	2/23/1980	28% HCL	500					
4106-4248	2/24/1980	12% HCL	1750					
4106-4248	2/25/1980	RO	13,000	21,000				
	11/4/2008	CO fr 4400-4408"; Could not go any further						

Formation Tops:

Rustler	1230'
Yates	2548'
Queen	3520'
Grayburg	3955'
San Andres	4296'