

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-02843
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. B-2388
7. Lease Name or Unit Agreement Name East Vacuum GSA Unit Tr 2060
8. Well Number 55
9. OGRID Number 217817
10. Pool name or Wildcat Vacuum (GB/SA)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐ **HOBBS OCD**

2. Name of Operator
ConocoPhillips Company **MAR 19 2015**

3. Address of Operator
P.O. Box 51810 Midland, TX 79710 **RECEIVED**

4. Well Location
Unit Letter **J** : **1986** feet from the **South** line and **1983** feet from the **East** line
Section **20** Township **17-S** Range **35-E** NMPM County **Lea**

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3978' RKB

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

E-PERMITTING <SWD INJECTION>
CONVERSION ☐ RBDMS ☐
RETURN TO ☐ TA ☐
CSNG ☐ CH'G LOC ☐
INT TO PAT ☒ P&A NR ☐ P&A R ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

--MIRU. ND WH, NU BOP. POOH w/ Prod Equip
--RIH WL - Set CIBP @ 4,320'
--RIH Tbg - Tag CIBP @ 4,320'. Circ hole w/ MLF. Spot 70sx cmt to 3,700'. WOC-Tag
--Spot 25sx cmt @ 3,050' - 2,900'. WOC-Tag
--Perf @ **1660** - Sqz 40sx cmt to 1,660'. WOC-Tag
--Perf @ 370' - Circ 120sx cmt to surface
--POOH. Fill wellbore. Verify cmt @ surface in all annuli

The Oil Conservation Division
MUST BE NOTIFIED 24 Hours
Prior to the beginning of operations

A closed-loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17

Spud Date:

7/12/60

Rig Release Date:


7/25/60

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE P&A Tech - Basic Energy Services DATE 3/17/15

Type or print name Greg Bryant E-mail address: PHONE: 432-563-3355

For State Use Only

APPROVED BY:  TITLE Dist. Supervisor DATE 3/23/2015


Conditions of Approval (if any):

MAR 26 2015

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: March 10, 2015

RKB @ 3978'
 DF @ 3977'
 GF @ 3969'



Subarea : Buckeye
 Lease & Well No. : East Vacuum GB/SA Unit, Tract 2060 055
 Legal Description : 1986 FSL & 1983 FEL, Sec. 20, T-17S, R-35E
 County : Lea State : New Mexico
 Field : Vacuum (Grayburg-San Andres)
 Date Spudded : 7/12/1960 Rig Released: 7/25/1960
 API Number : 30-025-02843
 Status: Producing

State Lease No. B-2388
 OGRID No. 017643

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Max Down
	7/27/1960	Perf 4420-4430, 4449-4464, 4470-4474, 4505-4513, 4520-4524, 4532-4538, 4544-4556, 4610-4623, 4627-4633, 4638-4647, 4656-4664, 4680-4686, 4730-4745, w/ 2 SPF						
4420-4745	7/28/1960	15% NEA	350					
4420-4745	7/30/1960	RO	30,000	45,000				
4420-4745	8/28/1969	28% CEA	1000					
	9/24/2004	Tag @ 4700'; CO to 4760'						
	7/6/2006	Tag Fish @ 4319'						
	7/21/2006	Mill to 4475'						
	7/26/2006	Tag fish @ 4466'; could not retrieve the rest						
	7/31/2006	Left 9 jts 2 3/8, rods & pump						

Formation Tops:


Rustler 1710'
 Yates 3000'
 Queen 3920'
 Grayburg 4264'
 San Andres 4558'
 Glorieta

PBTD @ 4785'
 TD @ 4800'

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: March 10, 2015

RKB @ 3978'
DF @ 3977'
GF @ 3969'



12 1/4" Hole

P&S 120sx cmt @ 370'-3'

8 5/8" 24# J-55 @ 320'
Cmt'd w/ 250 sxs, circ
TOC @ Surface

P&S 40sx cmt @ 1760'-1660' - Tag
Top Salt @

TOC 5 1/2" @ 2828' (TS)

Spot 25sx cmt @ 3050'-2900' - Tag

Base Salt @

Spot 70sx cmt @ 4320'-3700' - Tag
Set CIBP @ 4320'
4420-4474'

TOF @ 4466'; 9 jts 2 3/8, rods & pump

4505-4556'

4610-4686'

4730-4745'

7 7/8" Hole
5 1/2" 14# J-55 @ 4800'
Cmt'd w/ 300 sxs
TOC @ 2828' (TS)

PBTD @ 4785'
TD @ 4800'

Subarea : Buckeye
Lease & Well No. : East Vacuum GB/SA Unit, Tract 2060 055
Legal Description : 1986 FSL & 1983 FEL, Sec. 20, T-17S, R-35E
County : Lea State : New Mexico
Field : Vacuum (Grayburg-San Andres)
Date Spudded : 7/12/1960 Rig Released: 7/25/1960
API Number : 30-025-02843
Status: Producing

State Lease No. B-2388
OGRID No. 017643

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Max Down
	7/27/1960	Perf 4420-4430, 4449-4464, 4470-4474, 4505-4513, 4520-4524, 4532-4538, 4544-4556, 4610-4623, 4627-4633, 4638-4647, 4656-4664, 4680-4686, 4730-4745, w/ 2 SPF						
4420-4745	7/28/1960	15% NEA	350					
4420-4745	7/30/1960	RO	30,000	45,000				
4420-4745	8/28/1969	28% CEA	1000					
	9/24/2004	Tag @ 4700'; CO to 4760'						
	7/6/2006	Tag Fish @ 4319'						
	7/21/2006	Mill to 4475'						
	7/26/2006	Tag fish @ 4466'; could not retrieve the rest						
	7/31/2006	Left 9 jts 2 3/8, rods & pump						

Formation Tops:

Rustler	1710'
Yates	3000'
Queen	3920'
Grayburg	4264'
San Andres	4558'
Glorieta	