

Submit 1 Copy To Appropriate District Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources  
CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103  
Revised July 18, 2013

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-07125
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Resolute Natural Resources Co., LLC		6. State Oil & Gas Lease No. LG0042
3. Address of Operator 1700 Lincoln, Ste 2800 Denver, CO 80203		7. Lease Name or Unit Agreement Name Glad State
4. Well Location Unit Letter E : 2310 feet from the north line and 330 feet from the west line Section 32 Township 11S Range 38E NMPM 6 County Lea		8. Well Number 1
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3899' DF		9. OGRID Number 295770
		10. Pool name or Wildcat N. Gladiola, Devonian

12. Check Appropriate Box to Indicate Nature of Notice, Remedial, Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☒ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐  
CLOSED-LOOP SYSTEM ☐  
OTHER: ☐

E-PERMITTING <SWD INJECTION>  
CONVERSION ☐ RBDMS ☐  
RETURN TO ☐ TA ☐  
CSNG ☐ CHG LOC ☐  
INT TO P&A ☒ P&A NR ☐ P&A R ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Resolute proposes to extend TA of the subject well with extended procedure. SEE C.O.A.  
CIBP + 20' cmt set @11,915', CIBP + 20' cmt set @ 10,000', Set 100' plug @8,000', set 100' plug @5,850', 100' plug @4,500' @ 8-5/8" shoe, set 100' plug @ 3,138', Tag perf and squeeze, tag @3,038', set 100' plug @ 2,240', set 100' plug @ 402', set plug @10', jack plug @ surface. Set dry hole marker and cement in. Clean and reseed location after inspection. History: Well D&C 12-56 to 03-57, P&A 3-70, Re-entered 3-82, P&A 9-86, re-entered 11-05, TA 1-10, CIBP @11,915', + 20' cement and CIBP @10,000' + 20' cement. Failed MIT 1-28-15. Well schematics attached. Verbal approval of process with Maxie Brown 3-24-15.

Spud Date:

12-18-56

Rig Release Date:

3-5-57

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Sherry Glass TITLE Sr Regulatory Analyst DATE 3-24-15

Type or print name Sherry Glass

E-mail address: sglass@resoluteenergy.com

PHONE: 303-573-4886, 1580

For State Use Only

APPROVED BY:

Conditions of Approval (if any):

TITLE

Maxie Brown Dist. Supervisor

DATE

3/25/2015

See Conditions of Approval  
ATTACHED


MAR 26 2015

Glad-State #1 - 330' FWL & 2310' FNL of Sec. 32, T-11S, R38E - Unit Letter "E"

Formerly St. 'A' #1  
Spud: 12/18/56  
Elev: 3886' GL  
3899' KB  
API # 42-025-07125

Orig P&A: 3/70  
Re-enter: 3/82 (Dev)  
P&A: 9/86  
Re-enter: 11/05(Dev)

MWM, 1/08/10



### CONDITIONS OF APPROVAL

1. TAG CIBP/CMT @ 10,000'. CAP W/25 SXS "H" CMT.
2. CIRC. HOLE WITH MUD LADEN FLUID (9.5 BRINE W/12.5# SALT GEL PER BBL).
3. SPOT 25 SXS "H" CMT @ 7700'.
4. PERF AND SQZ 25 SXS "C" CMT @ 5800'. WOC AND TAG.
5. PERF AND SQZ 25 SXS "C" CMT @ 4500'. WOC AND TAG.
6. SPOT 25 SXS "C" CMT @ 3156'. WOC AND TAG NO DEEPER THAN 3056'.
7. SPOT 35 SXS "C" CMT @ 2240'.
8. Spot 40 SXS "C" CMT @ 402. WOC AND TAG.
9. SPOT "C" CMT 60' TO SURFACE.

ALL CEMENT PLUGS ARE 25 SXS OR 100' WHICH EVER IS GREATER.