

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-02857
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐ HOBBS OCD		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator ConocoPhillips Company		6. State Oil & Gas Lease No. B-1400-11
3. Address of Operator P.O. Box 51810 Midland, TX 79710		7. Lease Name or Unit Agreement Name East Vacuum GSA Unit Tr 2271
4. Well Location Unit Letter O : 660 feet from the South line and 1980 feet from the East line Section 22 Township 17-S Range 35-E NMPM County Lea		8. Well Number 001
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3944' RKB		9. OGRID Number 217817
		10. Pool name or Wildcat Vacuum (GB/SA)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		E-PERMITTING <SWD INJECTION>	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☒	REME	CONVERSION ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMI	RETURN TO ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASIF	CSNG ☐
DOWNHOLE COMMINGLE ☐			INT TO PAC ☒
CLOSED-LOOP SYSTEM ☐			P&A NR ☐
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

--MIRU. ND WH, NU BOP. POOH Prod Equip.
--RIH WL - Set CIBP @ 4,160'
--RIH Tbg - Tag BP @ 4,160'. Circ hole w/ MLF. Spot 70sx cmt to 3,800'
--Spot 35sx cmt @ 3,065' - 2,900'. WOC-Tag
1748' --Perf @ ~~1835'~~ Sqz 70sx cmt to 1,648'. WOC-Tag ✓
--Perf @ 60' - Circ 30sx cmt to surface
--POOH. Fill wellbore. Verify cmt @ surface in all annuli

****A closed-loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17****


Spud Date: **2/18/39** Rig Release Date: **3/16/39**

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE **P&A Tech - Basic Energy Services** DATE **3/27/15**

Type or print name **Greg Bryant** E-mail address: _____ PHONE: **432-563-3355**

For State Use Only

APPROVED BY:  TITLE **Dist. Supervisor** DATE **3/31/2015**


Conditions of Approval (if any):

APR 02 2015

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: March 24, 2015

RKB @ 3944'
 DF @ 3943'
 GF @ 3933'



Subarea : Buckeye

Lease & Well No. : East Vacuum GB/SA Unit, Tract 2271 001

Legal Description : 600 FSL & 1980 FEL, Sec. 22, T-17S, R-35E

County : Lea State : New Mexico

Field : Vacuum (Grayburg-San Andres)

Date Spudded : 2/18/1939 Rig Released: 3/16/1939

API Number : 30-025-02857

Status: Producing

Drilled as State P #1 State Lease No. B-2735

OGRID No. 017643

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Down
OH 4500-4640	5/27/1940	Shot w/ 450 qts						
OH 4500-4640	2/1949	15% NEA	1500					
OH 4260-4640	3/28/1962	Attempt to SF	40,000	100,000				
OH 4260-4640	3/29/1962	Attempt to SF	40,000					
OH 4260-4640	3/30/1962	LCO	40,000	100,000				
OH 4260-4640	3/30/1962	15% NEA	1000					
	4/5/1962	Clean out						
	3/16/2001	Perf & Sqz csg lk @ 1630' w/ 300 sxs cmt						✓
	3/16/2001	Perf & Sqz csg lk @ 610 w/ 290 sxs cmt						✓
		Drill out						

Formation Tops:


Rustler
 Yates
 Queen
 Grayburg
 San Andres
 Glorieta

PBTD @ 4640'
 TD @ 4640'

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: March 24, 2015

RKB @ 3944'
 DF @ 3943'
 GF @ 3933'



12 1/4" Hole
P&S 30sx cmt @ 60'-3'

Perf & Sqz csg @ 610' w/ 290 sxs cmt

Perf & Sqz csg @ 1630' w/ 300 sxs cmt

9 5/8" 36# AO Smith @ 1698'
 Cmt'd w/ 325 sxs, circ
 TOC @ Surface

P&S 70sx cmt @ 1835'-1648' - Tag

Top Salt @ 1785'

TOC 7" @ 2720' (Calc)

Spot 35sx cmt @ 3065'-2900' - Tag
Base Salt @ 3015'

Spot 70sx cmt @ 4160'-3800'
Set CIBP @ 4160'
 8 3/4" Hole
7" 24# S-Less @ 4260'
 Cmt'd w/ 210 sxs
 TOC @ 2720 (Calc)

4 3/4" Open Hole
 4260-4640'

4500-4640'

PBTD @ 4640'
 TD @ 4640'

Subarea : Buckeye
 Lease & Well No. : East Vacuum GB/SA Unit, Tract 2271 001
 Legal Description : 600 FSL & 1980 FEL, Sec. 22, T-17S, R-35E
 County : Lea State : New Mexico
 Field : Vacuum (Grayburg-San Andres)
 Date Spudded : 2/18/1939 Rig Released: 3/16/1939
 API Number : 30-025-02857
 Status: Producing
Drilled as State P #1 State Lease No. B-2735
 OGRID No. 017643

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Down
OH 4500-4640	5/27/1940	Shot w/ 450 qts						
OH 4500-4640	2/1949	15% NEA	1500					
OH 4260-4640	3/28/1962	Attempt to SF	40,000	100,000				
OH 4260-4640	3/29/1962	Attempt to SF	40,000					
OH 4260-4640	3/30/1962	LCO	40,000	100,000				
OH 4260-4640	3/30/1962	15% NEA	1000					
	4/5/1962	Clean out						
	3/16/2001	Perf & Sqz csg lk @ 1630' w/ 300 sxs cmt						
	3/16/2001	Perf & Sqz csg lk @ 610 w/ 290 sxs cmt						
		Drill out						

Formation Tops:

Rustler
 Yates
 Queen
 Grayburg
 San Andres
 Glorieta