

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-09237
1. Type of Well: Oil Well ☐ Gas Well ☒ Other		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator Merit Energy Company		6. State Oil & Gas Lease No.
3. Address of Operator 13727 Noel Rd. Suite 1200 Dallas, Texas 75240		7. Lease Name or Unit Agreement Name State A A/C 1
4. Well Location Unit Letter <u>L</u> : 1650 feet from the <u>South</u> line and 990 feet from the <u>West</u> line Section 3 Township 23S Range 36E NMPM County Lea		8. Well Number 35
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 14591
		10. Pool name or Wildcat Jalmat Yates Tansil 7 Rivers

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

E-PERMITTING <SWD INJECTION>
CONVERSION _____ RBDMS _____
RETURN TO _____ TA _____
CSNG _____ CHG LOC _____
INT TO PA CS P&A NR _____ P&A R _____

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Test anchors. Clear location.

MIRU plugging rig. Disconnect wellhead. NU BOP.

PU 5-1/2" bit & 2-7/8" tbg. RIH & tag CIBP @ 2950'. Pressure test csg. Circulate mud laden fluid.

POOH w/tbg. & bit.

RIH & spot 25 sxs cmt. on top of CIBP @ 2950'. - SPOT 25 SXS CMT @ 1400'

Spot 25 sxs cmt @ 288-388". - WOC & TAG

Spot 15 sxs cmt @ 3-60'.

Cut off wellhead, rig anchors and clean location.

RDMO plugging rig.

**The Oil Conservation Division
MUST BE NOTIFIED 24 Hours
Prior to the beginning of operations**

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Lynne Moon

TITLE Regulatory Manager

DATE 03/27/2015

Type or print name Lynne Moon

E-mail address: lynne.moon@meritenergy.com

PHONE: (972)628-1569

For State Use Only

APPROVED BY:

Mary Brown

TITLE

Dist. Supervisor

DATE

3/31/2015

Conditions of Approval (if any):

APR 02 2015

Am

Wellbore Diagram

Lease & Well No. **State A A/C 1 # 35**
Field Name **Jalmat**
Location **1650' FSL & 990' FWL; Unit L, Sec. 03, T23S, R36E**

Status **TA'd**
County & State **Lea County, NM**
API No. **30-025-09237**
Pool Name **Jalmat: Tansill Yates Seven Rivers**

Well Information

Spud: **10/15/52** Ground Elevation: **3,491'** D.F. Elevation: **3,481'**
Completed: **11/04/52** KB Elevation: Total Depth: **3,625'**

Pipe Data

Surface						
Hole size	Depth	Size (OD)	Weight	Grade	Sx. Cmt	Comments
12"	338'	9-5/8"	32.0#	J-55	360 sx	CTS. Circ 60sx
Production						
Hole size	Depth	Size (OD)	Weight	Grade	Sx. Cmt	Comments
8-3/4"	3,017'	7"	20.0#	J-55#	851 sx	CTS. Circ 100sx

Downhole Tubulars (Top to Bttm):	
None.	


Well History

10/52 Spud
11/52 Initial Completion. IP 5210 MCF
2/89 POOH w/ tbg & pkr. Left approx. 283' tailpipe fish
3/89 CO (besides fish) to 3,380'
Acidize 3,017'-3,380' w/ 1500 gal 15%
5/89 Frac 3,017'-3,380' w/ 5,000 gal gel and 10,500# sand.
POP
Before: SI
After: 0 BO, 0 BW, 120 MCFPD
1997 Well SI
9/03 Raptor submitted plan to TA well

POTENTIAL None seen

Procedures

1
2
3
4
5
6
7
8
9
10



OCD Tops (MD)

Tansill	3,005'
Yates	3,150'
7 Rivers	3,345'
Queen	NDE
San Andres	
Glorieta	
Bone Spring	
Bone SS	
Abo	
Wolfcamp	
Strawn	
Atoka	

CIBP @ 3700'
12/17/1992

Total Depth 3,625'

Wellbore Diagram

Lease & Well No. **State A A/C 1 # 35**
Field Name **Jalmat**
Location **1650' FSL & 990' FWL; Unit L, Sec. 03, T23S, R36E**

Status **TA'd**
County & State **Lea County, NM**
API No. **30-025-09237**
Pool Name **Jalmat: Tansill Yates Seven Rivers**

Well Information

Spud: **10/15/52** Ground Elevation: **3,491'** D.F. Elevation: **3,481'**
Completed: **11/04/52** KB Elevation: Total Depth: **3,625'**

Pipe Data

Surface						
Hole size	Depth	Size (OD)	Weight	Grade	Sx. Cmt	Comments
12"	338'	9-5/8"	32.0#	J-55	360 sx	CTS. Circ 60sx
Production						
Hole size	Depth	Size (OD)	Weight	Grade	Sx. Cmt	Comments
8-3/4"	3,017'	7"	20.0#	J-55#	851 sx	CTS. Circ 100sx

Downhole Tubulars (Top to Bttm):

None.


Well History

10/52 Spud
11/52 Initial Completion. IP 5210 MCF
2/89 POOH w/ tbg & pkr. Left approx. 283' tailpipe fish
3/89 CO (besides fish) to 3,380'
Acidize 3,017'-3,380' w/ 1500 gal 15%
5/89 Frac 3,017'-3,380 w/ 5,000 gal gel and 10,500# sand.
POP
Before: SI
After: 0 BO, 0 BW, 120 MCFPD
1997 Well SI
9/03 Raptor submitted plan to TA well

POTENTIAL None seen

Procedures

1
2
3
4
5
6
7
8
9
10



OCD Tops (MD)

Tansill	3,005'
Yates	3,150'
7 Rivers	3,345'
Queen	NDE
San Andres	
Glorieta	
Bone Spring	
Bone SS	
Abo	
Wolfcamp	
Strawn	
Atoka	