

Submit 1 Copy To Appropriate District Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-26378
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator ConocoPhillips Company		6. State Oil & Gas Lease No. B-1482-3
3. Address of Operator P.O. Box 51810 Midland, TX 79710		7. Lease Name or Unit Agreement Name East Vacuum GSA Unit Tr 2720
4. Well Location Unit Letter B : 1215 feet from the North line and 1630 feet from the East line Section 27 Township 17-S Range 35-E NMPM County Lea		8. Well Number 005
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3936' GR		9. OGRID Number 217817
		10. Pool name or Wildcat Vacuum (GB/SA)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

REM
COM
CAS

E-PERMITTING <SWD INJECTION>
CONVERSION ☐ RBDMS ☐
RETURN TO ☐ TA ☐
CSNG ☐ CHG LOC ☐
INT TO P&A ☒ P&A NR ☐ P&A R ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.


--MIRU. ND WH, NU BOP. POOH Prod Equip.
--RIH WL – Set CIBP @ 4,280'
--RIH Tbg – Tag BP @ 4,280'. Circ hole w/ MLF. Spot 55sx cmt to 4,000'
--Spot 25sx cmt @ 3,738' – 3,638'
--Spot 70sx cmt @ 3,200' – 2,815'. WOC-Tag
--Spot 50sx cmt @ 1,850' – 1,600'. WOC-Tag
--Spot 25sx cmt @ 417' – 317'. WOC-Tag
--Spot 20sx cmt @ 60' to surface
--POOH. Fill wellbore. Verify cmt @ surface in all annuli

****A closed-loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17****

Spud Date: **2/18/39**


Rig Release Date: **3/16/39**

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE **P&A Tech – Basic Energy Services** DATE **3/27/15**

Type or print name **Greg Bryant** E-mail address: _____ PHONE: **432-563-3355**

For State Use Only

APPROVED BY:  TITLE **Dist. Supervisor** DATE **3/31/2015**


Conditions of Approval (if any):

APR 02 2015

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: March 24, 2015

RKB @ 3950'
 DF @ 3949'
 GF @ 3937'



Subarea : Buckeye
 Lease & Well No. : East Vacuum GB/SA Unit, Tract 2720 005
 Legal Description : 1215 FNL & 1630 FEL, Sec. 27, T-17S, R-35E
 County : Lea State : New Mexico
 Field : Vacuum (Grayburg-San Andres)
 Date Spudded : 8/14/1979 Rig Released: 9/2/1979
 API Number : 30-025-26378
 Status: Producing

State Lease No. B-1482-3
 OGRID No. 017643

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Max Down
	9/13/1979	Perf 4408-4412, 4430-4432, 4459-4474, 4515-4520, 4615-4619, 4625-4627 w/ 2 SPF						
4408-4627	9/14/1979	28% HCL	4000					
4408-4627	10/3/1979	15% NCLH	500					
4408-4627	10/3/1979	WF-30	9500	14,000				
	12/22/1992	Perf 4380-4384, 4474-4480, 4605-4615, 4621-4625 4627-4636 w/ 4 SPF						
4380-4636	12/22/1992	15% NEA	1500					
	3/8/2005	Set RBP @ 4660'						
4605-4636	3/9/2005	15% HCL	2000					
	3/9/2005	Move RBP to 4560'						
4380-4520	3/15/2005	15% HCL	2000					
4380-4520	3/15/2005	YF 140ST	68,055	148,830	9033			
	3/17/2005	RIs RBP						
	4/29/2009	Fill fr 4834-4820'						

Formation Tops:

Rustler
 Yates 2915'
 Seven Rivers 3184'
 Queen 3738'
 Grayburg 4090'
 San Andres 4392'
 Glorieta

PBTD @ 4834'
 TD @ 4900'

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: March 24, 2015

RKB @ 3950'
 DF @ 3949'
 GF @ 3937'

Subarea : Buckeye
 Lease & Well No. : East Vacuum GB/SA Unit, Tract 2720 005
 Legal Description : 1215 FNL & 1630 FEL, Sec. 27, T-17S, R-35E
 County : Lea State : New Mexico
 Field : Vacuum (Grayburg-San Andres)
 Date Spudded : 8/14/1979 Rig Released: 9/2/1979
 API Number : 30-025-26378
 Status: Producing

State Lease No. B-1482-3
 OGRID No. 017643

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Max Down
	9/13/1979	Perf 4408-4412, 4430-4432, 4459-4474, 4515-4520, 4615-4619, 4625-4627 w/ 2 SPF						
4408-4627	9/14/1979	28% HCL	4000					
4408-4627	10/3/1979	15% NCLH	500					
4408-4627	10/3/1979	WF-30	9500	14,000				
	12/22/1992	Perf 4380-4384, 4474-4480, 4605-4615, 4621-4625 4627-4636 w/ 4 SPF						
4380-4636	12/22/1992	15% NEA	1500					
	3/8/2005	Set RBP @ 4660'						
4605-4636	3/9/2005	15% HCL	2000					
	3/9/2005	Move RBP to 4560'						
4380-4520	3/15/2005	15% HCL	2000					
4380-4520	3/15/2005	YF 140ST	68,055	148,830	9033			
	3/17/2005	Rls RBP						
	4/29/2009	Fill fr 4834-4820'						

17 1/2" Hole
 Spot 20sx cmt @ 60'-3'

13 3/8" 54.5# K-55 @ 367'
 Cmt'd w/ 675 sxs, circ 300 sxs
 TOC @ Surface
 Spot 25sx cmt @ 417'-317' - Tag

Spot 50sx cmt @ 1850'-1600' - Tag
 Top Salt @

Spot 70sx cmt @ 3200'-2815' - Tag
 Base Salt @

Spot 25sx cmt @ 3738'-3638'

Spot 55sx cmt @ 4280'-4000'
 CIBP @ 4280'
 4380-4384'

4408-4474'
 4474-4480'

4515-4520'

4605-4615'
 4615-4627
 4621-4625'
 4627-4636'

8 3/4" Hole
 7" 23# K-55 @ 4895'
 Cmt'd w/ 1695 sxs, Circ 249 sxs
 TOC @ Surface

PBTD @ 4834'
 TD @ 4900'

Formation Tops:

Rustler
 Yates 2915'
 Seven Rivers 3184'
 Queen 3738'
 Grayburg 4090'
 San Andres 4392'
 Glorieta