

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-26992
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. B-1404-2
7. Lease Name or Unit Agreement Name East Vacuum GSA Unit Tr 2717
8. Well Number 004
9. OGRID Number 217817
10. Pool name or Wildcat Vacuum.(GB/SA)

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator ConocoPhillips Company	
3. Address of Operator P.O. Box 51810 Midland, TX 79710	
4. Well Location Unit Letter P : 150 feet from the South line and 160 feet from the East line Section 27 Township 17-S Range 35-E NMPM County Lea	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3922' GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐	
CLOSED-LOOP SYSTEM ☐	
OTHER: ☐	

REM ☐	E-PERMITTING <SWD INJECTION>
CON ☐	CONVERSION ☐
CAS ☐	RETURN TO ☐
	CSNG ☐
	INT TO PA ☒
	P&A NR ☐
	P&A R ☐
OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

--MIRU. ND WH, NU BOP. POOH Prod Equip.
--RIH WL - Set CIBP @ 4,364'
--RIH Tbg - Tag BP @ 4,364'. Circ hole w/ MLF. Spot 50sx cmt to 4,100'
--Spot 25sx cmt @ 3,842' - 3,742'
--Spot 50sx cmt @ 3,100' - 2,850'. WOC-Tag
--Spot 60sx cmt @ 1,900' - 1,600'. WOC-Tag
--Spot 80sx cmt @ 409' to surface
--POOH. Fill wellbore. Verify cmt @ surface in all annuli

****A closed-loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17****


Spud Date: **11/11/80** Rig Release Date: **12/1/80**

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE **P&A Tech - Basic Energy Services** DATE **3/23/15**

Type or print name **Greg Bryant** E-mail address: _____ PHONE: **432-563-3355**

For State Use Only

APPROVED BY:  TITLE **Dist. Supervisor** DATE **3/30/2015**

Conditions of Approval (if any):

APR 02 2015

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: March 17, 2015

RKB @ 3934'
 DF @
 GF @ 3923'

Subarea : Buckeye
 Lease & Well No. : East Vacuum GB/SA Unit, Tract 2717 004
 Legal Description : 150 FSL & 160 FEL, Sec. 27, T-17S, R-35E
 County : Lea State : New Mexico
 Field : Vacuum (Grayburg-San Andres)
 Date Spudded : 11/11/1980 Rig Released: 12/1/1980
 API Number : 30-025-26992
 Status: Producing
Drilled as State Lease No. B-1404-2
 OGRID No. 017643

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Down
	5/27/1981	Perf 4464-4477, 4488-4492, 4495-4512, 4554-4559 w/ 1 SPF						
4464-4559	5/28/1981	15% HCL	11,950					
	7/15/1982	Set CIBP @ 4480'						
	11/5/1990	Tag CIBP @ push to 4750'						
	11/9/1990	Perf 4514-4536, 4540-4545, 4548-4552 w/ 2 SPF						
4464-4559	11/12/1990	15% NEFE	5000					
	5/7/1992	Perf 4566-4570, 4574-4580, 4600-4606 w/ 2 SPF						
4464-4606	5/8/1992	15% NEFE	4500					
	6/21/1995	Tag fill @ 4602; CO to 4675'						
4464-4606	6/22/1995	15% Fercheck	6500					
4464-4606	3/8/2011	15% HCL	5000					

12 1/4" Hole

9 5/8" 36# K-55 @ 359'

Cmt'd w/ 400 sxs, circ 208 sxs

TOC @ Surface

Top Salt @

Base Salt @

4464-4559'

4514-4552'

4566-4606'

8 3/4" Hole

7" 23# K-55 @ 4801'

Cmt'd w/ 1600 sxs; circ 220 sxs

TOC @ Surface

Formation Tops:

Rustler	1647'
Salado	1845'
Yates	2901'
Queen	3792'
Grayburg	4151'
San Andres	4458'
Glorieta	

PBTD @ 4750'
 TD @ 4801'

WELLSKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: March 17, 2015

RKB @ 3934'
 DF @
 GF @ 3923'

Subarea : Buckeye
 Lease & Well No. : East Vacuum GB/SA Unit, Tract 2717 004
 Legal Description : 150 FSL & 160 FEL, Sec. 27, T-17S, R-35E
 County : Lea State : New Mexico
 Field : Vacuum (Grayburg-San Andres)
 Date Spudded : 11/11/1980 Rig Released: 12/1/1980
 API Number : 30-025-26992
 Status: Producing
 Drilled as _____ State Lease No. B-1404-2
 OGRID No. 017643

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Max Down
	5/27/1981	Perf 4464-4477, 4488-4492, 4495-4512, 4554-4559 w/ 1 SPF						
4464-4559	5/28/1981	15% HCL	11,950					
	7/15/1982	Set CIBP @ 4480'						
	11/5/1990	Tag CIBP @ push to 4750'						
	11/9/1990	Perf 4514-4536, 4540-4545, 4548-4552 w/ 2 SPF						
4464-4559	11/12/1990	15% NEFE	5000					
		Perf 4566-4570, 4574-4580, 4600-4606 w/ 2 SPF						
4464-4606	5/8/1992	15% NEFE	4500					
	6/21/1995	Tag fill @ 4602; CO to 4675'						
4464-4606	6/22/1995	15% Fercheck	6500					
4464-4606	3/8/2011	15% HCL	5000					

12 1/4" Hole

Spot 80sx cmt @ 409'-3'

9 5/8" 36# K-55 @ 359'

Cmt'd w/ 400 sxs, circ 208 sxs
 TOC @ Surface

Top Salt @

Spot 60sx cmt @ 1900'-1600' - Tag

Spot 50sx cmt @ 3100'-2850' - Tag
 Base Salt @

Spot 25sx cmt @ 3842'-3742'

Spot 50sx cmt @ 4364'-4100'
 Set CIBP @ 4364'

4464-4559'

4514-4552'

4566-4606'

8 3/4" Hole

7" 23# K-55 @ 4801'

Cmt'd w/ 1600 sxs; circ 220 sxs
 TOC @ Surface

PBTD @ 4750'
 TD @ 4801'

Formation Tops:

Rustler	1647'
Salado	1845'
Yates	2901'
Queen	3792'
Grayburg	4151'
San Andres	4458'
Glorieta	