

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-02910
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. A-1320
7. Lease Name or Unit Agreement Name East Vacuum GSA Unit Tr 2801
8. Well Number 009
9. OGRID Number 217817
10. Pool name or Wildcat Vacuum (GB/SA)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other - Injection ☒ **APR 10 2015**

2. Name of Operator
ConocoPhillips Company

3. Address of Operator
P.O. Box 51810 Midland, TX 79710

4. Well Location
Unit Letter **N** : **660** feet from the **South** line and **1992** feet from the **West** line
Section **28** Township **17-S** Range **35-E** NMPM County **Lea**

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3945' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSE
E-PERMITTING
CONVERSION
RETURN TO
INT to PA
P&A NR
P&A R

13. Describe proposed or completed operations. (Clearly state all pertinent details and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

--MIRU. ND WH, NU BOP. POOH Prod Equip.
--RIH WL - Set 5 1/2" CIBP @ 4,048'
--RIH Tbg - Tag BP @ 4,048'. Circ hole w/ MLF. Spot 40sx cmt to 3,700'. WOC-Tag
--Spot 25sx cmt @ 2,814' - 2,664'. WOC-Tag
1629 --Perf @ **1715'** - Sqz 50sx cmt to 1,529'. WOC-Tag
--Perf @ 292' - Circ 150sx cmt to surface
--POOH. Fill wellbore. Verify cmt @ surface in all annuli

The Oil Conservation Division
MUST BE NOTIFIED 24 Hours
Prior to the beginning of operation

****A closed-loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17****

Spud Date: **9/9/39** Rig Release Date: **10/2/39**

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE **Greg Bryant** TITLE **P&A Tech - Basic Energy Services** DATE **4/8/15**
Type or print name **Greg Bryant** E-mail address: _____ PHONE: **432-563-3355**
For State Use Only
APPROVED BY: **Mary Brown** TITLE **Dist. Supervisor** DATE **4/13/2015**
Conditions of Approval (if any): _____


APR 14 2015

OIL CONSERVATION DIVISION - Hobbs office Must Be Notified
24 hours prior to the beginning of Plugging Operations.

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: March 25, 2015

RKB @ 3957'
 DF @ 3956'
 GF @ 3946'



Subarea : Buckeye
 Lease & Well No. : East Vacuum GB/SA Unit, Tract 2801 009W
 Legal Description : 660 FSL & 1992 FWL, Sec. 28, T-17S, R-35E
 County : Lea State : New Mexico
 Field : Vacuum (Grayburg-San Andres)
 Date Spudded : 9/9/1939 Rig Released: 10/2/1939
 API Number : 30-025-02910
 Status: Producing
 Drilled as: State K #9 State Lease No. A-1320
 OGRID No. 217817

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Max Down
OH 4148-4660	10/1939	15% NEA	2000					
OH 4148-4660	4/13/1964	15% NEA	7500					
OH 4148-4660	4/14/1967	15% NEA	7500					
OH 4148-4660	6/3/1970	28% NEA	3000					
OH 4148-4660	10/13/1971	20% NEA	8000					
OH 4148-4660	10/13/1971	Polyomulsion	16,000					
OH 4148-4660	11/20/1986	15% NEFE	3000					
OH 4148-4660	5/8/1990	Toulene	10,000					
OH 4148-4660	9/17/1994	15% HCL	3500					
OH 4148-4660	5/29/1998	15% Ferck	3000					
OH 4148-4660	6/8/2005	15% NEFE	4000					
OH 4148-4660	9/30/2014	15% HCL	6300					
OH 4148-4660	2/10/2015	15% HCL	1470					
	2/11/2015	Tag fill @ 4160'						

Formation Tops:


Rustler
 Yates
 Seven Rivers
 Queen
 Grayburg
 San Andres
 Glorieta

PBTD @
 TD @ 4660'

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: March 25, 2015

RKB @ 3957'
 DF @ 3956'
 GF @ 3946'



17 1/2" Hole

10 3/4" 40.5# SS @ 242'

Cmt'd w/ 125 sxs, circ

TOC @ Surface

P&S 150sx cmt @ 292'-3'

TOC 7 5/8" @ 350' (Calc)

7 5/8" 26.4# LW @ 1579'

Cmt'd w/ 400 sxs, circ

TOC @ 350' (Calc)

P&S 50sx cmt @ 1715'-1529' - Tag

Top Salt @ 1665'

1629'

TOC 5 1/2" @ 2700' (Calc)

Base Salt @ 2764'

Spot 25sx cmt @ 2814'-2664' - Tag

Spot 40sx cmt @ 4048'-3700' - Tag

Set CIBP @ 4048'

8 3/4" Hole

5 1/2" 17# LW @ 4148'

Cmt'd w/ 250 sxs, Circ

TOC @ 2700' (calc)

Fill @ 4160'

4 3/4" Open Hole

4148-4660'

Subarea : Buckeye
 Lease & Well No. : East Vacuum GB/SA Unit, Tract 2801 009W
 Legal Description : 660 FSL & 1992 FWL, Sec. 28, T-17S, R-35E
 County : Lea State : New Mexico
 Field : Vacuum (Grayburg-San Andres)
 Date Spudded : 9/9/1939 Rig Released: 10/2/1939
 API Number : 30-025-02910
 Status: Producing
 Drilled as: State K #9 State Lease No. A-1320
 OGRID No. 217817

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Max Down
OH 4148-4660	10/1939	15% NEA	2000					
OH 4148-4660	4/13/1964	15% NEA	7500					
OH 4148-4660	4/14/1967	15% NEA	7500					
OH 4148-4660	6/3/1970	28% NEA	3000					
OH 4148-4660	10/13/1971	20% NEA	8000					
OH 4148-4660	10/13/1971	Polyomulsion	16,000					
OH 4148-4660	11/20/1986	15% NEFE	3000					
OH 4148-4660	5/8/1990	Toulene	10,000					
OH 4148-4660	9/17/1994	15% HCL	3500					
OH 4148-4660	5/29/1998	15% Ferck	3000					
OH 4148-4660	6/8/2005	15% NEFE	4000					
OH 4148-4660	9/30/2014	15% HCL	6300					
OH 4148-4660	2/10/2015	15% HCL	1470					
	2/11/2015	Tag fill @ 4160'						

Formation Tops:

Rustler
 Yates
 Seven Rivers
 Queen
 Grayburg
 San Andres
 Glorieta

PBTD @
 TD @ 4660'