

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-27344
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. B-1497
7. Lease Name or Unit Agreement Name East Vacuum GSA Unit Tr 2622
8. Well Number 007
9. OGRID Number 217817
10. Pool name or Wildcat Vacuum (GB/SA)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other - Injection ☒ **HOBBSOCD**

2. Name of Operator
ConocoPhillips Company

3. Address of Operator
P.O. Box 51810 Midland, TX 79710

4. Well Location
Unit Letter **D**, **50** feet from the **North** line and **200** feet from the **West** line
Section **26** Township **17-S** Range **35-E** NMPM County **Lea**

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3926' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT
REMEDIAL
E-PERMITTING ☒ **<SWD -- INJECTION>**
CONVERSION ☐ **RBDMS**
RETURN TO ☐ **TA**
INT to P&A ☐ **P&A NR** ☐ **P&A R**

13. Describe proposed or completed operations. (Clearly state all pertinent details, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

--MIRU. ND WH, NU BOP. POOH Prod Equip.
--RIH WL - Set 4 1/2" CIBP @ 4,436'
--RIH Tbg - Tag BP @ 4,436'. Circ hole w/ MLF. Spot 50sx cmt to 3,750'. WOC-Tag
--Spot 25sx cmt @ 3,100' - 2,800'. WOC-Tag
--Spot 25sx cmt @ 1,600' - 1,300. WOC-Tag
--Spot 30sx cmt @ 401' to surface
--POOH. Fill wellbore. Verify cmt @ surface in all annuli

**The Oil Conservation Division
MUST BE NOTIFIED 24 Hours
Prior to the beginning of operations**


****A closed-loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17****

Spud Date: **11/16/81**

Rig Release Date: **11/27/81**

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE **P&A Tech - Basic Energy Services** DATE **4/8/15**
Type or print name **Greg Bryant** E-mail address: _____ PHONE: **432-563-3355**
For State Use Only


APPROVED BY:  TITLE **Dist. Supervisor** DATE **4/13/2015**
Conditions of Approval (if any): _____
APR 14 2015

OIL CONSERVATION DIVISION - Hobbs office Must Be Notified 24 hours prior to the beginning of Plugging Operations.

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: March 25, 2015

RKB @ 3938'
 DF @ 3936'
 GF @ 3926'



12 1/4" Hole

8 5/8" 24# K-55 @ 351'
 Cmt'd w/ 400 sxs, circ 200 sxs
 TOC @ Surface

Top Salt @

Base Salt @

4536-4590'

7 7/8" Hole
 4 1/2" 11.6# N-80 @ 4800'
 Cmt'd w/ 1500 sxs, Circ 165 sxs
 TOC @ Surface

PBTD @ 4745'
 TD @ 4800'

Subarea : Buckeye
 Lease & Well No. : East Vacuum GB/SA Unit, Tract 2622 007W
 Legal Description : 50 FNL & 200 FWL, Sec. 26, T-17S, R-35E
 County : Lea State : New Mexico
 Field : Vacuum (Grayburg-San Andres)
 Date Spudded : 11/16/1981 Rig Released: 11/27/1981
 API Number : 30-025-27344
 Status: Active Service Well

State Lease No. B-1497
 OGRID No. 217817

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Down
	11/16/1982	Perf 4536-4590 w/ 1 SPF						
4536-4590	11/18/1982	15% HCL	10,000					
4536-4590	11/18/1982	Cross Lkd Gel	42,000	38,000				


Formation Tops:

Rustler	1662'
Salado	1779'
Yates	2901'
Seven Rivers	
Queen	3762'
Grayburg	4120'
San Andres	4426'
Glorieta	

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: March 25, 2015

RKB @ 3938'
 DF @ 3936'
 GF @ 3926'



12 1/4" Hole

Spot 30sx cmt @ 401'-3'

8 5/8" 24# K-55 @ 351'
 Cmt'd w/ 400 sxs, circ 200 sxs
 TOC @ Surface

Top Salt @

Spot 25sx cmt @ 1600'-1300' - Tag
 Base Salt @

Spot 25sx cmt @ 3100'-2800' - Tag

Spot 50sx cmt @ 4436'-3750' - Tag
 Set CIBP @ 4436'
 4536-4590'

7 7/8" Hole
 4 1/2" 11.6# N-80 @ 4800'
 Cmt'd w/ 1500 sxs, Circ 165 sxs
 TOC @ Surface

PBD @ 4745'
 TD @ 4800'

Subarea: Buckeye
 Lease & Well No.: East Vacuum GB/SA Unit, Tract 2622 007W
 Legal Description: 50 FNL & 200 FWL, Sec. 26, T-17S, R-35E
 County: Lea State: New Mexico
 Field: Vacuum (Grayburg-San Andres)
 Date Spudded: 11/16/1981 Rig Released: 11/27/1981
 API Number: 30-025-27344
 Status: Active Service Well

State Lease No. B-1497
 OGRID No. 217817

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Down
	11/16/1982	Perf 4536-4590 w/ 1 SPF						
4536-4590	11/18/1982	15% HCL	10,000					
4536-4590	11/18/1982	Cross Lkd Gel	42,000	38,000				

Formation Tops:

Rustler	1662'
Salado	1779'
Yates	2901'
Seven Rivers	
Queen	3762'
Grayburg	4120'
San Andres	4426'
Glorieta	