Submit To Appropriate District Office
Two Copies
District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-105
Revised August 1, 2011

1. WELL API NO. 30-025-42269
2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN
3. State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

4. Reason for filing:

☒ **COMPLETION REPORT** (Fill in boxes #1 through #31 for State and Fee wells only)

☐ **C-144 CLOSURE ATTACHMENT** (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)

5. Lease Name or Unit Agreement Name
RIDGE RUNNER 7 STATE

6. Well Number: 2H

HOBBS OCD
APR 1 4 2015
RECEIVED

7. Type of Completion:
☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER

8. Name of Operator OXY USA INC.

9. OGRID 16696

10. Address of Operator P.O. BOX 50250 MIDLAND, TX 79710

11. Pool name or Wildcat
RED TANK BONE SPRING, EAST

12.Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	2	7	22S	33E		1650	NORTH	250	WEST	LEA
BH:	H	7	22S	33E		1711	NORTH	317	EAST	LEA

13. Date Spudded	14. Date T.D. Reached	15. Date Rig Released	16. Date Completed (Ready to Produce)	17. Elevations (DF and RKB, RT, GR, etc.)
12/16/14	1/4/15	1/10/15	3/15/15	3612.2'GR

18. Total Measured Depth of Well	19. Plug Back Measured Depth	20. Was Directional Survey Made?	21. Type Electric and Other Logs Run
15440'M 10868'V	15320'M 10868'V	YES	Mud Log, SLS

22. Producing Interval(s), of this completion - Top, Bottom, Name
11000-15177' BONE SPRING

23. **CASING RECORD** (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
11-3/4"	47# J55	975'	14-3/4"	640sx-surf circ.	n/a
8-5/8"	32# J55	4747'	10-5/8"	1590sx-surf circ.	n/a
5-1/2"	20# P110	15440'	7-7/8"	1520sx-surf circ.	n/a

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

25. TUBING RECORD

SIZE	DEPTH SET	PACKER SET

26. Perforation record (interval, size, and number) 6 SPF @ 15177-15064, 14951-14726, 14613-14387, 14274-14048, 13935-13709, 13597-13371, 13258-13032, 12919-12693, 12580-12355, 12242-12016, 12903-11677, 11564-11339, 11226-11000' ; Total 417 holes

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
11000-15177'	709578g Slick Water + 44451g 15% HCl acid + 1924266g crosslink gel w/ 4464980# sand

28. **PRODUCTION**

Date First Production	Production Method *(Flowing, gas lift, pumping - Size and type pump)*	Well Status *(Prod. or Shut-in)*
4/3/15	FLOWING	PROD.

Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio
4/8/15	24	12/64		168	0	720	0

Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - *(Corr.)*
-	1850		168	0	720	

29. Disposition of Gas *(Sold, used for fuel, vented, etc.)*
sold

30. Test Witnessed By

31. List Attachments
C103, C104, C102, WBD, Directional Survey, Logs

32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.

33. If an on-site burial was used at the well, report the exact location of the on-site burial:
Latitude Longitude NAD 1927 1983

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature Printed Name Jana Mendiola Title Regulatory Coordinator Date 4/9/15

E-mail Address: janalyn_mendiola@oxy.com

KZ APR 2 2 2015

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. ANHY	T. Canyon	T. Ojo Alamo	T. Penn A"
T. SALT 1420'	T. Strawn	T. Kirtland	T. Penn. "B"
B. SALT	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T.Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T.Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 8665'	T.Todilto	
T. Abo	T. Bell Canyon 4843'	T. Entrada	
T. Wolfcamp	T. Cherry Canyon 5609'	T. Wingate	
T. Penn	T. Brushy Canyon 6956'	T. Chinle	
T. Cisco (Bough C)		T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to..... No. 3, from.....to.....

No. 2, from.....to..... No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology