

State of New Mexico  
Energy, Minerals and Natural Resources  
**OIL CONSERVATION DIVISION**  
1220 South St. Francis Dr.  
Santa Fe, NM 87505  
**RECEIVED**  
**HOBBS**  
**APR 24 2015**

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 A. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd. Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

WELL API NO. <b>30-025--05815</b>
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease NO.
7. Lease Name or Unit Agreement Name <b>North Monument Grayburg/SA Unit Blk 23</b>
8. Well Number <b>14</b>
9. OGRID Numer <b>873</b>
10. Pool Name <b>Eunice Monument Grayburg/SA</b>

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR DEEPEN OR PLUG BACK TO A DIFFERENT RESERVIOR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator  
**Apache Corporation**

3. Address of Operator  
**303 Veterans Airpark Lane, Ste. 3000, Midland, TX 79705**

4. Well Location  
Unit Letter **N** : **660** feet from the **S** line and **1977** feet from th **W** line  
Section **34** Township **19S** Range **37E** NMPM County **Lea**

11. Elevation (Show whether DR, RKB, RT, GR, etc.)  
**3560' GR**

12. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>		ALTERING CASING <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		P AND A <input type="checkbox"/>	
		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram or proposed completion or recompletion.

**The Oil Conservation Division**  
**MUST BE NOTIFIED 24 Hours**  
**Prior to the beginning of operations**

**E-PERMITTING <SWD INJECTION>**  
**CONVERSION** \_\_\_\_\_ **RBDMS** \_\_\_\_\_  
**RETURN TO** \_\_\_\_\_ **TA** \_\_\_\_\_  
**CSNG** \_\_\_\_\_ **CHG LOC** \_\_\_\_\_  
**INT TO P&A** **P&A NR** \_\_\_\_\_ **P&A R** \_\_\_\_\_

Apache Corporation proposes to P&A the above mentioned well by the attached procedure. A closed loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17.

Spud Date:

Rig Release Date:

hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE *Guinn Burks* TITLE Sr. Reclamation Foreman DATE 4/21/15

Type or print name Guinn Burks E-mail add. guinn.burks@apachecorp.com PHONE: 432-556-9143

or State Use Only

APPROVED BY: *Mary J Brown* TITLE Dist. Supervisor DATE 4/28/2015

Conditions of Approval (if any):

MAY 01 2015

*gm*



WELL BORE INFO.

LEASE NAME	North Monument Grayburg San Andres Unit
WELL #	Bik. 23 #14
API #	30-025-05815
COUNTY	Lea

0  
  
390  
  
780  
  
1170  
  
1560  
  
1950  
  
2340  
  
2730  
  
3120  
  
3510  
  
3900

11" Hole  
8 5/8" 24# @ 313'  
w/ 150 sx to surf


TOC Cal @ 1462'

TAC @ 3669'  
SN @ 3825'

7 7/8" Hole  
5 1/2" 15.5# @ 3900'  
W/ 400 sx cmt

TD @ 3900'

Grayburg perms @ 3794'-3858'





# WELL BORE INFO.

LEASE NAME North Monument Grayburg San Andres Unit  
WELL # Blk. 23 #14  
API # 30-025-05815  
COUNTY Lea

## PROPOSED PROCEDURE


0  
390  
780  
1170  
1560  
1950  
2340  
2730  
3120  
3510  
3900

11" Hole  
8 5/8" 24# @ 313'  
w/ 150 sx to surf

TOC Cal @ 1462'

7 7/8" Hole  
5 1/2" 15.5# @ 3900'  
W/ 400 sx cmt

TD @ 3900'



4. PUH & perf & sqz 100 sx Class "C" cmt from 363' to surf. CIRC 5-1/2" to surf. (Surf Shoe & Water Board)

3. PUH & perf @ 1460' & sqz 50 sx Class "C" cmt from 1460'-1210' WOC/TAG (Top of Salt)

2. PUH & spot 50 sx Class "C" cmt from 2905'-2427' WOC/TAG (7 Rvrs & Yates & Base of Salt)

1. MIRU P&A unit. RIH w/ tbq & verify CIBP @ 3750', & CIRC w/ MLF & spot 30 sx Class "C" cmt from 3750'-3474' (Grayburg/SA & Queen)

Prep- MIRU SU & POOH w/ rods & tbq, & LD. RIH w/ WL & set CIBP @ +/- 3750', RDMO.

Grayburg perms @ 3794'-3858'