

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-03018
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. B-2273-2
7. Lease Name or Unit Agreement Name East Vacuum GB/SA Unit Tr 3456
8. Well Number 003
9. OGRID Number 217817
10. Pool name or Wildcat Vacuum GB/SA

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator ConocoPhillips Company	
3. Address of Operator P.O. Box 51810 Midland, TX 79710	
4. Well Location Unit Letter E ; 1980 feet from the North line and 660 feet from the West line Section 34 Township 17-S Range 35-E NMPM County Lea	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3943' GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐	
CLOSED-LOOP SYSTEM ☐	
OTHER: ☐	

REM CON CAS	E-PERMITTING <SWD INJECTION> CONVERSION RETURN TO CSNG INT TO PA	RBDMS TA CHG LOC P&A NR P&A R
OTHER: ☐		

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

--MIRU. ND WH, NU BOP. POOH Prod Equip.
--RIH Tbg - Tag BP @ 2,325'. Circ hole w/ MLF. POOH Tbg
--Perf @ 2,325' - Sqz 50sx cmt to 2,225'. WOC-Tag
--Perf @ 1,751' - Sqz 80sx cmt to 1,550'. WOC-Tag
--Perf @ 60' - Circ 40sx cmt to surface
--POOH. Fill wellbore. Verify cmt @ surface in all annuli


**The Oil Conservation Division
MUST BE NOTIFIED 24 Hours
Prior to the beginning of operations**

****A closed-loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17****

Spud Date:	12/9/38	Rig Release Date:	
------------	----------------	-------------------	--

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE **P&A Tech - Basic Energy Services** DATE **4/29/15**
Type or print name **Greg Bryant** E-mail address: _____ PHONE: **432-563-3355**
For State Use Only


APPROVED BY:  TITLE **Dist. Supervisor** DATE **5/4/2015**
Conditions of Approval (if any): _____

MAY 05 2015

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: March 30, 2015

RKB @ 3954'
 DF @ 3953'
 GF @ 3943'



Subarea : Buckeye
 Lease & Well No. : East Vacuum GB/SA Unit, Tract 3456 003
 Legal Description : 1980 FNL & 660 FWL, Sec. 34, T-17S, R-35E
 County : Lea State : New Mexico
 Field : Vacuum (Grayburg-San Andres)
 Date Spudded : 12/9/1938 Rig Released:
 API Number : 30-025-03018
 Status: Producing
 Drilled as: State M #3 State Lease No. B-2273-2
 OGRID No. 017643

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Max Down
OH 4210-4683	12/19/1985	15% NEFE	3000		1000	600		
OH 4210-4683	3/6/1991	15% NEFE	10,000		2600	1700		
OH 4210-4683	3/2/1994	15% NEFE	4500					
	7/14/1999	Tag fill @ 4630'; CO to 4680'						
OH 4210-4683	7/16/1999	Xylene	2000					
OH 4210-4683	7/19/1999	Ferck	8000					
	10/10/2000	Shot 4 Holes @ 3120'						
	10/10/2000	Acid	500					
	10/10/2000	Sqz holes w/ 30 sxs micobond						
	10/10/2000	Shot 4 holes @ 575'						
	10/10/2000	Sqz holes w/ 200 sxs cmt						
	10/10/2000	DO & CO						
	3/12/2015	Tag @ 2542; cannot go any deeper						
	3/12/2015	zylene	1500					
	3/14/2015	15% HCL	1500					
	3/16/2015	Tbg stuck @ 1040'						
	3/17/2015	Stuck @ 2530'						
	3/24/2015	Cut tbg @ 3030'; left 112ft tbg & pump in the hole						
	3/31/2015	Sqz 2435-4210 w/ 360 sxs cmt						
	4/1/2015	Re-sqz 2435-4210 w/ 400 sxs cmt						
	4/2/2015	Set CIBP @ 2325						

Formation Tops:


Rustler
 Yates
 Seven Rivers
 Queen
 Grayburg
 San Andres
 Glorieta

PBTD @ 2435'
 TD @ 4683'

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: March 30, 2015

RKB @ 3954'
 DF @ 3953'
 GF @ 3943'



12 1/4" Hole

P&S 40sx cmt @ 60'-3'

TOC 9 5/8" @ 230' (est)

Sqz hole @ 575' w/ 200 sxs cmt

9 5/8" 36# @ 1600'

Cmt'd w/ 325 sxs, circ

TOC @ 230' (est)

P&S 80sx cmt @ 1751'-1550' - Tag

Top Salt @ 1701'

P&S 50sx cmt @ 2325'-2225' - Tag

CIBP @ 2325'

Sqz 2435-4210 w/ 760 sxs cmt

Top of Tbg @ 2485'

Base Salt @ 2785'

TOC 7" @ 2864' (est)

2nd Cut @ 3030'

Sqz hole @ 3120 w/ 30 sxs cmt

Top of ESP @ 3142'

8 3/4" Hole

7" 24# @ 4210'

Cmt'd w/ 220 sxs, Circ

TOC @ 2864' (est)

4 3/4" Open Hole

4210-4683'

PBTD @ 2435'
 TD @ 4683'

Subarea : Buckeye
 Lease & Well No. : East Vacuum GB/SA Unit, Tract 3456 003
 Legal Description : 1980 FNL & 660 FWL, Sec. 34, T-17S, R-35E
 County : Lea State : New Mexico
 Field : Vacuum (Grayburg-San Andres)
 Date Spudded : 12/9/1938 Rig Released:
 API Number : 30-025-03018
 Status: Producing
 Drilled as: State M #3 State Lease No. B-2273-2
 OGRID No. 017643

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Max Down
OH 4210-4683	12/19/1985	15% NEFE	3000		1000	600		
OH 4210-4683	3/6/1991	15% NEFE	10,000		2600	1700		
OH 4210-4683	3/2/1994	15% NEFE	4500					
	7/14/1999	Tag fill @ 4630'; CO to 4680'						
OH 4210-4683	7/16/1999	Xlyene	2000					
OH 4210-4683	7/19/1999	Ferck	8000					
	10/10/2000	Shot 4 Holes @ 3120'						
	10/10/2000	Acid	500					
	10/10/2000	Sqz holes w/ 30 sxs micobond						
	10/10/2000	Shot 4 holes @ 575'						
	10/10/2000	Sqz holes w/ 200 sxs cmt						
	10/10/2000	DO & CO						
	3/12/2015	Tag @ 2542; cannot go any deeper						
	3/12/2015	zylene	1500					
	3/14/2015	15% HCL	1500					
	3/16/2015	Tbg stuck @ 1040'						
	3/17/2015	Stuck @ 2530'						
	3/24/2015	Cut tbg @ 3030'; left 112ft tbg & pump in the hole						
	3/31/2015	Sqz 2435-4210 w/ 360 sxs cmt						
	4/1/2015	Re-sqz 2435-4210 w/ 400 sxs cmt						
	4/2/2015	Set CIBP @ 2325						

Formation Tops:

Rustler
 Yates
 Seven Rivers
 Queen
 Grayburg
 San Andres
 Glorieta