

DRILTECH MWD SURVEY REPORT



Company: EOG Resources, Inc
Well: Brown Bear 36 State #502 H
Location: Lea Co., NM
Rig: H&P 260

Job Number: 2015-042-EODT-NM
Vertical Section Plane: 184.97
WELL API #: 30-025-42154
Tie Into: Surface

Calculation Method Minimum Curvature

350CD
MAY 05 2015
RECEIVED

Survey #	Survey Tool Type	Survey Depth (ft)	Inclination (deg)	Azimuth (deg)	Course Length (ft)	True Vertical Depth (ft)	Vertical Section (ft)	Coordinates		Closure		Dogleg Severity (d/100')	Build Rate (d/100')
								N/S (ft)	E/W (ft)	Distance (ft)	Angle (deg)		
Tie In	Surf	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	MWD	179.00	0.70	30.00	179	179.00	-0.99	0.95	N 0.55	E 1.09	30.00	0.39	0.39
2	MWD	365.00	0.40	67.20	186	364.99	-2.32	2.18	N 1.71	E 2.77	38.13	0.24	-0.16
3	MWD	549.00	0.70	137.00	184	548.98	-1.87	1.61	N 3.07	E 3.47	62.35	0.37	0.16
4	MWD	738.00	1.10	160.00	189	737.96	0.55	0.94	S 4.48	E 4.58	101.85	0.28	0.21
5	MWD	927.00	1.20	168.10	189	926.92	4.09	4.58	S 5.51	E 7.16	129.75	0.10	0.05
6	MWD	1069.00	1.10	180.60	142	1068.89	6.87	7.40	S 5.80	E 9.40	141.90	0.19	-0.07
7	MWD	1186.00	0.90	194.80	117	1185.87	8.89	9.41	S 5.55	E 10.93	149.45	0.27	-0.17
8	MWD	1375.00	1.40	26.60	189	1374.86	8.21	8.78	S 6.21	E 10.75	144.74	1.21	0.26
9	MWD	1565.00	1.40	25.60	190	1564.80	3.88	4.61	S 8.25	E 9.45	119.20	0.01	0.00
10	MWD	1754.00	1.60	23.80	189	1753.74	-0.78	0.12	S 10.31	E 10.31	90.64	0.11	0.11
11	MWD	1944.00	1.40	25.70	190	1943.67	-5.46	4.40	N 12.39	E 13.15	70.44	0.11	-0.11
12	MWD	2133.00	1.40	356.20	189	2132.62	-9.90	8.79	N 13.24	E 15.89	56.43	0.38	0.00
13	MWD	2323.00	1.80	355.70	190	2322.54	-15.14	14.08	N 12.86	E 19.07	42.41	0.21	0.21
14	MWD	2512.00	2.10	11.30	189	2511.43	-21.51	20.43	N 13.32	E 24.39	33.09	0.32	0.16
15	MWD	2702.00	2.50	18.90	190	2701.28	-28.99	27.77	N 15.34	E 31.72	28.92	0.26	0.21
16	MWD	2891.00	2.30	20.50	189	2890.12	-36.65	35.22	N 18.00	E 39.56	27.08	0.11	-0.11
17	MWD	3081.00	2.50	28.90	190	3079.95	-44.11	42.42	N 21.34	E 47.49	26.71	0.21	0.11
18	MWD	3270.00	3.00	52.10	189	3268.74	-51.24	49.07	N 27.24	E 56.12	29.04	0.64	0.26
19	MWD	3460.00	1.90	62.10	190	3458.56	-56.33	53.59	N 33.94	E 63.44	32.35	0.62	-0.58
20	MWD	3649.00	1.80	311.90	189	3647.51	-59.82	57.04	N 34.50	E 66.67	31.17	1.61	-0.05
21	MWD	3839.00	1.60	297.10	190	3837.42	-62.61	60.24	N 29.92	E 67.27	26.41	0.25	-0.11
22	MWD	4028.00	1.20	351.80	189	4026.37	-65.53	63.41	N 27.29	E 69.03	23.29	0.71	-0.21
23	MWD	4218.00	1.60	288.00	190	4216.33	-68.07	66.19	N 24.48	E 70.58	20.30	0.80	0.21
24	MWD	4408.00	1.20	279.90	190	4406.27	-68.84	67.36	N 20.00	E 70.26	16.54	0.23	-0.21
25	MWD	4597.00	0.50	265.50	189	4595.25	-68.87	67.63	N 17.23	E 69.79	14.29	0.38	-0.37
26	MWD	4787.00	0.90	168.80	190	4785.24	-67.30	66.10	N 16.69	E 68.18	14.17	0.57	0.21
27	MWD	4976.00	1.60	142.10	189	4974.19	-63.94	62.57	N 18.60	E 65.27	16.56	0.47	0.37
28	MWD	5067.00	1.40	141.20	91	5065.16	-62.21	60.70	N 20.08	E 63.93	18.31	0.22	-0.22
29	MWD	5130.00	0.70	150.00	63	5128.15	-61.34	59.76	N 20.75	E 63.26	19.15	1.14	-1.11
30	MWD	5225.00	1.90	320.00	95	5223.14	-61.98	60.47	N 20.03	E 63.70	18.33	2.73	1.26
31	MWD	5319.00	2.60	312.30	94	5317.07	-64.37	63.10	N 17.45	E 65.47	15.46	0.81	0.74
32	MWD	5414.00	4.60	310.90	95	5411.87	-67.91	67.04	N 12.98	E 68.29	10.96	2.11	2.11
33	MWD	5509.00	6.20	304.30	95	5506.45	-72.66	72.43	N 5.86	E 72.66	4.63	1.80	1.68
34	MWD	5604.00	6.20	308.20	95	5600.89	-77.99	78.49	N 2.41	W 78.53	358.24	0.44	0.00

DRILTECH MWD SURVEY REPORT



Company: EOG Resources, Inc
Well: Brown Bear 36 State #502 H
Location: Lea Co., NM
Rig: H&P 260

Job Number: 2015-042-EODT-NM
Vertical Section Plane: 184.97
WELL API #: 30-025-42154
Tie Into: Surface

Calculation Method Minimum Curvature

Survey #	Survey Tool Type	Survey Depth (ft)	Inclination (deg)	Azimuth (deg)	Course Length (ft)	True Vertical Depth (ft)	Vertical Section (ft)	Coordinates		Closure		Dogleg Severity (d/100')	Build Rate (d/100')
								N/S (ft)	E/W (ft)	Distance (ft)	Angle (deg)		
35	MWD	5698.00	6.90	295.40	94	5694.29	-82.74	84.05 N	11.50 W	84.83	352.21	1.72	0.74
36	MWD	5793.00	7.00	293.30	95	5788.59	-86.55	88.79 N	21.97 W	91.47	346.10	0.29	0.11
37	MWD	5888.00	7.20	287.30	95	5882.86	-89.64	92.85 N	32.97 W	98.53	340.45	0.81	0.21
38	MWD	5983.00	7.40	284.50	95	5977.09	-91.93	96.15 N	44.58 W	105.98	335.13	0.43	0.21
39	MWD	6078.00	7.60	283.30	95	6071.28	-93.85	99.13 N	56.61 W	114.16	330.27	0.27	0.21
40	MWD	6172.00	7.60	283.60	94	6164.45	-95.68	102.02 N	68.70 W	123.00	326.04	0.04	0.00
41	MWD	6267.00	6.20	275.50	95	6258.76	-96.67	103.99 N	79.92 W	131.15	322.46	1.79	-1.47
42	MWD	6362.00	6.30	275.50	95	6353.20	-96.77	104.98 N	90.21 W	138.42	319.33	0.11	0.11
43	MWD	6457.00	6.30	275.30	95	6447.63	-96.85	105.96 N	100.59 W	146.10	316.49	0.02	0.00
44	MWD	6551.00	6.50	275.00	94	6541.04	-96.88	106.90 N	111.03 W	154.13	313.92	0.22	0.21
45	MWD	6646.00	6.50	275.70	95	6635.43	-96.95	107.90 N	121.73 W	162.67	311.55	0.08	0.00
46	MWD	6741.00	6.50	274.60	95	6729.82	-96.99	108.87 N	132.44 W	171.45	309.42	0.13	0.00
47	MWD	6836.00	6.50	274.10	95	6824.21	-96.87	109.68 N	143.17 W	180.35	307.46	0.06	0.00
48	MWD	6930.00	6.70	273.60	94	6917.58	-96.66	110.41 N	153.95 W	189.45	305.65	0.22	0.21
49	MWD	7025.00	6.50	274.10	95	7011.96	-96.44	111.14 N	164.84 W	198.81	303.99	0.22	-0.21
50	MWD	7120.00	6.50	272.70	95	7106.34	-96.15	111.78 N	175.58 W	208.14	302.48	0.17	0.00
51	MWD	7215.00	6.20	282.20	95	7200.76	-96.58	113.12 N	185.96 W	217.66	301.31	1.15	-0.32
52	MWD	7309.00	6.00	282.00	94	7294.23	-97.82	115.21 N	195.73 W	227.12	300.48	0.21	-0.21
53	MWD	7404.00	5.80	282.40	95	7388.73	-99.05	117.27 N	205.27 W	236.41	299.74	0.21	-0.21
54	MWD	7499.00	5.80	280.30	95	7483.24	-100.12	119.16 N	214.68 W	245.54	299.03	0.22	0.00
55	MWD	7593.00	5.60	278.70	94	7576.78	-100.86	120.71 N	223.89 W	254.36	298.33	0.27	-0.21
56	MWD	7688.00	5.60	279.70	95	7671.32	-101.54	122.19 N	233.04 W	263.13	297.67	0.10	0.00
57	MWD	7783.00	5.30	279.40	95	7765.89	-102.26	123.69 N	241.94 W	271.72	297.08	0.32	-0.32
58	MWD	7973.00	5.30	279.20	190	7955.08	-103.59	126.52 N	259.26 W	288.48	296.01	0.01	0.00
59	MWD	8068.00	4.90	277.60	95	8049.71	-104.10	127.76 N	267.61 W	296.55	295.52	0.45	-0.42
60	MWD	8162.00	5.10	290.80	94	8143.35	-105.42	129.77 N	275.50 W	304.53	295.22	1.24	0.21
61	MWD	8257.00	5.10	291.30	95	8237.98	-107.76	132.81 N	283.38 W	312.96	295.11	0.05	0.00
62	MWD	8352.00	4.80	292.40	95	8332.62	-110.14	135.86 N	290.99 W	321.14	295.03	0.33	-0.32
63	MWD	8447.00	4.60	290.80	95	8427.30	-112.37	138.72 N	298.22 W	328.91	294.95	0.25	-0.21
64	MWD	8542.00	5.50	290.10	95	8521.93	-114.59	141.64 N	306.06 W	337.25	294.83	0.95	0.95
65	MWD	8637.00	5.30	285.50	95	8616.51	-116.58	144.38 N	314.56 W	346.12	294.65	0.50	-0.21
66	MWD	8731.00	4.90	284.80	94	8710.14	-118.06	146.56 N	322.63 W	354.36	294.43	0.43	-0.43
67	MWD	8826.00	4.60	281.30	95	8804.81	-119.17	148.35 N	330.29 W	362.07	294.19	0.44	-0.32
68	MWD	8921.00	3.70	287.80	95	8899.56	-120.28	150.03 N	336.94 W	368.83	294.00	1.07	-0.95
69	MWD	9016.00	3.20	286.90	95	8994.39	-121.50	151.74 N	342.40 W	374.51	293.90	0.53	-0.53
70	MWD	9110.00	3.00	280.40	94	9088.25	-122.28	152.94 N	347.33 W	379.51	293.77	0.43	-0.21
71	MWD	9205.00	3.00	288.40	95	9183.12	-123.09	154.18 N	352.13 W	384.41	293.65	0.44	0.00
72	MWD	9300.00	2.60	289.20	95	9278.01	-124.20	155.67 N	356.52 W	389.03	293.59	0.42	-0.42



DRILTECH MWD SURVEY REPORT

Company: EOG Resources, Inc
Well: Brown Bear 36 State #502 H
Location: Lea Co., NM
Rig: H&P 260

Job Number: 2015-042-EODT-NM
Vertical Section Plane: 184.97
WELL API #: 30-025-42154
Tie Into: Surface

Calculation Method Minimum Curvature

Survey #	Survey Tool Type	Survey Depth (ft)	Inclination (deg)	Azimuth (deg)	Course Length (ft)	True Vertical Depth (ft)	Vertical Section (ft)	Coordinates		Closure		Dogleg Severity (d/100')	Build Rate (d/100')
								N/S (ft)	E/W (ft)	Distance (ft)	Angle (deg)		
73	MWD	9394.00	2.10	294.50	94	9371.93	-125.30	157.09 N	360.11 W	392.88	293.57	0.58	-0.53
74	MWD	9489.00	1.90	304.20	95	9466.87	-126.65	158.69 N	362.99 W	396.17	293.61	0.41	-0.21
75	MWD	9584.00	1.40	305.90	95	9561.83	-128.02	160.26 N	365.23 W	398.85	293.69	0.53	-0.53
76	MWD	9679.00	2.30	312.60	95	9656.78	-129.78	162.23 N	367.58 W	401.79	293.81	0.97	0.95
77	MWD	9774.00	3.50	314.70	95	9751.66	-132.79	165.56 N	371.04 W	406.30	294.05	1.27	1.26
78	MWD	9868.00	2.80	314.70	94	9845.52	-136.09	169.19 N	374.71 W	411.14	294.30	0.74	-0.74
79	MWD	9963.00	3.30	291.00	95	9940.38	-138.33	171.81 N	378.92 W	416.05	294.39	1.42	0.53
80	MWD	10058.00	3.70	285.00	95	10035.21	-139.62	173.58 N	384.43 W	421.80	294.30	0.57	0.42
81	MWD	10153.00	3.00	273.90	95	10130.05	-140.11	174.54 N	389.87 W	427.16	294.12	1.00	-0.74
82	MWD	10253.00	3.00	259.90	100	10229.91	-139.38	174.26 N	395.06 W	431.78	293.80	0.73	0.00
83	MWD	10300.00	4.00	238.10	47	10276.82	-138.08	173.18 N	397.66 W	433.73	293.53	3.51	2.13
84	MWD	10348.00	9.70	214.20	48	10324.47	-133.54	168.95 N	401.36 W	435.47	292.83	13.03	11.88
85	MWD	10395.00	17.10	209.80	47	10370.16	-123.80	159.66 N	407.03 W	437.22	291.42	15.88	15.74
86	MWD	10443.00	23.40	203.40	48	10415.18	-108.33	144.77 N	414.33 W	438.89	289.26	13.89	13.13
87	MWD	10490.00	24.30	201.30	47	10458.16	-90.20	127.20 N	421.55 W	440.32	286.79	2.63	1.91
88	MWD	10538.00	27.10	193.60	48	10501.42	-69.90	107.36 N	427.71 W	440.98	284.09	9.07	5.83
89	MWD	10585.00	30.40	187.30	47	10542.63	-47.42	85.15 N	431.74 W	440.05	281.16	9.52	7.02
90	MWD	10632.00	33.40	180.60	47	10582.54	-22.63	60.40 N	433.39 W	437.57	277.93	9.87	6.38
91	MWD	10679.00	38.40	176.70	47	10620.61	4.73	32.87 N	432.68 W	433.93	274.34	11.69	10.64
92	MWD	10727.00	44.70	176.20	48	10656.51	36.20	1.11 N	430.70 W	430.70	270.15	13.14	13.13
93	MWD	10774.00	46.50	177.40	47	10689.39	69.44	32.41 S	428.83 W	430.06	265.68	4.24	3.83
94	MWD	10822.00	53.80	180.60	48	10720.14	106.06	69.22 S	428.24 W	433.80	260.82	16.04	15.21
95	MWD	10869.00	60.40	182.70	47	10745.65	145.44	108.64 S	429.41 W	442.94	255.80	14.53	14.04
96	MWD	10917.00	62.30	181.50	48	10768.67	187.50	150.74 S	430.95 W	456.55	250.72	4.53	3.96
97	MWD	10964.00	63.30	178.70	47	10790.15	229.15	192.53 S	431.01 W	472.06	245.93	5.71	2.13
98	MWD	11012.00	64.40	176.90	48	10811.31	271.89	235.58 S	429.36 W	489.74	241.25	4.07	2.29
99	MWD	11059.00	67.20	178.30	47	10830.57	314.41	278.41 S	427.57 W	510.22	236.93	6.55	5.96
100	MWD	11106.00	70.20	179.00	47	10847.65	357.92	322.18 S	426.54 W	534.54	232.93	6.53	6.38
101	MWD	11112.00	70.20	178.50	6	10849.68	363.54	327.83 S	426.42 W	537.87	232.45	7.84	0.00
102	MWD	11143.00	74.80	180.10	31	10859.00	392.95	357.38 S	426.06 W	556.10	230.01	15.63	14.84
103	MWD	11175.00	76.70	181.10	32	10866.87	423.87	388.39 S	426.39 W	576.76	227.67	6.67	5.94
104	MWD	11207.00	78.10	180.90	32	10873.85	455.02	419.62 S	426.93 W	598.62	225.50	4.42	4.37
105	MWD	11238.00	80.10	181.80	31	10879.72	485.40	450.05 S	427.65 W	620.83	223.54	7.05	6.45
106	MWD	11270.00	81.50	182.50	32	10884.83	516.95	481.61 S	428.83 W	644.86	221.68	4.88	4.38
107	MWD	11301.00	83.40	184.10	31	10888.91	547.67	512.29 S	430.60 W	669.22	220.05	7.98	6.13
108	MWD	11333.00	85.00	185.70	32	10892.14	579.50	544.01 S	433.32 W	695.49	218.54	7.05	5.00
109	MWD	11364.00	86.90	185.20	31	10894.33	610.42	574.79 S	436.26 W	721.60	217.20	6.34	6.13
110	MWD	11396.00	89.60	183.90	32	10895.31	642.40	606.67 S	438.80 W	748.73	215.88	9.36	8.44



DRILTECH MWD SURVEY REPORT

Company: EOG Resources, Inc
Well: Brown Bear 36 State #502 H
Location: Lea Co., NM
Rig: H&P 260


Job Number: 2015-042-EODT-NM
Vertical Section Plane: 184.97
WELL API #: 30-025-42154
Tie Into: Surface

Calculation Method Minimum Curvature

Survey #	Survey Tool Type	Survey Depth (ft)	Inclination (deg)	Azimuth (deg)	Course Length (ft)	True Vertical Depth (ft)	Vertical Section (ft)	Coordinates		Closure		Dogleg Severity (d/100')	Build Rate (d/100')
								N/S (ft)	E/W (ft)	Distance (ft)	Angle (deg)		
111	MWD	11491.00	92.70	182.20	95	10893.40	737.31	701.50 S	443.85 W	830.12	212.32	3.72	3.26
112	MWD	11585.00	91.50	180.20	94	10889.95	831.04	795.41 S	445.82 W	911.83	209.27	2.48	-1.28
113	MWD	11680.00	91.10	180.90	95	10887.80	925.73	890.38 S	446.73 W	996.16	206.64	0.85	-0.42
114	MWD	11775.00	91.30	180.20	95	10885.81	1020.43	985.35 S	447.64 W	1082.27	204.43	0.77	0.21
115	MWD	11870.00	90.40	179.20	95	10884.40	1115.02	1080.34 S	447.14 W	1169.22	202.48	1.42	-0.95
116	MWD	11965.00	90.40	178.30	95	10883.74	1209.45	1175.31 S	445.07 W	1256.76	200.74	0.95	0.00
117	MWD	12059.00	89.40	179.00	94	10883.90	1302.88	1269.29 S	442.86 W	1344.33	199.23	1.30	-1.06
118	MWD	12154.00	89.20	179.20	95	10885.06	1397.38	1364.27 S	441.37 W	1433.89	197.93	0.30	-0.21
119	MWD	12249.00	89.20	178.70	95	10886.39	1491.84	1459.24 S	439.62 W	1524.03	196.77	0.53	0.00
120	MWD	12344.00	90.10	179.00	95	10886.97	1586.30	1554.22 S	437.72 W	1614.68	195.73	1.00	0.95
121	MWD	12439.00	88.70	179.40	95	10887.96	1680.81	1649.20 S	436.39 W	1705.96	194.82	1.53	-1.47
122	MWD	12533.00	87.60	180.10	94	10891.00	1774.37	1743.15 S	435.98 W	1796.85	194.04	1.39	-1.17
123	MWD	12628.00	88.20	180.80	95	10894.48	1869.01	1838.08 S	436.73 W	1889.25	193.37	0.97	0.63
124	MWD	12723.00	88.50	180.60	95	10897.21	1963.70	1933.04 S	437.89 W	1982.01	192.76	0.38	0.32
125	MWD	12817.00	88.00	181.10	94	10900.09	2057.42	2026.98 S	439.28 W	2074.04	192.23	0.75	-0.53
126	MWD	12912.00	89.20	180.80	95	10902.41	2152.15	2121.94 S	440.86 W	2167.25	191.74	1.30	1.26
127	MWD	13007.00	89.90	180.10	95	10903.15	2246.85	2216.93 S	441.60 W	2260.49	191.27	1.04	0.74
128	MWD	13102.00	91.70	179.20	95	10901.83	2341.43	2311.92 S	441.02 W	2353.60	190.80	2.12	1.89
129	MWD	13196.00	91.80	177.40	94	10898.96	2434.75	2405.83 S	438.23 W	2445.41	190.32	1.92	0.11
130	MWD	13291.00	90.60	177.60	95	10896.97	2528.92	2500.71 S	434.09 W	2538.11	189.85	1.28	-1.26
131	MWD	13386.00	90.10	178.80	95	10896.39	2623.25	2595.66 S	431.11 W	2631.22	189.43	1.37	-0.53
132	MWD	13481.00	89.90	179.70	95	10896.39	2717.78	2690.65 S	429.86 W	2724.78	189.08	0.97	-0.21
133	MWD	13576.00	89.40	178.80	95	10896.97	2812.30	2785.64 S	428.62 W	2818.42	188.75	1.08	-0.53
134	MWD	13670.00	88.90	179.50	94	10898.36	2905.81	2879.62 S	427.23 W	2911.14	188.44	0.92	-0.53
135	MWD	13765.00	88.00	180.10	95	10900.93	3000.38	2974.58 S	426.89 W	3005.06	188.17	1.14	-0.95
136	MWD	13860.00	88.50	179.90	95	10903.83	3094.98	3069.54 S	426.89 W	3099.08	187.92	0.57	0.53
137	MWD	13955.00	89.90	180.40	95	10905.16	3189.63	3164.53 S	427.14 W	3193.22	187.69	1.56	1.47
138	MWD	14050.00	90.60	180.90	95	10904.74	3284.36	3259.52 S	428.22 W	3287.53	187.48	0.91	0.74
139	MWD	14145.00	91.50	182.00	95	10903.00	3379.16	3354.47 S	430.62 W	3382.00	187.32	1.50	0.95
140	MWD	14239.00	89.70	180.80	94	10902.02	3472.97	3448.43 S	432.92 W	3475.50	187.16	2.30	-1.91
141	MWD	14334.00	89.20	180.40	95	10902.93	3567.69	3543.42 S	433.92 W	3569.89	186.98	0.67	-0.53
142	MWD	14429.00	88.90	181.70	95	10904.50	3662.45	3638.39 S	435.66 W	3664.38	186.83	1.40	-0.32
143	MWD	14524.00	88.50	179.40	95	10906.66	3757.14	3733.35 S	436.57 W	3758.79	186.67	2.46	-0.42
144	MWD	14619.00	89.40	178.70	95	10908.40	3851.62	3828.32 S	434.99 W	3852.96	186.48	1.20	0.95
145	MWD	14713.00	89.20	178.70	94	10909.55	3945.05	3922.29 S	432.86 W	3946.11	186.30	0.21	-0.21
146	MWD	14808.00	90.60	178.80	95	10909.72	4039.48	4017.27 S	430.79 W	4040.30	186.12	1.48	1.47
147	MWD	14903.00	90.10	180.20	95	10909.14	4134.05	4112.26 S	429.96 W	4134.68	185.97	1.56	-0.53
148	MWD	14998.00	90.10	181.30	95	10908.97	4228.79	4207.25 S	431.20 W	4229.29	185.85	1.16	0.00

SCALE: 1" = 1000'
0' 500' 1000'

SECTION 36, TOWNSHIP 25-S, RANGE 33-E, N.M.P.M.
LEA COUNTY, NEW MEXICO




LEASE NAME & WELL NO.: BROWN BEAR 36 STATE #502H
SECTION 36 TWP 25-S RGE 33-E SURVEY N.M.P.M.
COUNTY LEA STATE NM ELEVATION 3335'
DESCRIPTION 230' FNL & 835' FWL



TOPOGRAPHIC
LOYALTY INNOVATION LEGACY

1400 EVERMAN PARKWAY, Ste. 197 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7548
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
WWW.TOPOGRAPHIC.COM



Michael Blake Brown, P.S. No. 18329
APRIL 1, 2015

eog resources, Inc.

BROWN BEAR 36 STATE
#502H AS-COMPLETED

REVISION:

EAH

04/01/15

DATE: 03/23/15

FILE: AD_BROWNBear36STATE_502H_REV1

DRAWN BY: G.J.U.

SHEET: 1 OF 1

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO STATE PLANE COORDINATE SYSTEM, EAST ZONE, U.S. SURVEY FEET, NORTH AMERICAN DATUM 1927.
3. CERTIFICATION IS MADE ONLY TO THE LOCATION OF THIS EASEMENT, IN RELATION TO THE EVIDENCE FOUND DURING A FIELD SURVEY. MADE ON THE GROUND, UNDER MY SUPERVISION, AND USING DOCUMENTATION PROVIDED BY EOG RESOURCES, INC. ONLY UTILITIES/EASEMENTS THAT WERE VISIBLE ON THE DATE OF THIS SURVEY, WITHIN/ADJOINING THIS EASEMENT, HAVE BEEN LOCATED AS SHOWN HEREON OF WHICH I HAVE KNOWLEDGE. THIS CERTIFICATION IS LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE, AND MADE FOR THIS TRANSACTION ONLY.