

DRILTECH MWD SURVEY REPORT

HOBBS OCD

MAY 12 2015



Company: EOG Resources, Inc
Well: Brown Bear 36 State #701 H
Location: Lea Co., NM
Rig: H&P 260

Job Number: 2015-013-EODT-NM
Vertical Section Plane: 184.61
WELL API #: 30-025-42153
Tie Into: Surface

Calculation Method: Minimum Curvature

Survey #	Survey Tool Type	Survey Depth (ft)	Inclination (deg)	Azimuth (deg)	Course Length (ft)	True Vertical Depth (ft)	Vertical Section (ft)	Coordinates		Closure		Dogleg Severity (d/100')	Build Rate (d/100')
								N/S (ft)	E/W (ft)	Distance (ft)	Angle (deg)		

Tie In	Surf	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	MWD	200.00	1.20	337.30	200	199.99	-1.86	1.93	N	0.81	W	2.09	337.30
2	MWD	353.00	1.90	358.30	153	352.93	-5.81	5.95	N	1.50	W	6.13	345.82
3	MWD	537.00	3.00	340.10	184	536.76	-13.22	13.52	N	3.23	W	13.90	346.56
4	MWD	726.00	0.90	16.50	189	725.65	-19.17	19.60	N	4.49	W	20.11	347.09
5	MWD	916.00	0.70	9.70	190	915.63	-21.79	22.17	N	3.87	W	22.51	350.09
6	MWD	1105.00	1.10	325.70	189	1104.61	-24.35	24.81	N	4.70	W	25.25	349.27
7	MWD	1243.00	1.40	354.00	138	1242.57	-27.04	27.58	N	5.62	W	28.15	348.47
8	MWD	1344.00	1.10	357.90	101	1343.55	-29.21	29.77	N	5.79	W	30.33	349.00
9	MWD	1533.00	1.60	320.80	189	1532.50	-32.92	33.63	N	7.52	W	34.46	347.39
10	MWD	1723.00	1.80	289.30	190	1722.42	-35.59	36.67	N	12.02	W	38.59	341.86
11	MWD	1912.00	1.40	252.10	189	1911.35	-35.46	36.95	N	17.01	W	40.68	335.27
12	MWD	2101.00	1.40	238.00	189	2100.30	-33.20	35.01	N	21.17	W	40.92	328.84
13	MWD	2290.00	1.10	265.40	189	2289.25	-31.53	33.64	N	24.94	W	41.88	323.45
14	MWD	2479.00	0.50	300.40	189	2478.23	-31.60	33.92	N	27.46	W	43.64	321.01
15	MWD	2669.00	1.40	60.80	190	2668.22	-33.25	35.47	N	26.14	W	44.06	323.60
16	MWD	2858.00	2.50	61.40	189	2857.10	-36.79	38.57	N	20.51	W	43.68	332.00
17	MWD	3048.00	0.90	82.30	190	3047.02	-39.38	40.75	N	15.39	W	43.56	339.31
18	MWD	3237.00	1.90	92.60	189	3235.96	-39.81	40.81	N	10.79	W	42.21	345.19
19	MWD	3427.00	1.90	104.10	190	3425.85	-39.40	39.90	N	4.59	W	40.16	353.44
20	MWD	3616.00	1.90	228.50	189	3614.80	-36.62	37.06	N	3.90	W	37.26	354.00
21	MWD	3805.00	2.50	250.00	189	3803.67	-32.65	33.57	N	10.12	W	35.06	343.23
22	MWD	3995.00	0.50	31.50	190	3993.61	-31.66	32.86	N	13.58	W	35.56	337.55
23	MWD	4185.00	1.10	298.80	190	4183.60	-33.15	34.45	N	14.74	W	37.47	336.83
24	MWD	4374.00	0.90	334.20	189	4372.57	-35.17	36.66	N	16.98	W	40.40	335.15
25	MWD	4564.00	0.90	165.20	190	4562.56	-35.05	36.56	N	17.25	W	40.42	334.74
26	MWD	4753.00	3.20	159.80	189	4751.43	-28.86	30.17	N	15.05	W	33.72	333.49
27	MWD	4943.00	3.90	189.70	190	4941.08	-17.61	18.82	N	14.31	W	23.64	322.77
28	MWD	5133.00	3.90	226.60	190	5130.67	-6.37	8.01	N	20.09	W	21.63	291.75
29	MWD	5322.00	3.50	230.30	189	5319.28	2.43	0.09	S	29.20	W	29.20	269.83
30	MWD	5512.00	3.20	250.30	190	5508.96	8.67	5.58	S	38.65	W	39.05	261.79
31	MWD	5701.00	3.90	259.80	189	5697.60	12.48	8.50	S	49.95	W	50.66	260.35
32	MWD	5891.00	3.90	286.00	190	5887.17	12.86	7.86	S	62.52	W	63.01	262.83
33	MWD	6081.00	3.90	283.20	190	6076.73	10.62	4.60	S	75.02	W	75.16	266.49
34	MWD	6270.00	4.00	305.20	189	6265.29	6.30	0.66	N	86.66	W	86.67	270.44

MAY 18 2015



DRILTECH MWD SURVEY REPORT

Company: EOG Resources, Inc
 Well: Brown Bear 36 State #701 H
 Location: Lea Co., NM
 Rig: H&P 260

Job Number: 2015-013-EODT-NM
 Vertical Section Plane: 184.61
 WELL API #: 30-025-42153
 Tie Into: Surface

Calculation Method Minimum Curvature

Survey #	Survey Tool Type	Survey Depth (ft)	Inclination (deg)	Azimuth (deg)	Course Length (ft)	True Vertical Depth (ft)	Vertical Section (ft)	Coordinates		Closure		Dogleg Severity (d/100')	Build Rate (d/100')
								N/S (ft)	E/W (ft)	Distance (ft)	Angle (deg)		
35	MWD	6460.00	4.00	304.80	190	6454.83	-0.40	8.27 N	97.52 W	97.87	274.85	0.01	0.00
36	MWD	6649.00	3.90	305.50	189	6643.38	-7.02	15.76 N	108.17 W	109.31	278.29	0.06	-0.05
37	MWD	6839.00	3.90	305.50	190	6832.94	-13.65	23.27 N	118.69 W	120.95	281.09	0.00	0.00
38	MWD	7028.00	4.00	311.50	189	7021.49	-20.91	31.37 N	128.86 W	132.62	283.68	0.22	0.05
39	MWD	7218.00	3.30	303.90	190	7211.11	-27.56	38.81 N	138.36 W	143.70	285.67	0.45	-0.37
40	MWD	7407.00	2.80	292.50	189	7399.84	-31.64	43.61 N	147.14 W	153.47	286.51	0.41	-0.26
41	MWD	7597.00	2.60	293.70	190	7589.63	-34.48	47.12 N	155.37 W	162.36	286.87	0.11	-0.11
42	MWD	7786.00	2.30	300.20	189	7778.46	-37.52	50.75 N	162.58 W	170.31	287.34	0.22	-0.16
43	MWD	7976.00	2.30	300.90	190	7968.30	-40.85	54.62 N	169.14 W	177.74	287.90	0.01	0.00
44	MWD	8165.00	2.10	290.60	189	8157.16	-43.48	57.79 N	175.64 W	184.90	288.21	0.23	-0.11
45	MWD	8355.00	3.30	299.40	190	8346.95	-46.74	61.70 N	183.66 W	193.75	288.57	0.67	0.63
46	MWD	8544.00	3.30	298.80	189	8535.64	-51.25	66.99 N	193.17 W	204.45	289.13	0.02	0.00
47	MWD	8734.00	3.90	294.30	190	8725.26	-55.66	72.28 N	203.85 W	216.29	289.52	0.35	0.32
48	MWD	8924.00	4.00	300.80	190	8914.81	-60.77	78.33 N	215.43 W	229.23	289.98	0.24	0.05
49	MWD	9113.00	4.40	308.20	189	9103.31	-67.69	86.19 N	226.79 W	242.62	290.81	0.36	0.21
50	MWD	9303.00	3.30	306.00	190	9292.87	-74.57	93.92 N	236.94 W	254.88	291.62	0.58	-0.58
51	MWD	9492.00	3.30	309.40	189	9481.56	-80.50	100.57 N	245.55 W	265.34	292.27	0.10	0.00
52	MWD	9682.00	4.00	309.20	190	9671.17	-87.39	108.23 N	254.91 W	276.93	293.00	0.37	0.37
53	MWD	9871.00	3.30	312.00	189	9859.79	-94.43	116.03 N	264.06 W	288.43	293.72	0.38	-0.37
54	MWD	10061.00	3.00	312.50	190	10049.50	-100.81	123.05 N	271.79 W	298.35	294.36	0.16	-0.16
55	MWD	10250.00	4.40	303.20	189	10238.11	-107.31	130.36 N	281.50 W	310.22	294.85	0.80	0.74
56	MWD	10440.00	5.80	302.00	190	10427.35	-115.22	139.44 N	295.74 W	326.97	295.24	0.74	0.74
57	MWD	10629.00	5.60	312.50	189	10615.42	-125.28	150.73 N	310.64 W	345.28	295.88	0.56	-0.11
58	MWD	10819.00	4.90	315.70	190	10804.62	-136.30	162.80 N	323.14 W	361.84	296.74	0.40	-0.37
59	MWD	11009.00	4.60	300.40	190	10993.98	-144.95	172.46 N	335.38 W	377.13	297.21	0.68	-0.16
60	MWD	11115.00	5.10	298.50	106	11099.60	-148.71	176.86 N	343.19 W	386.08	297.26	0.50	0.47
61	MWD	11231.00	5.60	288.60	116	11215.09	-152.17	181.13 N	353.08 W	396.83	297.16	0.90	0.43
62	MWD	11325.00	4.60	279.30	94	11308.72	-153.58	183.20 N	361.15 W	404.96	296.90	1.38	-1.06
63	MWD	11420.00	4.00	269.30	95	11403.45	-153.59	183.78 N	368.22 W	411.54	296.52	1.01	-0.63
64	MWD	11514.00	3.50	265.40	94	11497.25	-152.82	183.51 N	374.36 W	416.92	296.11	0.60	-0.53
65	MWD	11609.00	3.20	257.90	95	11592.09	-151.60	182.72 N	379.85 W	421.51	295.69	0.56	-0.32
66	MWD	11703.00	3.20	262.50	94	11685.94	-150.29	181.83 N	385.01 W	425.79	295.28	0.27	0.00
67	MWD	11798.00	2.80	258.20	95	11780.81	-149.08	181.01 N	389.91 W	429.88	294.90	0.48	-0.42
68	MWD	11892.00	2.80	249.30	94	11874.70	-147.45	179.72 N	394.31 W	433.34	294.50	0.46	0.00
69	MWD	11919.00	3.20	257.50	27	11901.67	-146.95	179.33 N	395.66 W	434.40	294.38	2.17	1.48
70	MWD	11967.00	2.80	247.90	48	11949.60	-146.03	178.60 N	398.05 W	436.28	294.16	1.34	-0.83
71	MWD	12014.00	2.90	225.40	47	11996.54	-144.61	177.33 N	399.97 W	437.51	293.91	2.37	0.21
72	MWD	12061.00	5.60	197.80	47	12043.41	-141.48	174.31 N	401.51 W	437.72	293.47	7.05	5.74



DRILTECH MWD SURVEY REPORT

Company: EOG Resources, Inc
 Well: Brown Bear 36 State #701 H
 Location: Lea Co., NM
 Rig: H&P 260

Job Number: 2015-013-EODT-NM
 Vertical Section Plane: 184.61
 WELL API #: 30-025-42153
 Tie Into: Surface

Calculation Method Minimum Curvature

Survey #	Survey Tool Type	Survey Depth (ft)	Inclination (deg)	Azimuth (deg)	Course Length (ft)	True Vertical Depth (ft)	Vertical Section (ft)	Coordinates		Closure		Dogleg Severity (d/100')	Build Rate (d/100')
								N/S (ft)	E/W (ft)	Distance (ft)	Angle (deg)		
73	MWD	12108.00	10.00	190.40	47	12089.97	-135.18	168.11 N	402.95 W	436.61	292.65	9.58	9.36
74	MWD	12156.00	12.10	180.00	48	12137.08	-126.02	158.98 N	403.70 W	433.88	291.49	6.02	4.38
75	MWD	12203.00	14.60	176.30	47	12182.81	-115.24	148.14 N	403.32 W	429.67	290.17	5.62	5.32
76	MWD	12250.00	17.90	175.10	47	12227.92	-102.26	135.03 N	402.32 W	424.38	288.55	7.06	7.02
77	MWD	12297.00	21.80	173.90	47	12272.12	-86.55	119.15 N	400.78 W	418.11	286.56	8.34	8.30
78	MWD	12345.00	23.90	164.20	48	12316.37	-68.67	100.92 N	397.18 W	409.80	284.26	8.97	4.38
79	MWD	12363.00	24.10	164.70	18	12332.81	-61.80	93.87 N	395.22 W	406.21	283.36	1.58	1.11
80	MWD	12411.00	24.10	168.60	48	12376.63	-43.16	74.81 N	390.70 W	397.79	280.84	3.32	0.00
81	MWD	12458.00	29.90	176.50	47	12418.51	-22.32	53.68 N	388.08 W	391.78	277.88	14.49	12.34
82	MWD	12505.00	36.80	181.80	47	12457.75	3.38	27.88 N	387.81 W	388.81	274.11	15.92	14.68
83	MWD	12552.00	44.70	177.90	47	12493.33	33.91	2.76 S	387.64 W	387.65	269.59	17.65	16.81
84	MWD	12584.00	51.60	175.60	32	12514.67	57.50	26.54 S	386.27 W	387.18	266.07	22.21	21.56
85	MWD	12615.00	57.50	173.20	31	12532.65	82.33	51.65 S	383.78 W	387.25	262.33	20.05	19.03
86	MWD	12647.00	64.00	173.70	32	12548.27	109.71	79.38 S	380.61 W	388.79	258.22	20.36	20.31
87	MWD	12678.00	71.10	175.80	31	12560.11	137.92	107.89 S	378.00 W	393.09	254.07	23.74	22.90
88	MWD	12772.00	80.60	187.70	94	12583.14	228.68	198.70 S	380.97 W	429.68	242.46	15.89	10.11
89	MWD	12834.00	82.20	186.30	62	12592.41	289.92	259.54 S	388.44 W	467.17	236.25	3.41	2.58
90	MWD	12866.00	83.80	183.70	32	12596.31	321.68	291.18 S	391.21 W	487.68	233.34	9.49	5.00
91	MWD	12897.00	86.20	182.30	31	12599.01	352.55	322.02 S	392.82 W	507.94	230.66	8.95	7.74
92	MWD	12929.00	88.50	180.90	32	12600.49	384.47	353.97 S	393.72 W	529.44	228.04	8.41	7.19
93	MWD	12960.00	89.00	180.00	31	12601.17	415.38	384.96 S	393.96 W	550.81	225.66	3.32	1.61
94	MWD	12992.00	90.80	178.30	32	12601.22	447.23	416.95 S	393.48 W	573.31	223.34	7.74	5.62
95	MWD	13023.00	93.10	176.30	31	12600.17	477.96	447.90 S	392.03 W	595.23	221.19	9.83	7.42
96	MWD	13055.00	95.40	175.40	32	12597.80	509.49	479.72 S	389.72 W	618.07	219.09	7.72	7.19
97	MWD	13086.00	95.90	174.30	31	12594.74	539.90	510.45 S	386.95 W	640.53	217.16	3.88	1.61
98	MWD	13149.00	96.20	176.10	63	12588.10	601.70	572.87 S	381.70 W	688.39	213.68	2.88	0.48
99	MWD	13181.00	95.00	175.80	32	12584.98	633.18	604.64 S	379.46 W	713.85	212.11	3.86	-3.75
100	MWD	13212.00	95.70	176.80	31	12582.09	663.72	635.44 S	377.46 W	739.10	210.71	3.93	2.26
101	MWD	13243.00	95.50	176.70	31	12579.06	694.29	666.24 S	375.71 W	764.88	209.42	0.72	-0.65
102	MWD	13275.00	95.00	175.80	32	12576.14	725.81	698.04 S	373.63 W	791.74	208.16	3.21	-1.56
103	MWD	13306.00	95.20	176.70	31	12573.38	756.36	728.85 S	371.61 W	818.12	207.02	2.96	0.65
104	MWD	13338.00	96.10	178.10	32	12570.23	787.95	760.66 S	370.17 W	845.95	205.95	5.18	2.81
105	MWD	13370.00	96.10	179.10	32	12566.83	819.60	792.47 S	369.39 W	874.33	204.99	3.11	0.00
106	MWD	13401.00	96.10	178.30	31	12563.54	850.26	823.29 S	368.69 W	902.07	204.12	2.57	0.00
107	MWD	13433.00	96.20	179.00	32	12560.11	881.90	855.09 S	367.94 W	930.89	203.28	2.20	0.31
108	MWD	13464.00	96.20	180.00	31	12556.76	912.60	885.91 S	367.67 W	959.18	202.54	3.21	0.00
109	MWD	13496.00	94.70	181.20	32	12553.72	944.37	917.76 S	368.00 W	988.80	201.85	5.99	-4.69
110	MWD	13527.00	90.60	181.80	31	12552.29	975.29	948.71 S	368.82 W	1017.88	201.24	13.37	-13.23



DRILTECH MWD SURVEY REPORT

Company: EOG Resources, Inc
Well: Brown Bear 36 State #701 H
Location: Lea Co., NM
Rig: H&P 260

Job Number: 2015-013-EODT-NM
Vertical Section Plane: 184.61
WELL API #: 30-025-42153
Tie Into: Surface

Calculation Method Minimum Curvature

Survey #	Survey Tool Type	Survey Depth (ft)	Inclination (deg)	Azimuth (deg)	Course Length (ft)	True Vertical Depth (ft)	Vertical Section (ft)	Coordinates		Closure		Dogleg Severity (d/100')	Build Rate (d/100')
								N/S (ft)	E/W (ft)	Distance (ft)	Angle (deg)		
111	MWD	13559.00	88.00	181.40	32	12552.68	1007.24	980.69 S	369.71 W	1048.07	200.66	8.22	-8.12
112	MWD	13590.00	88.30	180.90	31	12553.68	1038.16	1011.67 S	370.33 W	1077.32	200.11	1.88	0.97
113	MWD	13622.00	90.30	180.90	32	12554.07	1070.09	1043.66 S	370.83 W	1107.59	199.56	6.25	6.25
114	MWD	13717.00	90.40	181.80	95	12553.49	1164.94	1138.64 S	373.07 W	1198.20	198.14	0.95	0.11
115	MWD	13811.00	88.70	180.00	94	12554.23	1258.73	1232.61 S	374.55 W	1288.26	196.90	2.63	-1.81
116	MWD	13906.00	87.30	179.70	95	12557.54	1353.34	1327.55 S	374.30 W	1379.31	195.75	1.51	-1.47
117	MWD	13937.00	88.00	180.00	31	12558.81	1384.21	1358.53 S	374.22 W	1409.12	195.40	2.46	2.26
118	MWD	13969.00	89.70	181.10	32	12559.46	1416.12	1390.52 S	374.53 W	1440.07	195.07	6.33	5.31
119	MWD	14000.00	89.60	181.20	31	12559.65	1447.06	1421.51 S	375.15 W	1470.18	194.78	0.46	-0.32
120	MWD	14095.00	90.40	184.40	95	12559.65	1542.00	1516.38 S	379.79 W	1563.22	194.06	3.47	0.84
121	MWD	14126.00	91.30	184.90	31	12559.19	1573.00	1547.28 S	382.30 W	1593.81	193.88	3.32	2.90
122	MWD	14189.00	93.30	184.80	63	12556.66	1635.94	1610.00 S	387.62 W	1656.00	193.54	3.18	3.17
123	MWD	14283.00	91.70	183.70	94	12552.56	1729.85	1703.65 S	394.58 W	1748.74	193.04	2.06	-1.70
124	MWD	14378.00	90.30	182.60	95	12550.90	1824.80	1798.48 S	399.80 W	1842.39	192.53	1.87	-1.47
125	MWD	14473.00	87.80	182.30	95	12552.47	1919.71	1893.38 S	403.86 W	1935.97	192.04	2.65	-2.63
126	MWD	14567.00	87.80	185.50	94	12556.08	2013.62	1987.08 S	410.25 W	2028.99	191.67	3.40	0.00
127	MWD	14662.00	91.30	177.50	95	12556.83	2108.39	2081.95 S	412.73 W	2122.47	191.21	9.19	3.68
128	MWD	14756.00	90.60	173.30	94	12555.27	2201.14	2175.61 S	405.19 W	2213.02	190.55	4.53	-0.74
129	MWD	14851.00	91.70	174.00	95	12553.37	2294.39	2270.01 S	394.69 W	2304.07	189.86	1.37	1.16
130	MWD	14945.00	90.40	173.70	94	12551.64	2386.72	2363.45 S	384.62 W	2394.54	189.24	1.42	-1.38
131	MWD	15040.00	92.60	175.40	95	12549.16	2480.22	2457.98 S	375.60 W	2486.51	188.69	2.93	2.32
132	MWD	15134.00	93.80	179.10	94	12543.91	2573.28	2551.71 S	371.10 W	2578.55	188.27	4.13	1.28
133	MWD	15229.00	92.20	179.50	95	12538.94	2667.74	2646.57 S	369.94 W	2672.30	187.96	1.74	-1.68
134	MWD	15324.00	89.70	180.00	95	12537.36	2762.37	2741.54 S	369.53 W	2766.34	187.68	2.68	-2.63
135	MWD	15418.00	89.90	178.60	94	12537.69	2855.97	2835.53 S	368.38 W	2859.36	187.40	1.50	0.21
136	MWD	15513.00	89.70	178.10	95	12538.02	2950.40	2930.49 S	365.64 W	2953.22	187.11	0.57	-0.21
137	MWD	15607.00	91.50	178.60	94	12537.04	3043.83	3024.45 S	362.93 W	3046.14	186.84	1.99	1.91
138	MWD	15702.00	89.20	178.10	95	12536.46	3138.26	3119.40 S	360.20 W	3140.13	186.59	2.48	-2.42
139	MWD	15797.00	91.50	179.50	95	12535.88	3232.76	3214.37 S	358.21 W	3234.26	186.36	2.83	2.42
140	MWD	15891.00	89.70	180.00	94	12534.89	3326.41	3308.36 S	357.80 W	3327.65	186.17	1.99	-1.91
141	MWD	15985.00	87.60	180.20	94	12537.11	3420.09	3402.32 S	357.96 W	3421.10	186.01	2.24	-2.23
142	MWD	16079.00	90.10	180.90	94	12538.99	3513.83	3496.29 S	358.87 W	3514.66	185.86	2.76	2.66
143	MWD	16174.00	90.40	180.00	95	12538.58	3608.57	3591.29 S	359.61 W	3609.25	185.72	1.00	0.32
144	MWD	16269.00	91.00	180.90	95	12537.42	3703.31	3686.28 S	360.36 W	3703.85	185.58	1.14	0.63
145	MWD	16364.00	89.70	183.00	95	12536.84	3798.20	3781.21 S	363.59 W	3798.65	185.49	2.60	-1.37
146	MWD	16458.00	91.00	183.20	94	12536.26	3892.17	3875.07 S	368.67 W	3892.57	185.43	1.40	1.38
147	MWD	16553.00	90.10	183.40	95	12535.35	3987.14	3969.91 S	374.14 W	3987.50	185.38	0.97	-0.95
148	MWD	16647.00	90.80	185.60	94	12534.61	4081.13	4063.61 S	381.52 W	4081.48	185.36	2.46	0.74

DRILTECH MWD SURVEY REPORT


Company:	EOG Resources, Inc
Well:	Brown Bear 36 State #701 H
Location:	Lea Co., NM
Rig:	H&P 260

Job Number:	2015-013-EODT-NM
Vertical Section Plane:	184.61
WELL API #:	30-025-42153
Tie Into:	Surface

Calculation Method Minimum Curvature

[illegible]

0' 500' 1000'




LEASE NAME & WELL NO.: BROWN BEAR 36 STATE #701H
SECTION 36 TWP 25-S RGE 33-E SURVEY N.M.P.M.
COUNTY LEA STATE NM ELEVATION 3335'
DESCRIPTION 230' FNL & 805' FWL



TOPOGRAPHIC
LOYALTY INNOVATION LEGACY

1400 EVERMAN PARKWAY, Ste. 197 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7548
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
WWW.TOPOGRAPHIC.COM



Michael Blake Brown, P.S. No. 18329
MARCH 23, 2015

BROWN BEAR 36 STATE #701H AS-COMPLETED	REVISION:		NOTES: 1. ORIGINAL DOCUMENT SIZE: 8.5" X 11" 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO STATE PLANE COORDINATE SYSTEM, EAST ZONE, U.S. SURVEY FEET, NORTH AMERICAN DATUM 1927. 3. CERTIFICATION IS MADE ONLY TO THE LOCATION OF THIS EASEMENT, IN RELATION TO THE EVIDENCE FOUND DURING A FIELD SURVEY, MADE ON THE GROUND, UNDER MY SUPERVISION, AND USING DOCUMENTATION PROVIDED BY EOG RESOURCES, INC. ONLY UTILITIES/EASEMENTS THAT WERE VISIBLE ON THE DATE OF THIS SURVEY. WITHIN/ADJOINING THIS EASEMENT, HAVE BEEN LOCATED AS SHOWN HEREON OF WHICH I HAVE KNOWLEDGE, THIS CERTIFICATION IS LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE, AND MADE FOR THIS TRANSACTION ONLY.
	INT	DATE	
DATE: 03/23/15			
FILE:AD_BROWNBear36STATE_701H			
DRAWN BY: G.J.U.			
SHEET: 1 OF 1			