

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-26573
1. Type of Well: Oil Well ☐ Gas Well ☐ Other - INJECTION		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator ConocoPhillips Company		6. State Oil & Gas Lease No. B-1497
3. Address of Operator P.O. Box 51810 Midland, TX 79710		7. Lease Name or Unit Agreement Name East Vacuum GSA Unit Tr 2622
4. Well Location Unit Letter G : 1430 feet from the North line and 1330 feet from the East line Section 26 Township 17-S Range 35-E NMPM County Lea		8. Well Number 002
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3905' GR		9. OGRID Number 217817
		10. Pool name or Wildcat Vacuum (GB/SA)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		E-PERMITTING <SWD INJECTION> CONVERSION RBDMS RETURN TO TA CSNG CHG LOC INT TO P&A P&A NR P&A R
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☒	
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	
DOWNHOLE COMMINGLE ☐		
CLOSED-LOOP SYSTEM ☐		
OTHER: ☐		

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.


--MIRU. ND WH, NU BOP.
--RIH Tbg - Tag BP @ 4,409'. Circ hole w/ MLF. Spot 35sx cmt to 4,100'. WOC-Tag
--Spot 25sx cmt @ 3,800' - 3,650'
--Spot 25sx cmt @ 3,000' - 2,850'. WOC-Tag
--Spot 25sx cmt @ 1,700' - 1,550'. WOC-Tag
--Spot 55sx cmt @ 465' to surface
--POOH. Fill wellbore. Verify cmt @ surface in all annuli

****A closed-loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17****

Spud Date: **12/18/79** Rig Release Date: **12/31/79**

I hereby certify that the information above is true and complete to the best of my knowledge and belief.


SIGNATURE  TITLE **P&A Tech - Basic Energy Services** DATE **6/8/15**
Type or print name **Greg Bryant** E-mail address: _____ PHONE: **432-563-3355**
For State Use Only

APPROVED BY:  TITLE **Dist. Supervisor** DATE **6/11/2015**
Conditions of Approval (if any): _____
JUN 12 2015

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: May 27, 2015

RKB @ 3915'
 DF @ 3914'
 GF @ 3905'



Subarea : Buckeye
 Lease & Well No. : East Vacuum GB/SA Unit, Tract 2622 002
 Legal Description : 1430 FNL & 1330 FEL, Sec. 26, T-17S, R-35E
 County : Lea State : New Mexico
 Field : Vacuum (Grayburg-San Andres)
 Date Spudded : 12/18/1979 Rig Released: 12/31/1979
 API Number : 30-025-26573
 Status: Active Service Well

State Lease No. **B-1497**
 OGRID No. **217817**

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Down
	5/13/1980	Perf 4486-4494 & 4497-4508 w/ 1 SPF						
4486-4508	5/14/1980	15% NEA	6700					
4486-4508	1/12/1987	15% NEFE	2000					
4486-4508	5/11/1992	15% NEFE	1000					
	5/25/2006	Perf 4459-4462 & 4472-4478 w/ 4 SPF						
4459-4478	5/26/2006	15% NEFE	3000					
	5/20/2015	Tag fill @ 4718'						
	5/22/2015	Csg lk fr 272-668'						
	5/27/2015	Set CIBP @ 4409'						


Formation Tops:

Rustler	1670'
Salado	
Yates	2948'
Seven Rivers	
Queen	3795'
Grayburg	4149'
San Andres	4449'
Glorieta	

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: May 27, 2015

RKB @ 3915'
 DF @ 3914'
 GF @ 3905'



11" Hole

Spot 55sx cmt @ 465'-3'

Csg lk 272-668
 8 5/8" 24# K-55 @ 351'
 Cmt'd w/ 350 sxs, circ 100 sxs
 TOC @ Surface
Top Salt @ 415'

Spot 25sx cmt @ 1700'-1550'

Base Salt @
Spot 25sx cmt @ 3000'-2850' - Tag

Spot 25sx cmt @ 3800'-3650'

Spot 35sx cmt @ 4409'-4100' - Tag

CIBP @ 4409'

== 4459-4462'
 == 4472-4478'
 == 4486-4494'
 == 4497-4508'

Fill @ 4718'

7 7/8" Hole
 5 1/2" 14# K-55 @ 4808'
 Cmt'd w/ 1345 sxs, Circ 300 sxs
 TOC @ Surface

PBTD @ 4750'
 TD @ 4808'

Subarea : Buckeye
 Lease & Well No. : East Vacuum GB/SA Unit, Tract 2622 002
 Legal Description : 1430 FNL & 1330 FEL, Sec. 26, T-17S, R-35E
 County : Lea State : New Mexico
 Field : Vacuum (Grayburg-San Andres)
 Date Spudded : 12/18/1979 Rig Released: 12/31/1979
 API Number : 30-025-26573
 Status: Active Service Well

State Lease No. B-1497
 OGRID No. 217817

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Down
	5/13/1980	Perf 4486-4494 & 4497-4508 w/ 1 SPF						
4486-4508	5/14/1980	15% NEA	6700					
4486-4508	1/12/1987	15% NEFE	2000					
4486-4508	5/11/1992	15% NEFE	1000					
	5/25/2006	Perf 4459-4462 & 4472-4478 w/ 4 SPF						
4459-4478	5/26/2006	15% NEFE	3000					
	5/20/2015	Tag fill @ 4718'						
	5/22/2015	Csg lk fr 272-668'						
	5/27/2015	Set CIBP @ 4409'						

Formation Tops:

Rustler	1670'
Salado	
Yates	2948'
Seven Rivers	
Queen	3795'
Grayburg	4149'
San Andres	4449'
Glorieta	