

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-26759
1. Type of Well: Oil Well ☒ Gas Well ☐ Other HOBBS OCD		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator ConocoPhillips Company		6. State Oil & Gas Lease No. B-2148
3. Address of Operator P.O. Box 51810 Midland, TX 79710		7. Lease Name or Unit Agreement Name Leamex
4. Well Location Unit Letter M : 660 feet from the South line and 990 feet from the West line Section 22 Township 17-S Range 33-E NMPM County Lea		8. Well Number 26
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4154' GL		9. OGRID Number 217817
		10. Pool name or Wildcat Leamex (Paddock)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		E-PERMITTING <SWD INJECTION>	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☒	RE CONVERSION ☐	RBDMS ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	CC RETURN TO ☐	TA ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CA CSNG ☐	CHG LOC ☐
DOWNHOLE COMMINGLE ☐		INT TO PA ☒ P&A NR ☐	P&A R ☐
CLOSED-LOOP SYSTEM ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

--MIRU. ND WH, NU BOP. POOH w/ Prod Equip
--Set CIBP @ 5,931'. Circ hole w/ MLF. Cap BP w/ 25sx cmt to 5,781'
--Spot 25sx cmt @ 4,560' to 4,410'. WOC-Tag
--Spot 35sx cmt @ 3,800' to 3,350'. WOC-Tag
--Spot 25sx cmt @ 2,804' to 2,650'. WOC-Tag
--Spot 25sx cmt @ 1,550' to 1,374'. WOC-Tag
--Spot 25sx cmt @ 250' to surface
--POOH. Fill wellbore. Verify cmt @ surface in all annuli

PRESSURE TEST
CSG.

The Oil Conservation Division
MUST BE NOTIFIED 24 Hours
Prior to the beginning of operations.

A closed-loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Greg Bryant TITLE P&A Tech - Basic Energy Services DATE 7/14/15

Type or print name Greg Bryant E-mail address: PHONE: 432-563-3355

For State Use Only

APPROVED BY: Mary Brown TITLE Dist Supervisor DATE 7/16/2015

Conditions of Approval (if any):

JUL 17 2015

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: July 1, 2015

RKB @ 4165'
 DF @ 4164'
 GL @ 4154'

Subarea : Buckeye
 Lease & Well No. : Leamex 26
 Legal Description : 660 FSL & 990 FWL, Sec. 22, T-17-S, R-33-E,
 County : Lea State : New Mexico
 Field : Leamex (Paddock)
 Date Spudded : 5/13/1980 Rig Released: 6/3/1980
 API Number : 30-025-26759
 Status: Producing

OGRID No. 017643

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Down
6058-6063	6/26/1980	Perf 6058-6063 w/ 2 SPF						
	6/27/1980	15% NEA	1500					
	8/20/1982	Perf 6031-6042 w/ 2 SPF						
6031-6042	8/23/1982	15% HCL	1500					
6031-6063	1/17/1991	15% HCL	2000					
6031-6063	4/25/1997	Boragel	37,194	150,000				
6031-6063	3/28/2007	15% NEA	500					
	3/20/2008	Gravel pack fr 6176-5992'						

11" Hole

8 5/8" 24# K-55 @ 1500'
 Cmt'd w/ 600 sx, circ 100 sxs
 TOC @ Surface

Top of Salt @

Base of Salt @

6031-6042'

6058-6063'

7-7/8" Hole
 4 1/2" 11.6# N-80 @ 6290'
 Cmt'd w/ 2000 sx; Circ 160 sxs
 TOC @ Surface

PBTD: 6176'
 TD: 6300'

Formation Tops:

Santa Rosa Base
 Rustler 1424'
 Salado
 Yates 2754'
 Queen 3746'
 Pemrose
 Grayburg
 San Andres 4510'
 Glorieta 5976'
 Paddock 6030'
 Wolfcamp

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: July 1, 2015


RKB @ 4165'
 DF @ 4164'
 GL @ 4154'

Subarea : Buckeye
 Lease & Well No. : Leamex 26
 Legal Description : 660 FSL & 990 FWL, Sec. 22, T-17-S, R-33-E,
 County : Lea State : New Mexico
 Field : Leamex (Paddock)
 Date Spudded : 5/13/1980 Rig Released: 6/3/1980
 API Number : 30-025-26759
 Status: Producing

OGRID No. 017643

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Max Down
	6/26/1980	Perf 6058-6063 w/ 2 SPF						
6058-6063	6/27/1980	15% NEA	1500					
	8/20/1982	Perf 6031-6042 w/ 2 SPF						
6031-6042	8/23/1982	15% HCL	1500					
6031-6063	1/17/1991	15% HCL	2000					
6031-6063	4/25/1997	Boragel	37,194	150,000				
6031-6063	3/28/2007	15% NEA	500					
	3/20/2008	Gravel pack fr 6176-5992'						



11" Hole
Spot 25sx cmt @ 250'-3'

8 5/8" 24# K-55 @ 1500'
 Cmt'd w/ 600 sx, circ 100 sxs
 TOC @ Surface
Spot 25sx cmt @ 1550'-1374' - Tag

Top of Salt @

Spot 25sx cmt @ 2804'-2650' - Tag

Base of Salt @
Spot 35sx cmt @ 3800'-3350' - Tag

Spot 25sx cmt @ 4560'-4410' - Tag

Spot 25sx cmt @ 5931'-5781'
Set CIBP @ 5931'

 6031-6042'
 6058-6063'

 7-7/8" Hole
4 1/2" 11.6# N-80 @ 6290'
 Cmt'd w/ 2000 sx; Circ 160 sxs
 TOC @ Surface

Formation Tops:
 Santa Rosa Base
 Rustler 1424'
 Salado
 Yates 2754'
 Queen 3746'
 Pemrose
 Grayburg
 San Andres 4510'
 Glorieta 5976'
 Paddock 6030'
 Wolfcamp

PBTD: 6176'
 TD: 6300'