

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-25674
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. B-8667-2
7. Lease Name or Unit Agreement Name State AR
8. Well Number 1
9. OGRID Number 16696
10. Pool name or Wildcat Vacuum Abo, North
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3980'

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well Other **HOBBS OCD**

2. Name of Operator: OXY USA Inc. **AUG 03 2015**

3. Address of Operator: P.O. Box 50250 Midland, TX 79710 **RECEIVED**

4. Well Location
 Unit Letter B : 470 feet from the North line and 1990 feet from the east line
 Section 30 Township 17S Range 35E NMPM County Lea

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		E-PERMITTING <SWD INJECTION>	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	CONVERSION _____	RBDMS _____
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	RETURN TO _____	TA _____
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CSNG _____	CHG LOC _____
DOWNHOLE COMMINGLE <input type="checkbox"/>		INT TO P&A <input checked="" type="checkbox"/>	P&A NR _____ P&A R _____
CLOSED-LOOP SYSTEM <input type="checkbox"/>		OTHER: <input type="checkbox"/>	
OTHER: <input type="checkbox"/>			

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-8800' PBD-8751' Perfs-8580-8642'
 13-3/8" 48-68# csg @ 300' w/ 325sx, 17" hole, TOC-Surf-Circ
 9-5/8" 47-53.5# csg @ 2892' w/ 1600sx, 12-1/4" hole, TOC-Surf-Circ
 4-1/2" 10.5-11.6# csg @ 8800' w/ 900sx, 7-7/8" hole, TOC-4000'-TS

- RIH & set CIBP @ 8530' w/ 35sx cmt to 8140'
- M&P 25sx cmt @ 7550-7300' WOC-Tag
- M&P 25sx cmt @ 6075-5825' WOC-Tag
- M&P 30sx cmt @ 4480-4150' WOC-Tag
- Perf @ 3850' sqz 35sx cmt to 3750' WOC-Tag
- Perf @ 2950' sqz 60sx cmt to 2800' WOC-Tag
- Perf @ 1770' sqz 60sx cmt to 1620' WOC-Tag
- Perf @ 350' sqz 145sx cmt to surface

10# MLF between plugs
 Above ground steel tanks will be utilized

Spud Date: Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 7/29/15

Type or print name David Stewart E-mail address: david_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: Mary Brown TITLE Dist. Supervisor DATE 8/4/2015
 Conditions of Approval (if any):

AUG 06

OXY USA Inc. - Proposed
State AR #1
API No. 30-025-25674

145sx @ 350'-Surface

60sx @ 1770-1620' WOC-Tag

60sx @ 2950-2800' WOC-Tag

35sx @ 3850-3750' WOC-Tag


30sx @ 4480-4150' WOC-Tag

25sx @ 6075-5825' WOC-Tag

25sx @ 7550-7300' WOC-Tag

CIBP @ 8530' w/ 35sx to 8140'

PB-8751'



Perf @ 350'

17" hole @ 300'
13-3/8" csg @ 300'
w/ 325sx-TOC-Surf-Circ

Perf @ 1770'

Perf @ 2950'

12-1/4" hole @ 2892'
9-5/8" csg @ 2892'
w/ 1600sx-TOC-Surf-Circ


Perf @ 3850'

Perfs @ 8580-8642'

7-7/8" hole @ 8800'
4-1/2" csg @ 8800'
w/ 900sx-TOC-4000'-TS

TD-8800'

OXY USA Inc. - Current
State AR #1
API No. 30-025-25674



17" hole @ 300'
13-3/8" csg @ 300'
w/ 325sx-TOC-Surf-Circ

12-1/4" hole @ 2892'
9-5/8" csg @ 2892'
w/ 1600sx-TOC-Surf-Circ

7-7/8" hole @ 8800'
4-1/2" csg @ 8800'
w/ 900sx-TOC-4000'-TS

Perfs @ 8580-8642'

PB-8751'

TD-8800'