Office Submit I Copy To Appropriate District	State of New Me	exico		Form C-103
District I (575) 393-6161	Energy, Minerals and Natu	ral Resources		vised July 18, 2013
1625 N. French Dr., Hobbs, NM 88240			WELL API NO.	
District II – (575) 748-1283 811 S. First St., Artesia, NM 88210 OIL CONSERVATION DIVISION			30-025-11386 5. Indicate Type of Lease	
<u>District III</u> – (505) 334-6178 1220 South St. Francis Dr.		ncis Dr.		EE 🛛
1000 Rio Brazos Rd., Aztec, NM 87410 District IV – (505) 476-3460 Santa Fe, NM 87505			6. State Oil & Gas Lease I	
1220 S. St. Francis Dr., Santa Fe, NM 87505	,		o. State on a Gas Loase i	
	ES AND REPORTS ON WELLS		7. Lease Name or Unit Ag	reement Name
(DO NOT USE THIS FORM FOR PROPOSA	ALS TO DRILL OR TO DEEPEN OR PLU	UG BACK TO A	Hodges B	
DIFFERENT RESERVOIR. USE "APPLICA" PROPOSALS.)	TION FOR PERMIT" (FORM C-101) FC	NUBBS OCO.		
1. Type of Well: Oil Well 🛛 🔾	3 337 11 1 6.1	·	8. Well Number 5	/
2. Name of Operator OXY USA II	NC.	SEP I 5 ZOIS	9. OGRID Number 166	96
3. Address of Operator P.O. BOX	X 50250 MIDLAND, TX 79710		10. Pool name or Wildcat	
		RECEIVED	Justis-Tubb-Drinkard	
4. Well Location				
	42feet from the <u>SOUTH</u>	line and <u>1660</u>		
Section 1	<u> </u>	Range 37E	NMPM Cou	nty LEA /
	11. Elevation (Show whether DR) 3111.6'	, RKB, RT, GR, etc.)		
<u> </u>	3111.0			
12. Check Ap	ppropriate Box to Indicate N	ature of Notice, I	Report or Other Data	
NOTICE OF INT	FNTION TO:	SUBS	SEQUENT REPORT	OF.
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WOR				NG CASING □
TEMPORARILY ABANDON			 -	· · · · · · · · · · · · · · · · · · ·
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMENT	JOB 🔲	
DOWNHOLE COMMINGLE				
CLOSED-LOOP SYSTEM	_			_
OTHER:			npletion	
	eted operations. (Clearly state all k). SEE RULE 19.15.7.14 NMA mpletion.			
RU PU 10/27/14, POOH w/rods & pu 10/30/14, RIH & tagged cmt @ 6862' cmt @ 6584', POOH, RDPU. 6/9/15 Acid + 12949g WF115 + 38360g YF1 with 2-3/8" tbg w/ TAC @ 6154'. RI	, POOH, RUWL, RIH w/CIBP and RUWL, RIH & perf @ 6304-624 I 15 Flex D w/27340 # sand, RD S H w/ 1-1/2" X 24' rod pump, pum	nd set @ 6694', spott 10' Total 102 holes. I chlumberger. RIH & np to clean up and tes	ed 15sx cmt, POOH. 10/31 Frac in one stage w/ approx. z clean out well, tag up PBT	/14, RIH & tagged 1490g 15% HCL 'D @ 6584'. RIH
	, , , , , ,			, 2 . , = 0 - 5
Spud Date:	Rig Release Da	ate:		A
		<u> </u>		r
I hereby certify that the information a	have is true and complete to the h	est of my knowledge	and belief	
A AA	bove is true and complete to the o	est of my knowledge	and benefi	
AMI)				
SIGNATURE	TITLE Reg	gulatory Coordinator	DATE9-	10-15
Type or print name <u>Jana Mendiola</u>	F-mail address-	ianalyn mendiola@	oxy;comPHONE: _4	32-685-5936
For State Use Only	L man address.	_janaryn_mondioide	THOME. T	
	Da	troloum Ci	_	-/ /-
THE ROLL BY	TITLE PE	troleum Engineer	DATE C	9/11/15
Conditions of Approval (if any):		ern d	2015	pri
		2FL 7	0 2010	\$ la

OXY USA Inc. - Current Hodges B #5 API No. 30-025-11386

5/11-Sqz csg lk @ 3844-3966' w/ 180sx 1/12-Sqz csg lk @ 3876-4002' w/ 300sx

CIBP @ 4924' 5/11-25sx @ 5175-5075' 7/73-Perfs @ 5208-5368'

1/76-Perfs @ 5421-5793' 5/11-25sx @ 5875-5775' 6/82-Sqz perfs 5208-5793' w/ 400sx

5/11-25sx @ 6450-6350'

5/11-CIBP @ 7100' w/ 25sx 2/11-CIBP @ 7178' 6/82-Perfs @ 7147-7172' 4/62-Perfs @ 7186-7199'

8-3/4" hole @ 8500' 7" csg @ 7250' DVT @ 5742' 1st w/ 520sx-TOC-5737'-Circ 2nd w/ 390sx-TOC-2950'-CBL

4/62-25sx @ 8500-8425'

