

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30- 025-24971
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. L-101
7. Lease Name or Unit Agreement Name Mang B Com.
8. Well Number 1
9. OGRID Number 16696
10. Pool name or Wildcat Flying M Atoka, S. (Gas)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other ☐ **HOBBS OGD**

2. Name of Operator
OXY USA Inc.

3. Address of Operator
P.O. Box 50250 Midland, TX 79710

4. Well Location
Unit Letter C : 660 feet from the north line and 2130 feet from the west line
Section 36 Township 9S Range 32E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
4268'

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		REM COM CAS OTHL	E-PERMITTING <SWD INJECTION>	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☒		CONVERSION	RBDMS
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐		RETURN TO	TA
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐		CSNG	ENVIRO CHG LOC
DOWNHOLE COMMINGLE ☐			INT TO P&A	P&A NR P&A R
CLOSED-LOOP SYSTEM ☐				
OTHER: ☐				

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See Attached

The Oil Conservation Division
MUST BE NOTIFIED 24 Hours
Prior to the beginning of operations

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 9/16/15

Type or print name David Stewart E-mail address: david_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: Mary B Brown TITLE Dist Supervisor DATE 9/22/2015

Conditions of Approval (if any):

SEP 24 2015

Attachment C-103

Marg B Com. #1 – 30-025-24971

TD-10925' PBTD-10879' Perfs-10705-10811'

13-3/8" 48# csg @ 396' w/ 500sx, 17-1/2" hole, TOC-Surf-Circ
8-5/8" 32# csg @ 4693' w/ 700sx, 11" hole, TOC-2520'-TS
5-1/2" 15.5-17# csg @ 10925' w/ 900sx, 7-7/8" hole, TOC-8625'-TS

1. RIH & tag fish @ 10520', M&P 30sx cmt to 10300' WOC-Tag
2. M&P 35sx cmt @ 9300-9050' WOC-Tag
3. Perf 5-1/2" @ 8225' sqz 35sx cmt to 8125' WOC-Tag
4. Perf 5-1/2" @ 7220' sqz 35sx cmt to 7120' WOC-Tag
5. Perf 5-1/2" @ 5600' sqz 35sx cmt to 5500' WOC-Tag
6. Cut & Pull 5-1/2" @ +/- 4743'
7. M&P 45sx cmt @ 4793-4643' WOC-Tag
8. M&P 40sx cmt @ 3500-3400' WOC-Tag
9. Perf 8-5/8" @ 2250' sqz 65sx cmt to 2150' WOC-Tag
10. Perf 8-5/8" @ 1650' sqz 65sx cmt to 1550' WOC-Tag
11. Perf 8-5/8" @ 446' sqz 365sx cmt to Surface

10# MLF between plugs

Above ground steel tanks will be utilized.

OXY USA Inc. - Proposed
Marg B Com. #1
API No. 30-025-24971

365sx @ 446-Surface

65sx @ 1650-1550' WOC-Tag

65sx @ 2250-2150' WOC-Tag

40sx @ 3500-3400' WOC-Tag

45sx @ 4743-4643' WOC-Tag

35sx @ 5600-5500' WOC-Tag


35sx @ 7220-7120' WOC-Tag

35sx @ 8225-8125' WOC-Tag

35sx @ 9300-9050' WOC-Tag

30sx @ 10520-10300' WOC-Tag

Fish @ 10520', Pkr @ 10524'



Perf @ 446'

17-1/2" hole @ 396'
13-3/8" csg @ 396'
w/ 500sx-TOC-Surf-Circ

Perf @ 1650'

Perf @ 2250'

Cut & pull 5-1/2" csg @ +/- 4743'

11" hole @ 4693'
8-5/8" csg @ 4693'
w/ 700sx-TOC-2520'-TS

Perf @ 5600'

Perf @ 7220'


Perf @ 8225'

7-7/8" hole @ 10925'
5-1/2" csg @ 10925'
w/ 900sx-TOC-8625'-TS

Perfs @ 10705-10811'

TD-10925'

OXY USA Inc. - Current
Marg B Com. #1
API No. 30-025-24971



17-1/2" hole @ 396'
13-3/8" csg @ 396'
w/ 500sx-TOC-Surf-Circ

11" hole @ 4693'
8-5/8" csg @ 4693'
w/ 700sx-TOC-2520'-TS

7-7/8" hole @ 10925'
5-1/2" csg @ 10925'
w/ 900sx-TOC-8625'-TS

2-3/8" tbg & pkr @ 10217'

Fish @ 10520', Pkr @ 10524'

Perfs @ 10705-10811'

TD-10925'