District 1
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes No ...

Type of action: Registration of a pit	or below-grade tank [Closure of a pit or below-gra	ade tank
Operator: Apache Cro Telephor	ne: 918.491 , 4900 e-mail address: 500	ton our a leave not
Address: 6120 S. Yale Sutte 1500	Tulsa DK 74136-4226	
Facility or well name: Stat. DA # 12 API #: 3	0 . 0 25 . 3720 U/L or Qtr/Qtr J	Sec/6 T2/ R_37
County: Latitude	32 28 33" N Longitude 103"	04 51 NAD: 1927 1983
Surface Owner: Federal State Private Indian		
Pit	Below-grade tank	
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	
Workover Emergency	Construction material:	
Lined M Unlined	Double-walled, with leak detection? Yes If no	-
Liner type: Synthetic Thickness 12 mil Clay	Bouble-waited, with leak detection: Tes 11 inc	ot, explain why hot.
Pit Volume 7100bbl		
1 a volume Milo	Toucher 60 Cod	1 (00
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water.) 70 #	50 feet or more, but less than 100 feet	10 points
7010	100 feet or more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 3293037
The state of the s	Leasther 200 Co.	
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20/points) (10 Points) (10 Po
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(JCBoints) COO
	1000 feet or more	points penters of
	Ranking Score (Total Points)	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit'	s relationship to other equipment and tonks. (2) India	The state of the s
your are burying in place) onsite Moffsite I foffsite, name of facility_	(3) Attach a general (description of remedial action taken including
remediation start date and end date. (4) Groundwater encountered: No 🔲		ft. and attach sample results.
(5) Attach soil sample results and a diagram of sample locations and excava	tions.	
Additional Comments: Man to Trench bur	y on site, Execuate	a trench advacant
to druling set and in	outh 12mi) plantici pui	A states &
pit in transh come with 20.	mil destin and 314	1 all and
back Lill sit contour theme!	1	0
Notificación belon station	0/1	- , / -
	and fine Sundry Notes	cu of closing
Will begin soon after approve	al .	-
I hereby certify that the information above is true and complete to the best	of my knowledge and belief. I further certify that t	he above-described pit or below-grade tank
has been/will be constructed or closed according to NMOCD guideline	s 🖣, a general permit 🗀, or an (attached) alterna	tive OCD-approved plan 🔀.
Date: 11/11/05		
Printed Name/Title Edd . & Som And	Signature Collins	
Your certification and NMOCD approval of this application/closure does not be application and name of the province and agree with the latest application and the province and agree with the latest application and the province an		Cul
otherwise endanger public health of the environment. Nor does it relieve to	he operator of its responsibility for compliance with a	of the pit of tank contaminate ground water or my other federal, state or local laws and/or
regulations.		
1		1
Approval: Printed Name/Title GARYW. WINK STAFF MG.	p & . 1/. 1	h
Printed Name/Title GARYW. W/NR DIAFF/16	Signature Saywwww.	Date: 11/4/05

New Mexico Office of the State Engineer Well Reports and Downloads

NAD27 X:	Y: Zor	search Radius:
County:	Basin:	Number: Suffix:
Owner Name: (First)	(Last)	○ Non-Domestic ○ Domestic ● All
Well / Surface Data Re	port Avg Depth	to Water Report Water Column Report
	Clear Form WA	TERS Menu Help

AVERAGE DEPTH OF WATER REPORT 10/14/2005

								(Depth	water in	reet)
Bsn	Tws	Rng	Sec	Zone	x	Y	Wells	Min	Max	Avg
CP	215	37E	04				2	75	75	75
CP	21S	37E	06				1	73	73	73
CP	21S	37E	16				1	70	70	70
CP	215	37E	22				1	53	53	53
C5	215	37E	23				1	65	65	65
CP	215	37E	23		924000	6600000	1	65	65	65
CP	218	37E	27				1	76	76	76
CP	21S	37E	28				3	65	75	71
ÇP	21S	37E	33				1	100	100	100

Record Count: 12

Form C-102 Permit 9797

M. French Dr., Hobbs, NM 88240

trict II

301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number	Pool Name	Pool Code
30-025-37201	BLINEBRY OIL AND GAS (OIL)	6660
Property Code	Property Name	Well No.
26483	STATE DA	012
0GRID №. 873	Operator Name APACHE CORP	Elevation 3458

Surface And Bottom Hole Location

UL or Lot J	Section 16	Township 215	Range 37E	Lot Idn J	Feet From 1650	N/S Line S	Feet From 1650	E/W Line E	County Lea
	Dedicated Acres Joint or Intill 40		Consoli	Consolidation Code Order No.					
					and compl	rtify that the ete to the be Ily Signed B ing Clerk	z information	FICATION contained he cledge and be iams	
alengaliska og græde at de getternesser - er		and the second second		To the second of	, , ,			FICATION	

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: GARY EIDSON Date of Survey: 03/18/2005 Certificate Number: 12641