

District I
1625 N. Freach Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to
appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe
office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐
Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: Apache Corp Telephone: 918-491-4900 e-mail address: gkenn.bone@apachecorp.com
Address: 6120 S. Yale Ave, Suite 1500 Tulsa, OK 74136
Facility or well name: Lockhart A-17 #10 API #: 30-025-37379 U/L or Qtr/Qtr A Sec 17 T 21 R 37
County: Lea Latitude 32 29 05 Longitude 103 19 45 NAD: 1927 ☐ 1983 ☐
Surface Owner: Federal ☒ State ☐ Private ☐ Indian ☐

Pit	Below-grade tank
Type: Drilling <input checked="" type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input checked="" type="checkbox"/> Thickness <u>12</u> mil Clay <input type="checkbox"/> Pit Volume <u>2100</u> bbl	Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not: _____
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) <u>70 ft.</u>	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points)
Ranking Score (Total Points)	

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility: _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: Plan to trench burial on location. Excavate a trench along side of drilling pit, line with 12 mil plastic, put contents of drilling pit in trench, cover with 20 mil plastic and 3 ft of clean soil. backfill pit area, contour & level. Notify BLM & OCS before starting, file summary notice after closing. Will begin soon after approval.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☒.

Date: 11/11/05
Printed Name/Title Eddie W Seay Agent Signature Eddie W Seay

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:
Printed Name/Title GARY W. WINK / STAFF MGR Signature Gary W. Wink Date: 11/14/05

New Mexico Office of the State Engineer
Well Reports and DownloadsTownship: **21S** Range: **37E** Sections: NAD27 X: Y: Zone: Search Radius: County: Basin: Number: Suffix: Owner Name: (First) (Last) ☐ Non-Domestic ☐ Domestic ☒ All

Well / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

WATERS Menu

Help

AVERAGE DEPTH OF WATER REPORT 10/14/2005

Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	(Depth Water in Feet)		
								Min	Max	Avg
CP	21S	37E	04				2	75	75	75
CP	21S	37E	06				1	73	73	73
CP	21S	37E	16				1	70	70	70
CP	21S	37E	22				1	53	53	53
CP	21S	37E	23				1	65	65	65
CP	21S	37E	23		924000	6600000	1	65	65	65
CP	21S	37E	27				1	76	76	76
CP	21S	37E	28				3	65	75	71
CP	21S	37E	33				1	100	100	100


Record Count: 12

**Lockhart A-17 # 10
Drilling Reserve Pit Closure**

Lot A, Sec 17-R21S-R37E
Lea County, NM



Top Soil pushed back off of Reserve pit prior to digging pits



Outside Dimension of reserve Pit is 100 Ft x 90 Ft

Elevation of Pit Sides - 2 Ft Above Ground Level
Pits are dug 4 Ft below ground
Pit walls are sloped on a 3 to 1 ratio

Closure Procedure:

Pits will be de-watered as soon as practical.

After allowing sufficient time for the drilling cuttings to dry
the pit liner will be folded in to cover the pits

This will be covered with 12" of clean soil

A 20 mil approved plastic liner will be placed over the pits as a cap

Pit covered with not less than 36" of clean soil

Reseeded with approved BLM mixture of grass seed