

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505


Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>Paladin Energy Corp</u> Telephone: <u>214. 656. 082</u> e-mail address: <u>seay 04 @ leaco . net</u>		
Address: <u>10290 Monroe Drive, Suite 301 Dallas Texas 75229</u>		
Facility or well name: <u>South Vac. Unit #275</u> API #: <u>30.025.37299</u> U/L or Qtr/Qtr <u>H</u> Sec <u>27</u> TO <u>18</u> R <u>35</u>		
County: <u>Lea</u> Latitude <u>32° 43' 15" N</u> Longitude <u>103° 26' 18" W</u> NAD: 1927 <input type="checkbox"/> 1983 <input type="checkbox"/>		
Surface Owner: Federal <input type="checkbox"/> State <input type="checkbox"/> Private <input checked="" type="checkbox"/> Indian <input type="checkbox"/>		
Pit Type: Drilling <input checked="" type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input checked="" type="checkbox"/> Thickness <u>12</u> mil Clay <input type="checkbox"/> Pit Volume <u>14,000</u> bbl	Below-grade tank Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not: _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) <u>68 ft</u>	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) <u>No</u>	Yes (20 points) No (0 points)	
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points)	
Ranking Score (Total Points) <u>10</u>		

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: Plan to trench bury in place. Excavate trench adjacent to drilling pit, line trench with 12 mil plastic, put contents of drilling pit in trench, cover with 20 mil plastic & 3 ft of clean soil. Backfill pit level & contain.
Notify OCD before starting, file sundry notice after closing will begin soon after approved.


I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☒.

Date: 11/14/05
Printed Name/Title: Eddie W Seay Agent Signature: Eddie W Seay

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.


Approval:
Printed Name/Title: CHRIS WILLIAMS Signature: Chris Williams Date: 11/16/05

SECTION 27, TOWNSHIP 18 SOUTH, RANGE 35 EAST, N.M.P.M., LEA COUNTY, NEW MEXICO



DIRECTIONS TO LOCATION

FROM THE INTERSECTION OF HWY #529 AND HWY. #238. GO NW ON HWY. #8 APPROX. 1.1 MILES AND TURN RIGHT (NORTH). GO APPROX. 0.8 MILES AND TURN LEFT (WEST). GO APPROX. 0.2 MILES TO EXISTING MOBIL LOCATION. THIS LOCATION IS APPROX. 360' NW.



PALADIN ENERGY CORPORATION

SOUTH VACUUM 27 #5 WELL
LOCATED 1700 FEET FROM THE NORTH LINE
AND 760 FEET FROM THE EAST LINE OF SECTION 27,
TOWNSHIP 18 SOUTH, RANGE 35 EAST, N.M.P.M.,
LEA COUNTY, NEW MEXICO.

Survey Date: 06/02/05	Sheet 1 of 1 Sheets
W.O. Number: 05.11.0852	Dr By: DEL
Date: 06/08/05	Rev 1:N/A
Disk: CD#4	05110852
	Scale: 1"=100'

PROVIDING SURVEYING SERVICES
SINCE 1946
JOHN WEST SURVEYING COMPANY
412 N. DAL PASO
HOBBS, N.M. 88240
(505) 393-3117

New Mexico Office of the State Engineer
Well Reports and Downloads

Township: **18S** Range: **35E** Sections:

NAD27 X: Y: Zone: Search Radius:

County: Basin: Number: Suffix:

Owner Name: (First) (Last) ☐ Non-Domestic ☐ Domestic ☒ All

Well / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

WATERS Menu

Help

AVERAGE DEPTH OF WATER REPORT 05/31/2005

Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	(Depth Water in Feet)		
								Min	Max	Avg
L	18S	35E	02				3	51	52	51
L	18S	35E	03				1	62	62	62
L	18S	35E	04				4	50	70	58
L	18S	35E	05				7	60	75	69
L	18S	35E	06				5	60	110	89
L	18S	35E	07				8	75	95	85
L	18S	35E	09				1	72	72	72
L	18S	35E	10				1	49	49	49
L	18S	35E	11				1	48	48	48
L	18S	35E	13				1	135	135	135
L	18S	35E	14				2	90	90	90
L	18S	35E	16				2	65	84	75
L	18S	35E	17				4	90	150	124
L	18S	35E	18				2	90	90	90
L	18S	35E	19				2	70	70	70
L	18S	35E	20				1	50	50	50
L	18S	35E	21				2	60	60	60
L	18S	35E	22				5	65	95	75
L	18S	35E	23				2	78	78	78
L	18S	35E	26				2	60	60	60
L	18S	35E	27				4	65	70	68
L	18S	35E	29				2	95	95	95
L	18S	35E	32				1	58	58	58
L	18S	35E	33				1	80	80	80
L	18S	35E	35				3	55	60	58

Record Count: 67