

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-09157
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other INJECTION		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator ARENA RESOURCES INC.		6. State Oil & Gas Lease No. 32447
3. Address of Operator 4920 S. Lewis, Suite 107 Tulsa OK 74105		7. Lease Name or Unit Agreement Name SEVEN RIVERS QUEEN UNIT
4. Well Location Unit Letter M : 1660 feet from the SOUTH line and 660 feet from the WEST line Section 35 Township 22S Range 36E NMPM County LEA		8. Well Number 39
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 220420
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/>		10. Pool name or Wildcat SEVEN RIVERS QUEEN
Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____		
Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) MI RU DDU
- 2) NDWH - NU BDP
- 3) RIH to 3550' Spot 35sx Class 'C' Cement (WOC+TAG)
- 4) Circulate Wellbore w/Salt GEL MUD
- 5) PUH to 3000' Spot 25sx Class "C" Cement. BOS
- 6) PUH to 1350' Spot 25sx Class "C" Cement. TDS - PERF + SQUEEZE 50' out 50' inside
- 7) PUH to 338' Spot 40sx Class "C" Cement (WOC+TAG)
- 8) Cut off Wellhead
- 9) INSTALL Dry Hole MARKER

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Danny M. Palmer TITLE Production Foreman DATE 11-28-05

Type or print name DANNY M. PALMER
For State Use Only

E-mail address:

Telephone No. 505-891-4113

APPROVED BY: Larry W. Wink

OC FIELD REPRESENTATIVE II/STAFF MANAGER

DATE NOV 28 2005

Conditions of Approval (if any):

PBTD 3988'

TD: 4010'

PREPARED BY: HK 11/28/05

Elevation: GL 3496' KB 3507'

ORIGINAL OPERATOR: Arco Oil and Gas Co.

SPUDDED: 8/8/1958

IP: bopd

ARENA RESOURCES, INC.**SRQU # 39****LEA COUNTY, NEW MEXICO**

660' FSL 660' FWL Sec 35, T-22S, R-36E

API NO.: 30-025-09157

11" HOLE

8 5/8" 24 # csg @ 338' Cmt'd w/250 sx to surf.

7" HOLE →**TREATMENT HISTORY:**

Acidised w/ 1000 gal 15% NEFE & Frac w/ 20k sd

TUBING RECORD:

2-3/8" @3614'

ROD STRING RECORD:

66 3/4", 80 5/8"

PUMP RECORD:**PUMPING UNIT:**

Baker AD-Itman Parker @ 3614

5 1/2" csg @ 4010' Cmt'd w/2110 sx

Perforations

3665'-3800'

PBTD 3988'

TD: 4010'

PREPARED BY: HK 11/28/05