

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-10824
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No. A701570
7. Lease Name or Unit Agreement Name May "A"
8. Well Number 2
9. OGRID Number 962
10. Pool name or Wildcat Jal Mat

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
Arch Petroleum, Inc.

3. Address of Operator
P.O. Box 10340, Midland, TX 79702

4. Well Location
Unit Letter G : 1980 feet from the North line and 1980 feet from the East line
Section 21 Township 23S Range 37E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
GR 3310'

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type Steel Depth to Groundwater 94' Distance from nearest fresh water well Over 1000' Distance from nearest surface water Over 1000'

Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☒
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. TIH w/ tbg. tag C.I.B.P. at 3380'.
2. Circulate hole w/ 9.5# Salt Gel- spot 35 sx cement cap CIBP. at 3380', top of cement 3177' - Perf. 7" Csg., 1650'.
3. Sqz. perf. w/ 60 sx, displace cement, WOC. Tag cement, 1775'. Perf. 7" Csg. at 1350'. Sqz w/ 60 sx cement, displace cement.
4. Tag cement at 1160'. Perf 7" Csg at 350'. Set Packer at 30'. Sqz Perf. w/ 160 sx of cement. Water circulating out 9 5/8" Surface Valve, WOC. Tag cement at 180'. Cut off wellhead spot 20 sx cement 30' to Surface in 7" - 95/8" Csg. Install Dry Hole Marker-remove anchors, clean location & move

Approved as to plugging of the Well Bore.
Liability under bond is retained until
surface restoration is completed.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE [Signature] TITLE Agent DATE 11-18-05

Type or print name
For State Use Only

E-mail address:

Telephone No.

APPROVED BY:

Conditions of Approval (if any)

DATE DEC 05 2005
TITLE STAFF MANAGER
OFFICE FIELD REPRESENTATIVE II