

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-05385
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. B7897
7. Lease Name or Unit Agreement Name Lovington San Andres Unit
8. Well Number: 19
9. OGRID Number
10. Pool name or Wildcat Lovington Grayburg San Andes

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other:

2. Name of Operator

Chevron USA Inc

3. Address of Operator

P.O. Box 7139, Midland, Texas 79708

4. Well Location

Unit Letter M : 660 feet from the South line and 330 feet from the West line
Section 32 Township 16S Range 37E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type STEEL pth to Groundwater 38 Distance from nearest fresh water well over 1000 Distance from nearest surface water

Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Notify NMOCD 24 hrs. prior to MI&RU.
2. RIH tag CIBP @ 4,617', spot 35' plug (San Andres - on top of CIBP).
3. Displace hole w/MLF, 9.5 ppg brine w/12.5 gel p/bbl.
4. Perf and squeeze 60sx plug from 3,100'-2,900' (B. salt).
5. Perf and squeeze 110sx plug from 2,215'-1,815' (8-5/8" shoe, T.salt). WOC Tag.
6. Perf and squeeze 110sx plug from 419'-surface (13-3/8" shoe, surface). WOC Tag.
8. Install dry hole marker.

**THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS.**

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE M. Lee Roark TITLE Agent DATE 12/1/2005

Type or print name M. Lee Roark

E-mail address:

Telephone No. (432) 561-8600

For State Use Only

OCD FIELD REPRESENTATIVE II/STAFF MANAGER

APPROVED BY: Harry W. Wink TITLE DATE DEC 06 2005

Conditions of Approval (if any):

FORMATION @ PBTD

PLUG	TYPE PLUG	BACKS CMNT	DEPTH
EXAMPLE			
PLUG # 1	OH	25 SXS	9850'
PLUG # 2	SHOE	50 SXS	8700'-8800'
PLUG # 3	CIRP/35'		5300'
PLUG # 3	CIRP	35 SXS	5300'
PLUG # 4	STUB	50 SXS	4600'-4700'
PLUG # 6	RETNR SQZ	200 SXS	400
PLUG # 7	SURF	10 SXS	0-10'
PLUG # 1	35'		4617-4582
PLUG # 3	B. Salt	25 SX	3100'-2900'
PLUG # 3	8 5/8" shoe	5X	2215'-1815'
PLUG # 4	T. Salt	—	—
PLUG # 3	13 3/8" shoe	110 SX	419'-surface
PLUG # 6	surface	—	—
PLUG # 7			
PLUG # 8			
PLUG # 9			
PLUG # 10			
PLUG #			
PLUG #			

LSAU #19 ³⁸⁵
API No. 30-025-05360

13 3/8" set @ 319'
CMT w/ 200 sks

8-5/8" set @ 2115'
CMT w/ 300 sks

5 1/2" 15.5# CSG - set @ 4617'
CMT w/ 300 Sks

Well Location

'FSL & 'FEL
Unit Letter
Section 32
Township 16-S
Range 37-E
Lea County, New Mexico
Elev: ?

Sq holes 2053-2085, 3067-3505, 3461-
3494 w/200 sxs cmt

CIBP @ 4563' (6/99)

OH 4617'-4946'

TD = 4946

New Mexico Office of the State Engineer
Well Reports and Downloads

Township: 16S Range: 37E Sections: 32

NAD27 X: Y: Zone: ☐ Search Radius:

County: LE ☐ Basin: ☐ Number: Suffix:

Owner Name: (First) (Last) ☐ Non-Domestic ☐ Domestic ☒ All

Well / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

WATERS Menu

Help

AVERAGE DEPTH OF WATER REPORT 12/01/2005

Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	(Depth Water in Feet)		
								Min	Max	Avg
L	16S	37E	32				3	35	45	38

Record Count: 3