

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-06049
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. TG-314694
7. Lease Name or Unit Agreement Name L Van Etten
8. Well Number: 9
9. OGRID Number
10. Pool name or Wildcat Monument Paddock

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other:

2. Name of Operator

Chevron USA Inc

3. Address of Operator

P.O. Box 7139, Midland, Texas 79708

4. Well Location

Unit Letter L : 1650 feet from the South line and 990 feet from the West line
Section 9 Township 20S Range 37E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3550' DF

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type STEEL Depth to Groundwater 22 Distance from nearest fresh water well over 1000 Distance from nearest surface water

Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐


SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Notify NMOCD 24 hrs. prior to MI&RU.
2. RIH, Tag PBTD @ 5,065' (CIBP @ 5,100' w/35' cement on top).
3. Displace hole w/MLF, 9.5 ppg brine w/12.5 gel p/bbl.
4. Perf and squeeze 55sx plug 3,631'-3,131' (7" shoe). WOC Tag.
5. Spot 25sx plug from 2,420'-2,220' (B. salt).
6. Spot 25sx plug from 1,200'-1,000' (T. salt).
7. Spot 25sx plug 300'-surface (10-3/4" shoe, surface) WOC Tag.
8. Install dry hole marker.



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE M. Lee Roark TITLE Agent DATE 12/2/2005

Type or print name M. Lee Roark

E-mail address:

Telephone No. (432) 561-8600

For State Use Only

APPROVED BY: Gary W. Wink TITLE OG FIELD REPRESENTATIVE II/STAFF MANAGER DATE DEC 09 2005
Conditions of Approval (if any):

THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS.

(3 STRING CSNG)


OPERATOR Chevron USA Inc.

SECT 9 TWN 205 RNG 37E

FROM 1650' TWSL 990' EWL

TD: 5365' FORMATION @ TD Packlock

PBTD: [REDACTED] FORMATION @ PBTD [REDACTED]



• **REQUIRED PLUGS DISTRICT 1**

[illegible]

Well: **L Van Etten #9**

Field: Monument Paddock Reservoir: Paddock

Location: 990' FWL 1650' FSL
Unit:
Section: 9
Township: 20S
Range: 37E
County: LEA, NM.

**Current
Wellbore Diagram**


Well ID Info:
Refno:
API No: 30-025-06049
L5/L6: U938300
Spud Date:
ComplDate:

Elevations:
GL:
DF:
KB:

Perfs: Status
3220'-3240' Eumont - PA

Perfs: Status
3531'-3770' Grayburg
Produced Openhole before deepening

Perfs: Status
5166'-5209' Paddock



Surf. Csg: 10-3/4"
Size
Weight 40.5#
Set: @ 200'
With:
Hole Size: 14-1/2"
Circ: Yes
TOC @ Surface

Int. Csg: 7"
Size
Weight 20#
Set: @ 3531'
With:
Hole Size: 8-3/4"
Circ: Yes
TOC @ Surface

Prod. Csg: 4-1/2"
Size K-55
Weight 11.6#
Set @ 5363'
With: 250 sx cmt
Hole Size:
Circ: No
TOC @ 4158' CBL

Updated: 22-Nov-05
By: LOPK

PBTD: 5100'
TD: 5363'

New Mexico Office of the State Engineer
Well Reports and Downloads

Township: 20S Range: 37E Sections: 4

NAD27 X: Y: Zone: ☐ Search Radius:

County: LE ☐ Basin: ☐ Number: Suffix:

Owner Name: (First) (Last) ☐ Non-Domestic ☐ Domestic ☒ All

Well / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

WATERS Menu

Help

AVERAGE DEPTH OF WATER REPORT 12/01/2005

Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	(Depth Water in Feet)		
								Min	Max	Avg
L	20S	37E	04				1	22	22	22

Record Count: 1