State of New Mexico Energy, Minerals and Natural Resources Department

Form C-103

Revised 5-27-2004 FILE IN TRIPLICATE OIL CONSERVATION DIVISION WELL API NO. DISTRICT I 1220 South St. Francis Dr. 1625 N. French Dr., Hobbs, NM 88240 30-025-29730 Santa Fe, NM 87505 5. Indicate Type of Lease DISTRICT II STATE X 1301 W. Grand Ave, Artesia, NM 88210 FEE 6. State Oil & Gas Lease No. DISTRICT III 1000 Rio Brazos Rd, Aztec, NM 87410 7. Lease Name or Unit Agreement Name SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A SOUTH HOBBS (G/SA) UNIT DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (Form C-101) for such proposals.) Section 4 1. Type of Well: 8. Well No. Oil Well X Gas Well 9. OGRID No. 2. Name of Operator 157984 Occidental Permian Ltd. 10. Pool name or Wildcat 3. Address of Operator HOBBS (G/SA) 1017 W. Stanolind Rd., HOBBS, NM 88240 505/397-8200 4. Well Location Unit Letter E Feet From The Feet From The : 1720 NORTH 549 WEST Line 19-S Range 38-E **NMPM** County 11. Elevation (Show whether DF, RKB, RT GR, etc.) 3606' GR Pit or Below-grade Tank Application or Closure Pit Type ___ _____ Depth of Ground Water Distance from nearest fresh water well ____ _____ Distance from nearest surface water Below-Grade Tank: Volume Pit Liner Thickness ___ ___ bbls; Construction Material 12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PLUG & ABANDONMENT **PULL OR ALTER CASING** Multiple Completion CASING TEST AND CEMENT JOB OTHER: OTHER: 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. RUPU. POH w/production equipment. 1. Cut off abd replace wellhead and thg spool. 2. Run 4-3/4" bit and 5.5" csg scraper to 4284'. 3. Stimulate perfs 4073 to 4278 w/3500 g 15% NEFE HCL acid using 1600# rock salt as divert. RIH Reda ESP on 126 jts 2-7/8" tbg . Intake set @3980'. Install QCI wellhead connection. 5. RDPU. Clean Location. Rig Up Date: 11/10/2005 Rig Down Date: 11/16/2005 I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines or an (attached) alternative OCD-approved , a general permit plan SIGNATURE TITLE Workover Completion Specialist DATE 12/03/2005

For State Use Only

TYPE OR PRINT NAME

APPROVED BY CONDITIONS OF APPROVAL IF A

Robert Gilbert

E-mail address:

OC FIELD REPRESENTATIVE II/STAFF MANAGEF

robert_gilbert@oxy.com

TELEPHONE NO.

505/397-8206