

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-08970
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No. 025432
7. Lease Name or Unit Agreement Name South Eunice Unit
8. Well Number 19
9. OGRID Number 002799
10. Pool name or Wildcat Eunice 7 Rivers Queen, South

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3525 DF

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type Steel Depth to Groundwater 300' Distance from nearest fresh water well >1000' Distance from nearest surface water >1000'

Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
Breck Operating Corp.

3. Address of Operator
P.O. Box 911, Breckenridge, Texas 7624

4. Well Location

Unit Letter J : 1980 feet from the South line and 1650 feet from the East line
Section 21 Township 22S Range 36E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3525 DF

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Current Well Status

- 8-5/8" csg @ 1410', cement circ.
- 5-1/2" csg @ 3811', TOC 2504' cal
- Perfs 3628'-3797'
- CIBP w/50' cement @ 3578'

Proposed Plugging Procedure

- Circ w/mud
- 100' plug 3000'-2900'
- 100' plug 1460'-1360' - PERF + SQZ. 50' OUT + IN TAG @ 1360'
- 100' plug 300'-200' perf & squeeze - TAG
- Surface plug 60'-0' perf & squeeze
- Install dry hole marker
- Clean Location

THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS.



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Ernie Underwood TITLE District Engineer DATE December 21, 2005

Type or print name Ernie Underwood E-mail address: eunderwood@breckop.com Telephone No. 254-559-3355

For State Use Only

APPROVED BY: Hayden W. Wink TITLE OCD FIELD REPRESENTATIVE DATE DEC 28 2005
Conditions of Approval (if any):

PLUGGING & ABANDONMENT WORKSHEET

(2 STRING CSNG)

OPERATOR Bridge Operating Corp
LEASENAME South Elmore Unit

SECT 21 TWN 22S RNG 36E
FROM 1980 N(S) 1650 EWL
TD: 3812 FORMATION @ TD Queen
PBD: 3543 FORMATION @ PBD

878'
@ 1410'
TOC Surface

35' cement out to
CIBP 3578'

5 1/2"
@ 3811'
TOC 2504'

	SIZE	SET @	TOC	TOC DETERMINED BY
SURFACE	<u>878"</u>	<u>1410'</u>	<u>Surface</u>	<u>Circ</u>
INTMED 1				
INTMED 2				
PROD	<u>5 1/2"</u>	<u>3811'</u>	<u>2504'</u>	<u>Calc</u>
	SIZE	TOP	BOT	TOC DETERMINED BY
LINER 1				
LINER 2				
CUT & PULL @			TOP - BOTTOM	
INTMED 1			PERFS	<u>3628 - 3797</u>
INTMED 2			OPENHOLE	-
PROD				

*REQUIRED PLUGS DISTRICT I

RUSTLER (ANHYD)	<u>1475'</u>
YATES	<u>3142'</u>
QUEEN	<u>3712'</u>
GRAYBURG	
SAN ANDRES	
CAPTAN REEF	
DELAWARE	
BELL CANYON	
CHERRY CANYON	
BRUSHY CANYON	
BONE SPRING	
GLORIETA	
BLINEBRY	
TUBB	
DRINKARD	
ABO	
WC	
PENN	
STRAWN	
ATOKA	
MORROW	
MISS	
DEVONIAN	

PLUG	TYPE	SACKS	DEPTH
PLUG	PLUG	CMNT	
EXAMPLES			
PLUG #1	OH	35 SXS	6400'
PLUG #2	SHOE	50 SXS	5350'-5450'
PLUG #3	CIBP/35'		4800'
PLUG #4	CIBP	25 SXS	4800'
PLUG #5	STUB	50 SXS	3600'-3700'
PLUG #6	RETNR SQZ	200 SXS	400'
PLUG #7	SURF	10 SXS	0-10'
PLUG #1		<u>25 SXS</u>	<u>3000' - 2900'</u>
PLUG #2		<u>25 SXS</u>	<u>1460' - 1360'</u>
PLUG #3		<u>60 SXS</u>	<u>300' - 200'</u>
PLUG #4		<u>45 SXS</u>	<u>60' - 0'</u>
PLUG #5			
PLUG #6			
PLUG #7			
PLUG #8			
PLUG #9			
PLUG #10			
PLUG #11			
PLUG #12			
PLUG #13			
PLUG #14			
PLUG #15			
PLUG #16			
PLUG #17			
PLUG #18			
PLUG #19			
PLUG #20			



TD 3812'

page 4 of 5
page 5 of 5