

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-025-36993
5. Indicate Type of Lease
STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
VO-6174

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Manzano, LLC

3. Address of Operator

P.O. Box 2107, Roswell NM 88202-2107

4. Well Location

Unit Letter: M : 330' feet from the South line and 400' feet from the West line
Section 1 Township 10s Range 32e NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
GL - 4223'

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____

Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: Re-completion Operations ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

9-30-05 Set CIBP w/wireline @ 8770' capped with 35' class H cement.


Set CIBP w/wireline @ 4510' capped with 35 class H cement.

Perforated San Andres @ 4082'-86', 4095'-4102', 4108'-4112' (18 holes) and 4154', 4155, & 4158' (3 holes)

Acidized perms with 10,525 gal.20 % NEFE acid. Flowback and swab test.

10-1-05 through 10-4-05 Swab test interval at 150-250 BFPD w/5% oil cut

10-5-05 Pull out of hole and lay down production tubing.



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Mike Hanagan TITLE Manager DATE 10/25/05

Type or print name: Mike Hanagan

E-mail address: mhanagan@dfn.com

Telephone No.

505-623-1996

For State Use Only

APPROVED BY: [Signature] TITLE PETROLEUM ENGINEER DATE DEC 16 2005

Conditions of Approval (if any):

2A mescalero Upper Penn North