Form C-144 June 1, 2004

1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

	ik covered by a "general plan"? Yes Nor below-grade tank Closure of a pit or below-grade tank			
Operator:XTO ENERGY INCTe Address:200 LORAINE STE 800 MIDLAND, T Facility or well name: _Eunice Monument South Unit_#660 County:LEALatitude32"30'02 Surface Owner: Federal □ State X Private □ Indian □	lephone:505-396-0542 ext 202e-ma x 79701 API #: _30-025-37319_U/L or Qtr/Qtr _	r_hudson@xtoenergy.com P_Sec_3_T_21-S R 36-E		
Pit Type: Drilling X Production Disposal Workover Emergency Lined Unlined Liner type: Synthetic Thicknessmil Clay Pit Volume 5000 bbl	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes If not, explain why not			
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points) (20 points) (0 points)		
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) 2006 3		
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (2) (2) (2) (2) (3) (4) (5) (6) (7) (7) (7) (7) (7) (7) (7) (7) (7) (7		
Encapus late Res	Yes If yes, show depth below ground surface ations. Pit Per NMOCD. Rule erve Using 12 mil Plast mil Plast	al description of remedial action taken including ft. and attach sample results.		
I hereby certify that the information above is true and complete to the bes has been/will be constructed or closed according to NMOCD guideling Date:12/15/2005	signature Pural III, or an (attached) alternot relieve the operator of liability should the conte	ents of the pit or tank contaminate ground water or		
Approval: Printed Name/Title GARY W. WINK STAFF MG	3R Signature Layw. Wi	Date: 1/9/06		

New Mexico Office of the State Engineer POD Reports and Downloads

Township: 21S Range: 36E Sections: 3							
NAD27 X: Y: Zone: Search Radius:							
County: Basin: Number: Suffix:							
Owner Name: (First) (Last) C Non-Domestic C Domestic							
POD / Surface Data Report Avg Depth to Water Report							
Water Column Report							
Clear Form iWATERS Menu Help							

AVERAGE DEPTH OF WATER REPORT 01/09/2006

(Depth Water in Feet)
Bsn Tws Rng Sec Zone X Y Wells Min Max Avg

No Records found, try again

EMSU#660

New Mexico Office of the State Engineer POD Reports and Downloads

Township: 21S Range	36E Sect	ions:					
NAD27 X: Y:	Zoi	ne:	Search Radius:				
County: Basin:		Num	per: Suffix:				
Owner Name: (First)	. , , , , , , , , , , , , , , , , , , ,	A 11	C Non-Domestic C Domestic				
	© 1	All					
POD / Surface Data Report Avg Depth to Water Report							
Water Column Report							
Clear F	orm iWA	TERS Menu	Help				

AVERAGE DEPTH OF WATER REPORT 01/09/2006

								(Depth	Water in	Feet)
Bsn	Tws	Rng S	ec Z	one	x	Y	Wells	Min	Max	Avg
CP	21S	36E 1	0				1	200	200	200
CP	21S	36E 1	6				1	195	195	195
CP	21S	36E 1	8				1	106	106	106
CP	21S	36E 2	3				1	150	150	150
CP	21S	36E 2	5				1	148	148	148

Record Count: 5

EMSU #660