Form C-144 June 1, 2004

1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is not or below-grade tank covered by a "general plan"? Yes \(\subseteq \text{No.} \(\subseteq \)

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank X									
Operator:XTO ENERGY INCTel Address:200 LORAINE STE 800 MIDLAND, T2	K 79701								
Facility or well name: _Eunice Monument South Unit_#673 API #: _30-025-37320_U/L or Qtr/Qtr_A_Sec_9_T21-S R 36-E									
County: LEA Latitude 32"29"51.									
Surface Owner: Federal State X Private Indian									
Pit	Below-grade tank								
Type: Drilling X Production ☐ Disposal ☐ Workover ☐ Emergency ☐	Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes If not, explain why not.								
Lined [Unlined [
Liner type: Synthetic Thicknessmil Clay [
Pit Volume SDOO bbl		(20 points) (10 points) (10 points) (20 points)							
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)							
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points) 8139 (11.73)							
	100 feet or more	(0 points)							
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)							
water source, or less than 1000 feet from all other water sources.)	(No)	(0 points)							
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points) Hope							
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)							
	1000 feet or more	(0 points)							
	Ranking Score (Total Points)	22.77.							
If this is a pit closure: (1) Attach a diagram of the facility showing the pit'	s relationship to other equipment and tanks. (2) Indica	te disposal location: (check the onsite box if							
your are burying in place) onsite 🔀 offsite 🗌 If offsite, name of facility_	(3) Attach a general d	escription of remedial action taken including							
remediation start date and end date. (4) Groundwater encountered: No 🖾	Yes 🔲 If yes, show depth below ground surface	ft. and attach sample results.							
(5) Attach soil sample results and a diagram of sample locations and excava	tions.								
Additional Comments: Reclaim Reserve	Pit Per NMOCD Rule	50							
Encapus la le Res	erve Using 12 mil Plastic	In Pit							
And Go With 20	mil Plastic								
	Nature Soil								
Seed Area With Specified Seed Mixture									
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline									
n	0 1 0 1	\bigcirc							
Printed Name/Title Richard Hudson/Maintenance Foreman	Signature Richard Llu								
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve	not relieve the operator of liability should the contents								
regulations.		Δ							
Approval: Printed Name/Title GARY W. WINK STAFF	Markenero Lary W. W.	ink Date: 1/9/06							

New Mexico Office of the State Engineer POD Reports and Downloads

Township: 218 Range: 36E Sections: 9								
NAD27 X: Zone: Search Radius:								
County: Basin: Number: Suffix:								
Owner Name: (First) (Last) C Non-Domestic C Domestic								
POD / Surface Data Report Avg Depth to Water Report								
Water Column Report								
Clear Form iWATERS Menu Help								

AVERAGE DEPTH OF WATER REPORT 01/09/2006

(Depth Water in Feet)
Bsn Tws Rng Sec Zone X Y Wells Min Max Avg

No Records found, try again

EM5 U #673

New Mexico Office of the State Engineer POD Reports and Downloads

Township: 218 Range: 36E Sections:								
NAD27 X: Y: Zone: Search Radius:								
County: Basin: Number: Suffix:								
Owner Name: (First) (Last) C Non-Domestic C Domestic								
POD / Surface Data Report Avg Depth to Water Report								
Water Column Report								
Clear Form iWATERS Menu Help								

AVERAGE DEPTH OF WATER REPORT 01/09/2006

								(Depth	Water in	Feet)
Bsn	Tws	Rng S	Sec	Zone	x	Y	Wells	Min	Max	Avg
CP	21S	36 E :	10				1	200	200	200
CP	21S	36 E 3	16				1	195	195	195
CP	21s	36E 3	18				1	106	106	106
CP	21s	36 E 2	23				1	150	150	150
CP	21S	36E 2	25				1	148	148	148

Record Count: 5

EMSU #673