District I 1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \text{No} \(\subseteq \)

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank		
Operator: Manzano LLC Telephone: 505-623-1996 e-mail address: mhanagan@dfn.com		
Address: P.O. Box 2107 – Roswell, NM 88202-2107		
Facility or well name: Brennan Federal Com. #1 API #: 30-041-20911 U/L or Qtr/Qtr I Sec 33 T 6s R 33e		
	Longitude	
Surface Owner: Federal State Private Indian	Longnude	NAD. 1927 [1983 []
Pit	Below-grade tank Volume:bbl Type of fluid: Construction material:	
Type: Drilling Production Disposal		
Workover Emergency		
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.	
Liner type: Synthetic ☑ Thickness 12 mil Clay ☐		
Pit Volume 5000 bbl		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
ingii water elevation of ground water.)	100 feet or more	(0 points) 0 POINTS
1 11 11 11 11 11 11 11 11 11 11 11 11 1	 Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points) 0 POINTS
water source, or less than 1000 feet from all other water sources.)	[NO	(o points) o ronvis
Distance to surface when the size and distance to all surface along	Less than 200 feet	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points) 0 POINTS
	Ranking Score (Total Points)	0 POINTS
your are burying in place) onsite 🖾 offsite 🗌 If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🖾 Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments: FOLD EXISTING 12 MILL LINER ACROSS PIT TO ENCAPSULATE DRILLING MUD, PLACE 20 MIL LINER ACROSS PIT AT		
A DEPTH APPROXIMATELY 3' BELOW GROUND LEVEL, FILL WITH 3' OF DIRT AND TOP SOIL TO GROUND LEVEL. WORK TO BE COMPLETED.		
WITHIN 2 MONTHS OF NMOCD APPROVAL		
20 20 00 00 00 00 00 00 00 00 00 00 00 0		
Sport South		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank		
has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .		
Date: 1-18-06		
Printed Name/Title John Thompson / Production Mgr. Signature		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or		
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval: 1/23/06 Printed Name/Title GARY W. WINK STAFFMER Signature Lay W. Wink. Date: JAN 2 8 2006		
JAN 2 3 2006		



