District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.


For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes 
No

Type of action: Registration of a pit	or below-grade tank  Closure of a pit or below-grade	tank 🛛		
Operator: Yates Petroleum Corporation Telephone: 505-748-4500 e-mai Address: 105 South 4 <sup>th</sup> Street, Artesia, N.M. 88210 Facility or well name: Miranda BHW State Com 1 API #: 30-025-37543 U/L County: Lea Latitude 33.41985 Longitude 103 Surface Owner: Federal State Private Indian		•		
Pit         Type:       Disposal         Work over       Emergency         Lined       Unlined         Liner type:       Synthetic         Thickness       12 mil         Clay       Pit Volume	Below-grade tank  Volume:bbl Type of fluid:  Construction material:  Double-walled, with leak detection? Yes  If not, explain why not.			
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points)-XXXX		
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (20 points) (20 points) (20 points)		
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (20 po		
	Ranking Score (Total Points)	10 POINTS		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relatin place) onsite ☑ offsite ☐ If offsite, name of facility NA  (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground: (5) Attach soil sample results and a diagram of sample locations and excavations Additional Comments: Closure work plan for drilling pit. The drilling pit content mil synthetic liner on former drilling pit site. Drilling pit contents will then be with a minimum of a 3' over lap of the underlying trench areas. The encapsula and 48 hour notice will be provided to the Oil Conservation Division before pit Pit Closure actions to begin by NA. Ending date NA	. (3) Attach a general description of remedial action to surfaceft. and attach sample results.  ents will be mixed to stiffen the pit contents. A encapsular emplaced into the encapsulation trench. A 20 mil synthetion trench will then be backfilled to grade using a minimal closure actions begin.	aken including remediation start date and end date.  Attion trench will be excavated and lined with a 12  tic liner will then be placed over the pit contents  sum of 3' of clean soil and like material. A one call		
I hereby certify that the information above is true and complete to the best of m been/will be constructed or closed according to NMOCD guidelines, a Date: 01/19/2006  Printed Name/Title Mike Stubblefield / Regulatory Agent  Your certification and NMOCD approval of this application/closure does not re endanger public health or the environment. Nor does it relieve the operator of the state of the stat	general permit , or an (attached) alternative OCD-	approved plan □.		
Approval: Printed Name/Title GARY W. WINK STAFF MGR	Signature Hay W. Wink			



## USGS SEO TWN 09S-15S CHAVES LEA GW.xls

	1				me	randa BHW	State	Co
L	F	G	Н	1	J	K	L	]
3	COUNTY	SOURCE	USGS SITE NUM.	QTY	SITE LOCATION	DATE	LEVEL	1
194	LEA	SEO		1	10S.34E.27.14210	1976-05-04	54.92	1
195	LEA	SEO		1	10S.34E.27.14222	1991-01-25	50.78	1