District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505




orm C-144 June 1, 2004


For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

## Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank \( \bigcirc \) Closure of a pit or below-grade tank \( \bigcirc \) Telephone: 505.394.1228 e-mail address: wrbe@chevrontexaco.com Operator: ChevronTexaco Address: PO Box 1949, 2401 Avenue O, Eunice, New Mexico 88231 API#: 30025347380000 U/L or Qtr/Qtr: SE 1/4 of the NW1/4 Sec 28 T21S R37E Facility or well name: Eunice King Well #27 Drilling Pit 32°27'13.32"N Longitude 103°10'19019"W NAD: 1927 ☐ 1983 ☐ WGS 84 🗵 Lea Latitude County: Surface Owner: Federal ☐ State ☐ Private ☐ Indian ☐ ChevronTexaco ☒ Below-grade tank Type: Drilling | Production | Disposal | Volume: \_\_\_\_bbl Type of fluid: \_\_\_ Workover ☐ Emergency ☐ Construction material: Double-walled, with leak detection? Yes If not, explain why not. Lined D Unlined Liner type: Synthetic 

☐ Thickness 12 mil Clay ☐ Pit Volume: 3,000 bbl Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) 10 high water elevation of ground water.) 65'bgs 100 feet or more ( 0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic No ( 0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more ( 0 points) 10 Ranking Score (Total Points) If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite \( \square\) offsite \( \square\) If offsite, name of facility\_ \_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth below ground surface \_\_\_\_\_\_ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: Close pit according to the NMOCD Pit Rules and the ChevronTexaco Drilling and Reserve Pit Closure General Plan currently being reviewed by the NMOCD. Reference- ChevronTexaco General plan, i.e. In-situ Encapsulation. Attachments- Site map, Groundwater map, Topographical map, and pictures. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . 7-11-05 Printed Name/Title Bill BECK Construction Ref. Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Approval:
Printed Name/Title CHRIS WILLIAMS-DIST. SW Signature Chica William Date: 1/26/2006





2

