District I
.1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources


Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 PC 1/24/06

Form C-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office


Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes No of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank Closure of a pit or below-grade tank


Type of action. Registration of a pit of below-grade tank 23 closure of a pit of below-grade tank 23		
Operator: ChevronTexaco Telephone: 505.394.1228 e-mail address: wrbe@chevrontexaco.com		
Address: PO Box 1949, 2401 Avenue O, Eunice, New Mexico 88231		
Facility or well name: C.L. Hardy #6 Drilling Pit API #: \(\frac{20}{20}\) \(\frac{5}{3}\) \((\frac{6}{14}\) \(\frac{0000}{000}\) U/L or Qtr/Qtr: NE \(\frac{1}{4}\) of the SW\(\frac{1}{4}\) Sec 20 T21S R37E		
County: Lea Latitude 32°27'39.04"N Longitude 103°11'21.08"W NAD: 1927 ☐ 1983 ☐ WGS 84 ☒		
Surface Owner: Federal State Private Indian		
Pit	Below-grade tank	
Type: Drilling ☑ Production ☐ Disposal ☐ Workover ☐ Emergency ☐	Volume:bbl Type of fluid: Construction material:	
	Double-walled, with leak detection? Yes If not, explain why not.	
Lined 🛛 Unlined 🗌		
Liner type: Synthetic ☑ Thickness 12 mil Clay ☐		-
Pit Volume: 3,000 bbl		;
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) 85'bgs	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points) 10
	100 feet or more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)
	No	(0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points) 0
	1000 feet or more	(0 points)
	Ranking Score (Total Points)	10
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite 🛛 offsite 🗌 If offsite, name of facility (3) Attach a general description of remedial action taken including		
remediation start date and end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments: Close pit according to the NMOCD Pit Rules and the ChevronTexaco Drilling and Reserve Pit Closure General Plan currently being reviewed by the		
NMOCD. Reference- ChevronTexaco General plan, i.e. In-situ Encapsulation. Attachments- Site map, Groundwater map, Topographical map, and pictures.		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , or an (attached) alternative OCD approved plan .		
Date: 7-11-05 Printed Name/Title Bill BECK Construction Rol. Signature Bus Beel		
Approval: Printed Name/Title CHRIS WILLIAMS - DIST. JUP Signature Chin Welliams Date: 1/26/2006		




C.L. Hardy #6

1









C.L. Hardy #6

