District J 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 PC 1/24/00

Form C-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

## Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank			
Operator: ChevronTexaco Telephone: 505.394.1228 e-mail address: wrbe@chevrontexaco.com			
Address: PO Box 1949, 2401 Avenue O, Eunice, New Mexico 88231			
Facility or well name: Leonard E #7 Drilling Pit  API #: 300253674/10000 U/L or Qtr/Qtr: SE 1/4 of the NE1/4 Sec 16 T21S R37E			
	ngitude 103°09'46.47"W NAD: 1927  1983 [		
Surface Owner: Federal ☐ State ☒ Private ☐ Indian ☐			
<u>Pit</u>	Below-grade tank		
Type: Drilling ☑ Production ☐ Disposal ☐		Volume:bbl Type of fluid:	
Workover	<del>_</del>		
Lined ☑ Unlined □	Double-walled, with leak detection? Yes  If not, explain why not.		
Liner type: Synthetic ☑ Thickness 12 mil Clay ☐		-	
Pit Volume: 3,000 bbl			
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) 85'bgs	Less than 50 feet	(20 points)	
	50 feet or more, but less than 100 feet	(10 points) 10	
	100 feet or more	( 0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)	
	No	( 0 points) 0	
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)	
	200 feet or more, but less than 1000 feet	(10 points) 0	
	1000 feet or more	( 0 points)	
	Ranking Score (Total Points)	10	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if			
your are burying in place) onsite 🖾 offsite 🗌 If offsite, name of facility (3) Attach a general description of remedial action taken including			
remediation start date and end date. (4) Groundwater encountered: No 🖾 Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results.			
(5) Attach soil sample results and a diagram of sample locations and excavations.			
Additional Comments: Close pit according to the NMOCD Pit Rules and the ChevronTexaco Drilling and Reserve Pit Closure General Plan currently being reviewed by the			
NMOCD. Reference- ChevronTexaco General plan, i.e. In-situ Encapsulation. Attachments- Site map, Groundwater map, Topographical map, and pictures.			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative Och-approved plan .  Date: 7-11-05 Printed Name/Title Sill SECK Construction Red Signature  Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.			
Approval: Printed Name/Title CHRIS WILLIAM S - DUST. SUP Signature China Walliams Date: 1/26/2006			

















