

## **Occidental Permian Limited Partnership**

November 9, 2005

New Mexico Oil Conservation Division District I 1625 N. French Drive Hobbs, New Mexico 88240

Attn: Environmental Engineering

RE: Final Drilling Pit Closure

North Hobbs Unit 29-626 Drilling Pit UL 'K', Sec. 29, T-18-S, R-38-E

This letter is being sent as a notification of pit closure for the drilling pit at the above mentioned location. This pit will be closed as follows:

- 1. All drill cuttings and liner will be removed from pit area.
- 2. All cuttings will be disposed of at Sundance Services, Parabo Facility near Eunice, New Mexico.
- 3. Native soils, stored on site, will be used for backfill of the area.
- 4. NMOCD Pit and Below-Grade Tank Guidelines, dated 11-01-2004, will be used for pit closure compliance.
- 5. Start date on drill cutting removal 11/15/2005.

TEVON M. BISHOP

- 6. Work will be completed by the end of December 2005.
- 6. A final form C-144 is attached.

If you have any questions, or if I can be of further assistance, please contact me at (505) 397-8251.

Steven M. Bishop

HES Technician/Hobbs RMT

Steven\_Bishop@oxy.com

(505) 397-8251

Attachments: Form C-144

Diagram of pit and well location

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources


Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 March 12, 2004

Pit or Below-Grade Tank Registration or Closure

	k covered by a "general plan"? Yes [] I by below-grade tank [] Closure of a pit or below-	
Operator: _Occidental Permian, LTD	37250U/L "K" Sec _29	
Pit  Type: Drilling ☑ Production ☐ Disposal ☐  Workover ☐ Emergency ☐  Lined ☑ Unlined ☐  Liner type: Synthetic ☑ Thickness _12_mil Clay ☐ Volume  _5,000_bbl	Below-grade tank  Volume:bbl Type of fluid:  Construction material:  Double-walled, with leak detection? Yes	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) 10 ( 0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) 0 ( 0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) ( 0 points) 0
	Ranking Score (Total Points)	10
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:  onsite  offsite  for offsite, name of facility Sundance Services, Parabo Facility. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No  Yes  If yes, show depth below ground surface  ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.  I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .  Date:11/09/2005		
Approval: Date: 2/2/06 Printed Name/Title GARY W. WINE STAFF MGR	Signature Lary W. Wan	<b>&amp;</b>

## North Hobbs Unit 29-626



Occidental Permian Ltd.

North Hobbs Unit 29-626

API # 30-025-37250

Unit Letter 'K', Section 29, T-18-S, R-38-E

Long N 32°43'02.51"Lat W 103°10'17.50"

100' X 100' Pit 50' West of Wellhead