

Occidental Permian Limited Partnership

November 9, 2005

New Mexico Oil Conservation Division District I 1625 N. French Drive Hobbs, New Mexico 88240

Attn: Environmental Engineering

RE: Final Drilling Pit Closure

South Hobbs Unit 243 Drilling Pit UL 'F', Sec. 4, T-19-S, R-38-E

This letter is being sent as a notification of pit closure for the drilling pit at the above mentioned location. This pit will be closed as follows:

- 1. All drill cuttings and liner will be removed from pit area.
- 2. All cuttings will be disposed of at Sundance Services, Parabo Facility near Eunice, New Mexico.
- 3. Native soils, stored on site, will be used for backfill of the area.
- 4. NMOCD Pit and Below-Grade Tank Guidelines, dated 11-01-2004, will be used for pit closure compliance.
- 5. Start date on drill cutting removal 12/15/2005.

STEVEN M. BISHAP

- 6. Work will be completed by the end of January 2006.
- 6. A final form C-144 is attached.

If you have any questions, or if I can be of further assistance, please contact me at (505) 397-8251.

Steven M. Bishop

HES Technician/Hobbs RMT Steven_Bishop@oxy.com

(505) 397-8251

Attachments: Form C-144

Diagram of pit and well location

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources


Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 March 12, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes No 🔀

	or below-grade tank Closure of a pit or below-	grade tank 🛛
Operator: _Oxy Permian, LTDTelephone: 505.	397 8251 e-mail address: Steven F	Rishon@oxy.com
Address: 1017 W. Stanolind Rd, Hobbs, NM 88240		7. Sinope Oxys.com
Facility or well name: _SHU 243API #: _30-025-372		-S R_38-E
County: _Lea Latitude_32°41'30.96" N Longitude103°09		
<u>Pit</u>	Below-grade tank	
Type: Drilling ☑ Production ☐ Disposal ☐	Volume:bbl Type of fluid:	
Workover ☐ Emergency ☐	Construction material:	
Lined 🛛 Unlined 🗌	Double-walled, with leak detection? Yes If not, explain why not.	
Liner type: Synthetic ☑ Thickness _12mil Clay ☐ Volume		
_5,000bbl		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points) 10
	100 feet or more	(0 points)
Wallhard analysis area. (Loss than 200 feet from a private demonstic	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0
· · · · · · · · · · · · · · · · · · ·	T 1 200 C	
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points) 0
	Ranking Score (Total Points)	10
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	s relationship to other equipment and tanks. (2) Ind	licate disposal location:
onsite offsite If offsite, name of facility Sundance Services, Parabo	Facility. (3) Attach a general description of remed	lial action taken including remediation start date and
end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth	below ground surfaceft. and attach	a sample results. (5) Attach soil sample results and a
diagram of sample locations and excavations.	-	
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines ⊠, a Date:11/09/2005 Printed Name/Title_ Steven M. Bishop/HES Spec	a general permit \square , or an (attached) alternative	the above-described pit or below-grade tank has OCD-approved plan .
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations		
Approval: Date: 2/2/06 Printed Name/Title GARY W. WINK STAFF MB	RSignature Lary W. Win	k

South Hobbs Unit #243



Occidental Permian Ltd.

South Hobbs Unit #243

API #30-025-37266

Unit Letter 'F', Section 4, T-19-S, R-38-E

Latitude N 32°41'30.96" Longitude W103°09'16.83"

100' X 100' Pit 50' South of Wellhead