

Mr. Larry Johnson, Environmental Engineer New Mexico Energy, Minerals and Natural Resources Department Oil Conservation Division Environmental Bureau 1625 North French Hobbs, New Mexico 88240

Re: Initial C-144 and supporting documentation Chevron USA CVU #47 Pit (Ref. #200060) UL- A, (NE¹/₄ of the NE¹/₄) Section 31, T17S, R35E, Lea County, New Mexico Latitude: 32°47'49.11"N and Longitude: 103°29'26.32"W

Dear Mr. Johnson:

Environmental Plus, Inc. (EPI), on behalf of Chevron USA (Chevron) submits the enclosed New Mexico Oil Conservation Division (NMOCD) form C-144 and supporting information. Chevron is proposing to close the drill pit at the above-referenced well site in accordance with the NMOCD Pit and Below-Grade Tank Guidelines, November 1, 2004 and the "ChevronTexaco Drilling and Reserve Pit Closure General Plan, December 2004." Please direct all official communications to:

Chevron USA Larry Ridenour, Facilities Representative PO Box 1949 Eunice, New Mexico 88231 Telephone: 505.396.4414 Email: LRidenour@ChevronTexaco.com

Should you have any questions or concerns, please call Mr. Iain Olness or myself at (505) 394-3481 or Mr. Larry Ridenour at (505) 396-4414.

Sincerely,

ENVIRONMENTAL PLUS, INC.

Mailan

Pat McCasland EPI Safety Director/Environmental Consultant



cc: Larry Ridenour, Chevron USA Nathan Mouser, Chevron USA file

,

Enclosures: NMOCD Form C-144 Topographical Map Site Location Map Site Map Groundwater Map Well Data Table Photographs District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

(20 points)

(0 points)

(20 points)

(10 points)

(0 points)

 \boxtimes

Π

 \boxtimes

10

Pit or Below-Grade Ta	nk Registration or Closure						
Is pit or below-grade tank covere	d by a "general plan"? Yes 🖾 No 🗔 rade tank 🛛 Closure of a pit or below-grade tank 🖾						
Operator: Chevron USA Telephone: 505.396.4414 e-mail	address: lridenour@chevrontexaco.com						
Address: PO Box 1949 2401 Avenue O Eunice, New Mexico 88231							
<i>3002508532000</i> Facility or well name: CVU #47 API #: Unit Letter (UL): A	Qtr/Qtr: NE¼ NE¼ Section: 31, T17S, R35E						
County: Lea Latitude: 32°47'49.11"N Longitude: 103°29'26.32"W NA	AD: 1927 🔲 1983 🔲 WGS 84 🛛						
Surface Owner: Federal 🔲 State 🖾 Private 💭 Indian 🗌							
Type: Drilling Z Production Disposal Workover Emergency	Volume: bbl Type of fluid:						
Lined 🛛 Unlined 🔲	Construction material:						
Liner type: Synthetic 🛛 Thickness <u>12</u> mil Clay 🗌	Double-walled, with leak detection? Yes 🔲 If not, explain why not.						
Pit Volume: ~3,000 bbl							
Depth to ground water (vertical distance from bottom of pit to seasonal high water	Less than 50 feet (20 points)						
	50 feet or more, but less than 100 feet (10 points)						
elevation of ground water.) ~87'bgs	100 feet or more (0 points)						

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite 🔲 offsite 🛛 If offsite, name of facility_CRI____ . (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth below ground surface___ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Yes

No

Less than 200 feet

1,000 feet or more

200 feet or more, but less than 1,000 feet

Signature

Ranking Score (Total Points)

Additional Comments: It is proposed to close this pit consistent with the "Chevron Texaco Drilling and Reserve Pit Closure General Plan, December 2004" and the NMOCD Pit and Below-Grade Tank Guidelines, November 1, 2004 as promulgated under NMOCD Rule 50 (19.15.2.50 NMAC).

Pit Status: Liner intact 🛛 Liner punctured or torn 🗌

Wellhead protection area: (Less than 200 feet from a private domestic water

Distance to surface water: (horizontal distance to all wetlands, playas, irrigation

source, or less than 1000 feet from all other water sources.)

canals, ditches, and perennial and ephemeral watercourses.)

Method of Closure: Contents will be stiffen and hauled to disposal facility. Excavation will be tested to confirm acceptable concentrations of TPH, BTEX, and Chloride, then

backfilled with soil, contured and reseeded.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank will be closed according to NMOCD guidelines 🛛, a general permit 🖾, or an (attached) alternative OCD-approved plan 🗌.

Date: 1-10-D6 Printed Name/Title Larry Ridenour, Facilities Representative

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title GARY W. WINK/STAFFMBR Signature Laugu Unik Date: 2/6/06



CVU #47 200060



Chevror



CVU #47 200060



Chevron

TABLE 1

WELL INFORMATION REPORT*

Chevron CVU #47 - (Ref #200060)

Well Number	Diversion ^A	Ówner	Ûşe	Twsp	Rng	Sec q q q	Latitude	Longitude	Date Measured	Surface Elevation B	Depth to Water (ft bgs)
L 03873	31.68	PHILLIPS PETROLEUM CO.	IND	175	35E	31 123	N32° 47' 42.18"	W103° 30' 3.44"		3,986	
L 03874	23.67	PHILLIPS PETROLEUM CORP.	ND	175	35E	31 213	N32º 47' 42.18"	W103° 29' 47.86"		3,983	
L 04247 A	1400	INTREPID MINING NM LLC	ND	175	35E	31 313	N32° 47' 16.01"	W103° 30' 18.04"	25-Jan-74	3,993	95
L 04247 AS				175	35E	31 312	N32° 47' 16.01"	W103° 30' 18.04"	09-Jul-90	3,993	117
L 05010 EXP	0	NOBLE DRILLING CO.	PRO	178	35E	31. 2.2	N32º 47' 42:15"	W103° 29' 32.29"		3.976	
L 04028	3	ZAPATA PETROLEUM CORPORATION	PRO	175	35E	29 21	N32° 48' 34.50*	W103° 28' 45.96"		3,973	
L 04028 APPRO EXP				175	35E	29 21	N32º 48' 34.50"	W103° 28' 45.96"	İ	3.973	
L 04829 X4	317	PHILLIPS PETROLEUM COMPANY	OIL	175	35E	29 3 2	N32° 48' 8.33"	W103° 29' 1.36"	-	3,976	
L 10445	0	GILES LEE	STK	175	35E	29 424	N32° 48' 8.14"	W103° 28' 30.39"		3,967	
L 03875 \$	0	DUKE ENERGY FIELD SERVICES, LP	POL	175	35E	30 433	N32° 47' 55.30"	W103° 29' 47.88*		3,986	
L 03875 S2	0	DUKE ENERGY FIELD SERVICES, LP	POL	175	35E	30 433	N32° 47' 55.30"	W103° 29' 47.88"		3,986	
L 03875 S3	0	DUKE ENERGY FIELD SERVICES, LP	POL	175	35E	30 434	N32° 47' 55.30*	W103° 29' 47.88"		3,986	
L 03875 S4	0	DUKE ENERGY FIELD SERVICES, LP	POL	175	JSE	30 433	N32" 47' 55.30"	W103° 29' 47.88"	·	3,986	
L 04066	3	GACKLE DRILLING COMPANY	PRO	175	35E	30 2 4	N32° 48' 21.55"	W103° 29' 32.41"	03-Feb-59	3,987	70
L 04066 APPRO				175	35E	30 24	N32° 48' 21.55"	W103° 29' 32.41"	03-Fcb-59	3,987	70
L 04490 APPRO	0	MORAN OIL PRODUCING & DRILLING	PRO	175	35E	30 24	N32° 48' 21.55"	W103° 29' 32.41"	25-Jul-60	3,986	70
L 05392	0	INC. A.W. THOMPSON	PRO	175	35E	30 31	N32° 48' 8.38"	W103° 30' 18.09"	16-May-64	3,996	80
L_05744	0	TRI-SERVICE DRILLING COMPANY	PRO	175	35E	30 233	N32° 48' 21.53"	W103° 29' 47,94"	10-1104-04	3,993	75
L 06357 S	207.8	REPUBLIC FACTORS INC. OF MIDLA	COM	175	35E	30 113	N32° 48' 34.57"	W103° 30' 18.13"	· · · · · · · · · · · · · · · · · · ·	3,996	·····
L 06357 S2	2U(1.0	REPOBLIC PACTORS INC. OF MIDEA	CON	175	35E	30 113	N32° 48' 34.57"	W103° 30' 18.13"	20-Jun-89	3,996	130
L 07695	480	PHILLIPS PETROLEUM COMPANY	OIL	175	35E	32 43	N32° 47' 2.60"	W103° 28' 45.63"	20-700-659	3,963	130
L 01649	480.		DOM	175	34E	25	N32° 47' 55.05"	W103° 31' 19.88"	······································	4,012	er a com
L 01849 L 02217	3	CROSS LABORATORIES, INC. FIRST BAPTIST CHURCH	DOM	175	34E	25 4 2	N32° 48' 8.32"	W103 30 33.54"	10-Jun-53	3,999	75
		FIRST BAPTIST CHURCH	DOM	175	34E	25 4 2	N32° 48' 8.32"	W103° 30' 33.54"	10-Jun-53	3,999	75
L 02217 APPRO			DOLE							3,999	76
L 02308	3	CHURCH OF CHRIST	DOM	175	34E	25 4 4	N32° 47' 55.22"	W103° 30' 33.52"	12-Aug-53		70 76
L 02308 APPRO			· · · · · · · · · · · · · · · · · · ·	175	34E	25 4 4	N32º 47' 55.22"	W103° 30' 33.52"	12-Aug-53	3,999	/0
L 04520 APPRO EXT	0	SOCONY MOBIL OIL COMPANY INC.	IND	175	34E	25 213	N32° 48' 34.45"	W103* 30' 49.00"		4,006	
L 04520 DCL				175	34E	25 213	N32° 48' 34.45"	W103° 30' 49.00"	21.0.60	4,006	
L 05025	0	TRI-SERVICE DRILLING COMPANY	PRO	175	34E	25 3 3	N32° 47' 55.05"	W103° 31' 19.88"	21-Dec-62	4,012	.95
L 05025 (1)	0	TRI-SERVICE DRILLING COMPANY	PRO	175	34E	25 3 3	N32° 47' 55.05"	W103° 31' 19,88"		4,012	
L 05106	0	NOBLE DRILLING COMPANY	PRO	175	34E	25 31	N32° 48' 8.14"	W103° 31' 19.88"	15-Apr-63	4,011	.95
L 01652	0	CROSS LABORATORIES, INC.	DOM	175	_34E	36	N32° 47' 2.72"	W103° 31' 19,90"		4,009	
L 02724 S-4	2410	INTREPID MINING NM LLC	IND	175	34E	36 333	N32° 47' 2.72"	W103° 31' 19,90"		4,009	
L 05003	0	BRAHANEY DRILLING CO.	PRO	175	34E	36 1	N32° 47' 28,89"	W103° 31' 19.89"	28-Nov-62	4,008	105
L 05003 (1)		BRAHANEY DRILLING COMPANY	PRO	175	34E	36 1.4	N32º 47' 28.94"	W103° 31' 4.43"		4,006	·
L 05003 (2) EXP		BRAHANEY DRILLING COMPANY	PRO	175	34E	36 1 4	N32° 47' 28.94"	W103° 31' 4.43"		4,006	n
L 05003 (3) EXP	0	BRAHANEY DRILLING COMPANY	PRO	175	34E	36 1.4	N32° 47' 28.94"	W103*31'4.43"		4,006	<u></u>
L 05003 (4) EXP	0	BRAHANEY DRILLING COMPANY	PRO	175	34E	36 14	N32° 47' 28.94"	W103° 31' 4.43"		4,006	ļ
L. 05843 EXPL	0	KERMAC POTASH COMPANY	EXP	175	34E	36 3	N32° 47' 2.72"	W103° 31' 19,90"	26-Jan-66	4,009	
L 06030		INC. TEXACO	PRO	175	34E	36 3 3	N32° 47' 2.72"	W103° 31' 19.90"	05-Oct-66	4,009	102
L_05851 EXPL	0	KERMAC POTASH COMPANY	EXP	185	34E	01 1	N32° 46' 36.30*	W103° 31' 19.69"	28-Jan-66	4,002	
L 06115	3	TEXACO INC.	EXP	185	34E	01 111	N32° 46' 49.35*	W103° 31' 19.80"	10-Mar-67	4,006	110
L 06115 EXPL				185	34E	01 111	N32° 46' 49.35"	W103° 31' 19.80"	10-Mar-67	4,006	110

Chevron

.



TABLE 1

WELL INFORMATION REPORT*

Chevron CVU #47 - (Ref #200060)

Well Number	Diversion ^A	Öwner	Use	Twsp	Rng	Sec q q q	Latitude	Longitude	Date Mézsured	Surface Elevation	Depth to Water
										B	(ft bgs)
L 10467	3	TEXACO E & P	SAN	185	34E	01 1 2 2	N32° 46' 49.47"	W103° 31' 4.35"	01-Feb-95	3,999	115
L 04591	.3	SHARP DRILLING COMPANY	PRO	185	35E	05 2 4	N32° 46' 36.43"	W103° 28' 30.11"	01-Feb-61	3,954	75
L 04591 APPRO				185	35E	05 2 4	N32° 46' 36.43"	W103° 28' 30.11"	01-Feb-61	3,954	75
L 04931	0	MOBIL OIL CORPORATION	SRO	185	35E	05 21	N32° 46' 49.55"	W103° 28' 45.61"	07-Mar-81	3,963	70
L 05759	0	PHILLIPS PET. CO.	PRO	18S	35E	05 1 3	N32° 46' 36.60"	W103° 29' 16.56"	4	3,970	
L 05523	0	MARCUM DRILLING COMPANY	PRO	18S	35E	06 23	N32° 46' 36,67*	W103° 29' 47.72"	07-Jan-65	3,983	85
L 10337	0	MARATHON OIL COMPANY	PRO	185	35E	06 114	N32° 46' 49,83"	W103° 30' 17.99"	07-Jul-93	3,986	110
L. 0164	0	CROSS LABOR FOR IRSING	DOM	185	34E	1	N329 46* 10.18*	W103? 31' 19:51"	and the second	4,003	
L. 01160	3 - 3	GACKLE DRIELING CO.	FRO	185	34B	01 33	N32846 10.18%	W103231249.51	26-May-59	4,003	100
L. 04160 APPRO		A state of the	presentation and a set of the set of the set	188	34B	01 33	N32846'1018"	W103931 19.51	26-Mey-59	4,003	100
L. 04250	3	CACTUS DRILLING CORP. OF TREAS.	PRQ	185	35B -	5	N328 46" 10 38"	W109? 29/16:56	27-Aug-59	3,966	60
L. 04250 APPRO		and the second	(Arman & Carry Son	188	35E	5	N321 46' 10 38"	W109229 16.56	27-Aug-59	3,966	60
L. 04664	- 33 · · ·	HONDOUDRIELING.COMPANY	PRO	188	39E	65 32	N328 46 23:45	W1032 29 1 067	16 Jun 61	3,967	
L. 04664 APPRO	1		line in the second	185	35B	05 32	A CONTRACTOR AND A CONTRA	W103° 29/ 1.067	16 Jun-61	3,967	70
L. 04726		INC.A.W. THOMESON	PRO	188	35B	06 344	N32846 10 525	W103? 30* 3 22*	25 Jan-62,	3,984	95
L. 04796 APPRO	in the second second	and the second	n ganaga Nganasa Ban sagi a	1885	39B		N328 46 10.525	W109?30/3:22?	25.Jm.62	3,984	. 95
L, 105411	(CAMAY DRILLING COMPANY	PRO	185	35E	06 43,	N32*46*10.47*	W103*29*47.66*	28-May-64	3,980	60)

* = Data obtained from the New Mexico Office of the State Engineer Website (http://iwaters.ose.state.nm.us: 7001/iWATERS/wr_RegisServiet1) and USGS Database.

Shaded well information indicates well location shown on Figure 2

A = in acre feet per annum

" = Interpolated from USGS Topographical Map

IND = Industrial

STK = Livestock Watering

EXP = Exploration

PUB = Construction of Public Works

SRO = Secondary recovery of oil

SAN = Sanitary in conjunction with commercial use

POL = Pollution control well

OIL = Oil production

COM = Commercial

PRO = Prospecting or development of a natural resource

DOM = Domestic one household

(quarters are 1=NW, 2=NE, 3=SW, 4=SE)

(quarters are biggest to smallest - X Y are in Feet - UTM are in Meters)

Shaded area indicates wells not shown on Figure 2



Photograph #1-Pit and berms looking westerly.



Photograph #2-Pit and berm looking northwesterly.

Chevro



Photograph #3-Pit berm, note pit is constructed above grade.



Photograph #4-Pit berm, note pit is constructed above grade.