

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-144  
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>Capataz Op. Inc.</u> Telephone: <u>432-620-8820</u> e-mail address: <u>smay, n4@leaco.net</u>	
Address: <u>P.O. Box 10549, Midland, TX 79702</u>	
Facility or well name: <u>Round-Up #1</u> API #: <u>30-025-37100</u> U/L or Qtr/Qtr: <u>H</u> Sec: <u>35</u> T: <u>19</u> R: <u>38</u>	
County: <u>Lea</u> Latitude: <u>32-61.82785</u> Longitude: <u>103-1125214</u> NAD: 1927 <input type="checkbox"/> 1983 <input type="checkbox"/>	
Surface Owner: Federal <input type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input checked="" type="checkbox"/>	
<b>Pit</b> Type: Drilling <input checked="" type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input checked="" type="checkbox"/> Thickness <u>12</u> mil Clay <input type="checkbox"/> Pit Volume <u>1200</u> bbl	<b>Below-grade tank</b> Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not: _____
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) <u>46 ft</u>	<u>Less than 50 feet</u> (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) <u>No</u> (0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) <u>1000 feet or more</u> (0 points)
Ranking Score (Total Points) <u>20</u>	

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (Check the onsite box if you are burying in place) onsite ☐ offsite ☒ If offsite, name of facility: \_\_\_\_\_ (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: Plan to excavate and haul all contents of the drilling pit to a OCD approved facility. After excavating and haul the bottom of the pit will be sampled and results approved by OCD before backfilling. The pit will be backfilled and leveled. Notify OCD before starting and file Sunday notice after closing will begin soon after approval.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 2/14/06

Printed Name/Title: Eddie W. Seay Agent Signature: Eddie W. Seay

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.


Approval:

Printed Name/Title: GARY W. WINK / STAFF MGR Signature: Gary W. Wink Date: 2/15/06

CAPATAZ OPERATING, INC.

ROUND-UP No. 1

DRILLING PIT DIAGRAM



*New Mexico Office of the State Engineer*  
**POD Reports and Downloads**

Township: **19S** Range: **38E** Sections:

NAD27 X:  Y:  Zone:  Search Radius:

County:  Basin:  Number:  Suffix:

Owner Name: (First)  (Last)  ☐ Non-Domestic ☐ Domestic ☒ All

**POD / Surface Data Report**

**Avg Depth to Water Report**

**Water Column Report**

**Clear Form**

**iWATERS Menu**

**Help**

**AVERAGE DEPTH OF WATER REPORT 02/15/2006**

Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	(Depth Water in Feet)		
								Min	Max	Avg
L	19S	38E	01				92	35	185	73
L	19S	38E	02				45	14	95	53
L	19S	38E	03				37	36	65	46
L	19S	38E	04				15	33	95	48
L	19S	38E	05				114	18	94	35
L	19S	38E	06				8	42	128	76
L	19S	38E	07				3	50	85	73
L	19S	38E	08				4	22	30	26
L	19S	38E	09				4	44	65	53
L	19S	38E	10				10	5	84	48
L	19S	38E	11				4	42	65	52
L	19S	38E	12				1	89	89	89
L	19S	38E	14				6	50	110	67
L	19S	38E	15				37	32	74	49
L	19S	38E	16				4	20	46	34
L	19S	38E	17				2	24	24	24
L	19S	38E	19				5	30	82	49
L	19S	38E	21				2	45	45	45
L	19S	38E	22				4	50	130	75
L	19S	38E	23				7	50	100	65
L	19S	38E	25				1	70	70	70
L	19S	38E	26				2	68	70	69
L	19S	38E	27				54	30	100	55
L	19S	38E	28				3	40	70	50
L	19S	38E	29				1	65	65	65
L	19S	38E	30				8	37	80	54
L	19S	38E	33				1	40	40	40
L	19S	38E	34				30	18	67	45
L	19S	38E	35				54	35	80	56

Record Count: 558