PC 2/21/04

<u>District I</u>
1625 N. French Dr., Hobbs, NM 88240
<u>District II</u>
1301 W. Grand Avenue, Artesia, NM 88210

State of New Mexico
Energy Minerals and Natural Resources

Form C-144 June 1, 2004

<u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410 <u>District IV</u>

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

1220 S. St. Francis Dr., Santa Fe, NM 87505


Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered	by a "general plan"? Yes ☐ No ☐ the tank ☐ Closure of a pit or below-grade tank ☒	
Operator: Range Operating New Mexico .lnc Telephone: 505-631-0926  Address: P.O. Box 2510 Hobbs, NM 88241	e-mail address: salmager@rangeresources.co	om
Facility or well name: Range Greenwood #24 API #: 30-025-37224	II/I or Otr/Otr I Soo 9	T 220 D 27E
County: <u>Lea</u> Latitude 32- 24' 18.1" Longitude 103-9' 51.7" NAD: 1927		
Pit		
	Below-grade tank	
Type: Drilling ☑ Production ☐ Disposal ☐	Volume:bbl Type of fluid:	
Workover Emergency	Construction material:	
Lined ☑ Unlined □ %0	Double-walled, with leak detection? Yes  If not, explain why not.	
Liner type: Synthetic ☑ Thickness 12 mil Clay ☐		
Pit Volume bbl		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water).	50 feet or more, but less than 100 feet	(10 points)
Wellhead protection area: (Less than 200 feet from a private domestic	100 feet or more	
water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	( 0 points)
If this is a wit showing (4) Attach a discuss of the facility of the showing the state of the st	Ranking Score (Total Points)	10
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's re		
the onsite box if you are burying in place) onsite  offsite  If offsite, name		•
remedial action taken including remediation start date and end date. (4) Ground	*	depth below ground surface
ft. and attach sample results. (5) Attach soil sample results and a	diagram of sample locations and excavations.	
Additional Comments:		
All fluids will be removed from the pit. Burial pit will be constructed adjacent to the drilling pit. Burial pit will be lined with a 12 ml liner.  Impacted material will be placed in the burial pit, totally encapsulated and capped with a 20 ml liner covered by 3 feet of topsoil to grade.		
impediced material will be placed in the build pit, totally encapsulated and capped with a 20 mil liner covered by 3 feet of topsoff to grade.		
0021222		
70,1920		
A <sup>1</sup> A 3 20 21 22 23 24 23 24 24 24 24 24 24 24 24 24 24 24 24 24		
//O · · PER (	MUG   150	
I hereby certify that the information above is true and complete to the best of melow-grade tank has been / will be constructed or closed according to	Y Knowledge and belief. I further certify that the at	ove-described pit or
approved plan i l. \	hs in to	(attached) alternative OCD-
Date: 2/20/06 00		
Printed Name / Title 5 & GUE Almager 175 3 Coning 64	Signature Signature	<del></del>
Your certification and NMOCD approval of this application / closure deep notes	Neve the operator of liability should the contents of the	ne pit or tank contaminate
ground water or otherwise endanger public health or the environment. Nor doe state, or local laws and / or regulations.	s it relieve the operator of its responsibility for compl	ance with any other federal,
Approval:		
maring and a maring	ignatur	Date 2.21.06

## RANGE OPERATING NEW MEXICO, INC.

RANGE GREENWOOD #24 UNIT J; SEC. 9, T22S-R37E LEA COUNTY, NM API # 30-025-37224

N1



## New Mexico Office of the State Engineer POD Reports and Downloads

Township: 22S

Range: 37E

Sections: 3,4,5,8,10,15,16,17

NAD27 X:

Y:

Zone:

Search Radius:

County: LE

Basin: L

Number:

Suffix:

Owner Name: (First)

(Last)

Non-Domestic

Domestic

All

POD / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

iWATERS Menu

Help

POD / SURFACE DATA REPORT 02/08/2006

(quarters a

DB File Nbr U

(acre ft per annum) Use Diversion Owner

POD Number

(quarters a

No Records found, try again

## New Mexico Office of the State Engineer **POD Reports and Downloads**

Township: 22S

Range: 37E

Sections: 3,4,5,8,10,15,16,17

NAD27 X:

Y:

Zone:

Search Radius:

County: LE

Basin: L

Number:

Suffix:

Owner Name: (First)

(Last)

Non-Domestic

Domestic

All

POD / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

iWATERS Menu

Help

AVERAGE DEPTH OF WATER REPORT 02/08/2006

Bsn Tws Rng Sec Zone

Х

Y Wells

Min

(Depth Water in Feet)

No Records found, try again