

February 21, 2006

New Mexico Oil Conservation Division District I 1625 N. French Drive Hobbs, New Mexico 88240

Attn: Environmental Engineering

RE: Drilling Pit Closure Plan

North Hobbs Unit 19-633 Drilling Pit UL 'G', Sec. 19, T-18-S, R-38-E

This letter is being sent as a notification of pit closure for the drilling pit at the above mentioned location. This pit will be closed as follows:

- 1. All drill cuttings and liner will be removed from pit area.
- 2. All cuttings will be disposed of at Sundance Services, Parabo Facility near Eunice, New Mexico.
- 3. Native soils, stored on site, will be used for backfill of the area.
- 4. NMOCD Pit and Below-Grade Tank Guidelines, dated 11-01-2004, will be used for pit closure compliance.
- 5. Start date on drill cutting removal March 01, 2006.
- 6. Work should be completed by March 30, 2006.
- 7. A final form C-144 is attached.

STEVEN MBUREF

If you have any questions, or if I can be of further assistance, please contact me at (505) 397-8251.

Steven M. Bishop

HES Technician/Hobbs RMT Steven_Bishop@oxy.com

(505) 397-8251

Attachments: Form C-144

Diagram of pit and well location

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**


Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 March 12, 2004 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tand Type of action: Registration of a pit o	k covered by a "general plan"? Yes No r below-grade tank Closure of a pit or below-gra	⊠ de tank ⊠
Operator: _Occidental Permian, LTDTelephone: 505.397.8251 Address: 1017 W. Stanolind Road, Hobbs, New Mexico 88240		18-S R_38-E
Pit Type: Drilling Production Disposal Workover Emergency Lined Unlined Liner type: Synthetic Thickness 12_mil Clay Volume 5,000_bbl	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) 10 (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) 20 (0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points) 0
	Ranking Score (Total Points)	30
If this is a pit closure: (1) attach a diagram of the facility showing the pit's onsite ☐ offsite ☒ If offsite, name of facility_Sundance Services, Parabo end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth diagram of sample locations and excavations.	Facility. (3) Attach a general description of remedia: below ground surfaceft. and attach so	l action taken including remediation start date and ample results. (5) Attach soil sample results and a
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines ⊠, a Date:02/21/2006 Printed Name/Title_Steven M. Bishop / HES Spec	general permit , or an (attached) alternative O	e above-described pit or below-grade tank has och approved plan
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations		other federal, state, or local laws and/or
Approval: Z/27/06 Date: Z/27/06 Printed Name/Title GARY WWINK STAFFMGR	Signature Laye Win	FEB 2006 SO



Occidental Permian Ltd.

North Hobbs Unit 19-633

API # 30-025-37446

Unit Letter 'G', Section 19, T-18-S, R-38-E

Long N 32°44'01.73"Lat W 103°11'00.17"

100' X 100' Pit 50' West of Wellhead

