District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes ⋈ No ☐ Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ⋈ ation ___Telephone: _505-748-4500 _e-mail address: mikes@ypcnm.com

Operator: <u>Yates Petroleum Corporation</u> Telephone: <u>505-748-4500</u> e	-mail address: mikes@ypcnm.com	
Address: 105 South 4th Street, Artesia, N.M. 88210		
Facility or well name: Chavelea BBL State Com 1 API #: 30-005-20566 U/L or Qtr/Qtr F Sec 10 T 9S R 31E		E RECEIVED
County: Chaves Latitude 33.54929	Longitude103.76592 NAD: 1927 ⊠ 1983	FEB 0 9 2006
Surface Owner: Federal ☐ State ☑ Private ☐ Indian ☐		
<u>Pit</u>	Below-grade tank	- ALGERTIM-UUU
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	
Work over ☑ Emergency □	Construction material:	
Lined ☑ Unlined □	Double-walled, with leak detection? Yes If not, explain why not.	
Liner type: Synthetic ⊠ Thickness 12 mil Clay □		
Pit Volume bbl		
Doubt to account water (vertical distance from bottom of nit to account	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points) XXXX
high water elevation of ground water.)	100 feet or more	(0 points) / 030
	Yes	(20 points) Sugori
Wellhead protection area: (Less than 200 feet from a private domestic	No	l
water source, or less than 1000 feet from all other water sources.)		(0 points) XXXX
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
The second secon	1000 feet or more	(0 points) XXXX
	Ranking Score (Total Points)	10 Points
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you		
are burying in place) on-site 🗵 off-site 🔲 If off-site, name of facility		
date and end date. (4) Groundwater encountered: No 🔲 Yes 🔲 If yes, show depth below ground surface ft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments: Work plan for the Closure of Work-over Pit. A 20 mil liner will be placed 3' below grade with a minimum of 3' over-lap of the underlaying pit.		
Backfill encapsulated wastes with a minimum of 3' of clean soil or like material capable of supporting native plant growth.		
A one-call and 48 hour notice will be provided to OCD prior to pit closure actions.		
The other was a route with the provided to OCD prior to pit closure actions.		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .		
and because the constructed of closed according to 14140 CD guideline	o □, a general permit 23, or all (attached) afternati	ive Geb-approved plan
Date: 01/27/06		
Printed Name/Title Mike Stubblefield / Regulatory Agent Signature		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval: Printed Name/Title BARY W. WINK STAFFMER Signature Hayw. Wink Date: 2/28/06		

New Mexico Office of the State Engineer POD Reports and Downloads Charles BBL StateCom		
Township: 098 Range: 31E Sections:		
NAD27 X: Zone: Search Radius:		
County: Basin: Number: Suffix:		
Owner Name: (First) (Last) Onn-Domestic Omestic		
POD / Surface Data Report Avg Depth to Water Report Water Column Report		
Clear Form iWATERS Menu Help		
AVERAGE DEPTH OF WATER REPORT 01/27/2006		
(Depth Water in Feet) Bsn Tws Rng Sec Zone X Y Wells Min Max Avg		
No Records found, try again		

