

7

Occidental Permian Limited Partnership

February 27, 2006

New Mexico Oil Conservation Division District I 1625 N. French Drive Hobbs, New Mexico 88240

Attn: Environmental Engineering

RE: Drilling Pit Closure Plan

North Hobbs Unit 25-741 Drilling Pit UL 'A', Sec. 25, T-18-S, R-37-E

This letter is being sent as a notification of pit closure for the drilling pit at the above mentioned location. This pit will be closed as follows:

- 1. All drill cuttings and liner will be removed from pit area.
- 2. All cuttings will be disposed of at Sundance Services, Parabo Facility near Eunice, New Mexico.
- 3. Native soils, stored on site, will be used for backfill of the area.
- 4. NMOCD Pit and Below-Grade Tank Guidelines, dated 11-01-2004, will be used for pit closure compliance.
- 5. Start date on drill cutting removal 03/15/2006.
- 6. Work is planned to be completed by 04/15/2006.
- 6. A final form C-144 is attached.

If you have any questions, or if I can be of further assistance, please contact me at (505) 397-8251.

Steven M. Bishop

HES Technician/Hobbs RMT Steven_Bishop@oxy.com

(505) 397-8251

Attachments: Form C-144

Diagram of pit and well location

District I 1625 N. French Dr., Hobbs, NM 88240 District II

1301 W. Grand Avenue, Artesia, NM 88210

District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Form C-144

March 12, 2004

office


Is pit or below-grade tan	de Tank Registration or Closu	<u>-</u>
Type of action: Registration of a pit o	r below-grade tank \(\bigcap\) Closure of a pit or below-gr	ade tank
Operator: _Occidental Permian, LTDTelephone: 505.397.8251	e-mail address: Steven Bishop@ox	xy.com
Address: 1017 W. Stanolind Road, Hobbs, New Mexico 88240	-	
Facility or well name:NHU 25-741API #: 30-025-374		
County: _LeaLatitude_32°43'28.52"NLongitude_10		
,		
<u>Pit</u>	Below-grade tank	
Type: Drilling ☑ Production ☐ Disposal ☐	Volume:bbl Type of fluid:	
Workover ☐ Emergency ☐	Construction material:	
Lined 🛛 Unlined 🗌	Double-walled, with leak detection? Yes If not, explain why not.	
Liner type: Synthetic ☑ Thickness _12_mil Clay ☐ Volume		
_5,000_bbl		
	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points) 10
	100 feet or more	(0 points)
	100 feet of more	(o points)
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0
,		
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points) 0
	Ranking Score (Total Points)	10
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indic	ate disposal location:
onsite 🔲 offsite 🛛 If offsite, name of facility Sundance Services, Parabo I	Facility. (3) Attach a general description of remedial	action taken including remediation start date and
end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth		
diagram of sample locations and excavations.	•	
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines ⊠, a Date: 02/27/2006	general permit □, or an (attached) alternative O	CD-approved plan .
Printed Name/Title_ Steven M. Bishop / HES Specialist	Signature	MENON M. BISHO
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations	relieve the operator of liability should the contents o	f the pit or tank contaminate ground water or

Approval:

Date: 2/28/06

Printed Name/Title GARUW WINK STAFFIBER Signature Large Stellink

North Hobbs Unit 25-741



Occidental Permian Ltd.

North Hobbs Unit 25-741

API # 30-025-37480

Unit Letter 'A', Section 25, T-18-S, R-37-E

N 32°43`28.52", W103°11`59.81"

100' X 100' Pit 50' East of Wellhead