

February 27, 2006

New Mexico Oil Conservation Division District I 1625 N. French Drive Hobbs, New Mexico 88240

Attn: Environmental Engineering

RE: Final Drilling Pit Closure

North Hobbs Unit 24-622 Drilling Pit UL **2**, Sec. 24 T-18-S, R-37-E

This letter is being sent as final pit closure for the drilling pit at the above mentioned location. This pit was closed as follows:

- 1. All drill cuttings and liner were removed from pit area.
- 2. All cuttings were disposed of at Sundance Services, Parabo Facility near Eunice, New Mexico.
- 3. Native soils, stored on site, were used for backfill of the area.
- 4. NMOCD Pit and Below-Grade Tank Guidelines, dated 11-01-2004, were used for pit closure compliance.
- 5. Start date on drill cutting removal was 02/01/2006.
- 6. Work was completed on 02/21/2006.

STEVEN M. BISSLEP

6. A final form C-144 is attached.

If you have any questions, or if I can be of further assistance, please contact me at (505) 397-8251.

Steven M. Bishop

HES Technician/Hobbs RMT Steven\_Bishop@oxy.com

(505) 397-8251

Attachments: Form C-144

Diagram of pit and well location

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.


For downstream facilities, submit to Santa Fe

Form C-144 March 12, 2004

office

Is pit or below-grade tank	de Tank Registration or Clos k covered by a "general plan"? Yes \( \simeq \) I r below-grade tank \( \simeq \) Closure of a pit or below-	√o 🔯
Operator: _Occidental Permian, LTDTelephone: 505.397.8251_ Address: 1017 W. Stanolind Road, Hobbs, New Mexico 88240 Facility or well name: _NHU 24-622API #: 30-025-37152 County:LeaLatitude 32°43'56.68"N Longitude_103	2-00U/L Sec _24 T_	18-S R 37-E
Pit  Type: Drilling ☑ Production ☐ Disposal ☐  Workover ☐ Emergency ☐  Lined ☑ Unlined ☐  Liner type: Synthetic ☑ Thickness _12_mil Clay ☐ Volume _5,000_bbl	Below-grade tank  Volume:bbl Type of fluid:  Construction material:  Double-walled, with leak detection? Yes	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) 20 (10 points) ( 0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) ( 0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) ( 0 points) 0
	Ranking Score (Total Points)	20
If this is a pit closure: (1) attach a diagram of the facility showing the pit's onsite ☐ offsite ☒ If offsite, name of facility Sundance Service, Parabo F end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth diagram of sample locations and excavations.	Facility. (3) Attach a general description of remed	dial action taken including remediation start date and
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines ☑, a Date:02/27/2006  Printed Name/Title_ Steven M. Bishop / HES Specialist  Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations	general permit, or an (attached) alternative  Signature  relieve the operator of liability should the contents	STEVEN TO SISTEM
Approval: Date: 3/2/66 Printed Name/Title GARY W. WINK STAFF MGR	Signature Lary W. Win	k

## North Hobbs Unit 24-622



Occidental Permian Ltd.

North Hobbs Unit 24-622

API # 30-025-37152-00

Unit Letter 'C', Sec. 24, T-18-S, R-37-E

N 32°43`56.68", W 103°12`15.10"

100' X 150' Pit 75' West of Wellhead